

Current Transformer Finder — by Ratio (x/5 A, x/1 A), Type (Through-Hole, Split-Core, Summation) and Accuracy Class — Carlo Gavazzi, Siemens, Schneider, ABB

cBallast Technical Sourcing · generated 2026-09-29 · cballast.com/documents/current-transformer-finder-by-ratio-x-5-a-x-1-a-wound-split-core-summation-carlo-gavazzi-siemens-schneider-abb · first 500 rows; the full table is online

Measuring current transformers are specified by ratio (primary current to 5 A or 1 A secondary, e.g. 250/5 A), accuracy class (0.5 or 0.5S for billing and energy meters, 1 for panel instruments, 3 for indication), rated burden (VA, must cover meter plus wiring), window or bar size (busbar dimensions or cable diameter) and construction (solid-core through-hole, split-core for retrofit without disconnecting, summation transformers for earth-fault relays, and bar-primary types). Carlo Gavazzi CTD, Siemens 4NC, Schneider METSECT and ABB CM ranges offer the same ratios, so a transformer with the same ratio, class and window can be substituted. The finder lists the catalogue by type and ratio.

Section	Ratio	Accuracy class	Window / bar	Part number	Brand
Through-hole / bar-primary current transformers	50 / 5 A	1	—	METSECT5CC005	Schneider Electric
Through-hole / bar-primary current transformers	60 / 5 A	1	—	METSECT5CC006	Schneider Electric
Through-hole / bar-primary current transformers	75 / 5 A	1	—	METSECT5CC008	Schneider Electric
Through-hole / bar-primary current transformers	100 / 1 A	—	—	LT6CT1001	Schneider Electric
Through-hole / bar-primary current transformers	100 / 5 A	0.5	—	METSECT5CC010	Schneider Electric
Through-hole / bar-primary current transformers	125 / 5 A	0.5	—	METSECT5CC013	Schneider Electric
Through-hole / bar-primary current transformers	150 / 1 A	1	—	LV480882	Schneider Electric
Through-hole / bar-primary current transformers	150 / 5 A	0.5	—	METSECT5CC015	Schneider Electric
Through-hole / bar-primary current transformers	150 / 5 A	0.5	—	METSECT5MA015	Schneider Electric
Through-hole / bar-primary current transformers	150 / 5 A	1	—	LV480881	Schneider Electric
Through-hole / bar-primary current transformers	150 / 5 A	1	—	LV480883	Schneider Electric
Through-hole / bar-primary current transformers	200 / 1 A	—	—	LT6CT2001	Schneider Electric
Through-hole / bar-primary current transformers	200 / 5 A	0.5	—	METSECT5CC020	Schneider Electric
Through-hole / bar-primary current transformers	200 / 5 A	0.5	—	METSECT5MA020	Schneider Electric
Through-hole / bar-primary current transformers	200 / 5 A	1	—	SR200	Hager Systemer
Through-hole / bar-primary current transformers	250 / 5 A	—	—	Growatt CT (250/5A)	Growatt
Through-hole / bar-primary current transformers	250 / 5 A	0.5	—	METSECT5MA025	Schneider Electric
Through-hole / bar-primary current transformers	250 / 5 A	0.5	—	METSECT5MB025	Schneider Electric
Through-hole / bar-primary current transformers	250 / 5 A	0.5	—	METSECT5CC025	Schneider Electric
Through-hole / bar-primary current transformers	300 / 5 A	0.5	—	METSECT5MA030	Schneider Electric
Through-hole / bar-primary current transformers	300 / 5 A	0.5	—	METSECT5MB030	Schneider Electric
Through-hole / bar-primary current transformers	400 / 5 A	0.5	—	METSECT5MB040	Schneider Electric
Through-hole / bar-primary current transformers	400 / 5 A	0.5	—	METSECT5MA040	Schneider Electric
Through-hole / bar-primary current transformers	400 / 5 A	0.5	—	METSECT5DA040	Schneider Electric
Through-hole / bar-primary current transformers	500 / 5 A	0.5	—	METSECT5MD050	Schneider Electric
Through-hole / bar-primary current transformers	500 / 5 A	0.5	—	METSECT5DA050	Schneider Electric
Through-hole / bar-primary current transformers	600 / 5 A	—	—	Growatt CT (600/5A)	Growatt
Through-hole / bar-primary current transformers	600 / 5 A	0.5	—	METSECT5DA060	Schneider Electric
Through-hole / bar-primary current transformers	600 / 5 A	0.5	—	METSECT5MD060	Schneider Electric
Through-hole / bar-primary current transformers	800 / 5 A	0.5	—	METSECT5MD080	Schneider Electric

Through-hole / bar-primary current transformers	800 / 5 A	0.5	—	METSECT5DA080	Schneider Electric
Through-hole / bar-primary current transformers	820 / 1 A	—	—	3UF1868-3GA00	Siemens
Through-hole / bar-primary current transformers	1000 / 5 A	0.5	—	METSECT5DA100	Schneider Electric
Through-hole / bar-primary current transformers	1000 / 5 A	0.5	Ø 35 mm	CTD11H10005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	1000 / 5 A	0.5	Ø 54 mm	CTD12H10005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	1200 / 5 A	—	—	Growatt CT (1200/5A)	Growatt
Through-hole / bar-primary current transformers	1250 / 5 A	0.5	—	METSECT5DA125	Schneider Electric
Through-hole / bar-primary current transformers	1500 / 5 A	0.5	—	METSECT5DA150	Schneider Electric
Through-hole / bar-primary current transformers	1500 / 5 A	0.5	Ø 35 mm	CTD11H15005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	1500 / 5 A	0.5	Ø 54 mm	CTD12H15005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	2000 / 5 A	—	—	Growatt CT (2000/5A)	Growatt
Through-hole / bar-primary current transformers	2000 / 5 A	0.5	Ø 54 mm	CTD12H20005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	2000 / 5 A	0.5	Ø 35 mm	CTD11H20005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	2500 / 5 A	—	—	TA6002500502S	Micro Matic
Through-hole / bar-primary current transformers	2500 / 5 A	0.5	Ø 54 mm	CTD12H25005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	2500 / 5 A	0.5	Ø 55 mm	CTD8Q25005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	2500 / 5 A	0.5	Ø 35 mm	CTD11H25005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	3000 / 5 A	—	—	CI705B7MC	Micro Matic
Through-hole / bar-primary current transformers	3000 / 5 A	—	—	TA60030005	Micro Matic
Through-hole / bar-primary current transformers	3000 / 5 A	0.5	Ø 54 mm	CTD12H30005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	3000 / 5 A	0.5	Ø 35 mm	CTD11H30005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	4000 / 5 A	—	—	TA6004000502S	Micro Matic
Through-hole / bar-primary current transformers	4000 / 5 A	—	—	TA60040005	Micro Matic
Through-hole / bar-primary current transformers	4000 / 5 A	0.5	Ø 54 mm	CTD12H40005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	4000 / 5 A	0.5	Ø 35 mm	CTD11H40005AXXX	Carlo Gavazzi
Through-hole / bar-primary current transformers	5000 / 5 A	—	—	TA60050005	Micro Matic
Split-core current transformers	10 / 1 A	0.5	15 x 17 mm bar	2540445	Fluke
Split-core current transformers	40 / 5 A	3	Ø 24 mm	CTD2X405AXXX	Carlo Gavazzi
Split-core current transformers	50 / 1 A	1	—	4NC5112-0CB21	Siemens
Split-core current transformers	50 / 5 A	3	Ø 24 mm	CTD2X505AXXX	Carlo Gavazzi
Split-core current transformers	50 / 5 A	0.5	—	CI75022	—
Split-core current transformers	50 / 5 A	1	Ø 24 mm	CTD1X505AXXX	Carlo Gavazzi
Split-core current transformers	50 / 5 A	3	—	TC5505	—
Split-core current transformers	50 / 5 A	0.5	—	CT PRO XT 50	ABB
Split-core current transformers	50 / 5 A	3	Ø 41 mm	CTD3X505AXXX	Carlo Gavazzi
Split-core current transformers	50 / 5 A	0.5	15 x 17 mm bar	2540461	Fluke
Split-core current transformers	60 / 1 A	1	—	4NC5113-0CB21	Siemens
Split-core current transformers	60 / 5 A	0.5	—	CI75023	—
Split-core current transformers	60 / 5 A	1	Ø 10 mm	CTV1X60A333MV	Carlo Gavazzi

Split-core current transformers	60 / 5 A	1	Ø 24 mm	CTD1X605AXXX	Carlo Gavazzi
Split-core current transformers	60 / 5 A	3	Ø 24 mm	CTD2X605AXXX	Carlo Gavazzi
Split-core current transformers	60 / 5 A	1	—	4NC51132CB21	Siemens
Split-core current transformers	60 / 5 A	3	Ø 41 mm	CTD3X605AXXX	Carlo Gavazzi
Split-core current transformers	63 / 5 A	—	Ø 20 mm	1612773	—
Split-core current transformers	63 / 5 A	1	—	MC3-63	—
Split-core current transformers	63 / 5 A	—	Ø 30 mm	1612774	—
Split-core current transformers	70 / 5 A	1	Ø 24 mm	CTD1X705AXXX	Carlo Gavazzi
Split-core current transformers	70 / 5 A	3	Ø 24 mm	CTD2X705AXXX	Carlo Gavazzi
Split-core current transformers	70 / 5 A	3	Ø 41 mm	CTD3X705AXXX	Carlo Gavazzi
Split-core current transformers	75 / 1 A	1	—	4NC5115-0CC21	Siemens
Split-core current transformers	75 / 5 A	1	—	TC5755	—
Split-core current transformers	75 / 5 A	0.5	—	CI75024	—
Split-core current transformers	75 / 5 A	0.5	Ø 24 mm	CTD1X755AXXX	Carlo Gavazzi
Split-core current transformers	75 / 5 A	1	Ø 24 mm	CTD2X755AXXX	Carlo Gavazzi
Split-core current transformers	75 / 5 A	1	—	4NC51152CC21	Siemens
Split-core current transformers	75 / 5 A	3	Ø 41 mm	CTD3X755AXXX	Carlo Gavazzi
Split-core current transformers	80 / 5 A	—	Ø 35 mm	1612776	—
Split-core current transformers	80 / 5 A	—	Ø 35 mm	1602533	—
Split-core current transformers	80 / 5 A	—	Ø 25 mm	1612775	—
Split-core current transformers	80 / 5 A	—	—	B98120020	Elteco
Split-core current transformers	80 / 5 A	—	—	B98120007	Elteco
Split-core current transformers	80 / 5 A	—	—	B98120008	Elteco
Split-core current transformers	80 / 5 A	—	—	B98120003	Elteco
Split-core current transformers	80 / 5 A	0.5	Ø 24 mm	CTD1X805AXXX	Carlo Gavazzi
Split-core current transformers	80 / 5 A	1	Ø 24 mm	CTD2X805AXXX	Carlo Gavazzi
Split-core current transformers	80 / 5 A	3	Ø 41 mm	CTD3X805AXXX	Carlo Gavazzi
Split-core current transformers	100 / 1 A	0.5	—	4NC51170DA21	Siemens
Split-core current transformers	100 / 5 A	3	Ø 24 mm	CTA5X100A5A	Carlo Gavazzi
Split-core current transformers	100 / 5 A	0.5	Ø 24 mm	CTD1X1005AXXX	Carlo Gavazzi
Split-core current transformers	100 / 5 A	3	Ø 24 mm	8005150	—
Split-core current transformers	100 / 5 A	0.5	—	CI75025	—
Split-core current transformers	100 / 5 A	1	Ø 41 mm	CTD3X1005AXXX	Carlo Gavazzi
Split-core current transformers	100 / 5 A	1	Ø 16 mm	CTV2X100A333MV	Carlo Gavazzi
Split-core current transformers	100 / 5 A	3	—	METSECT5HG010	Schneider Electric
Split-core current transformers	100 / 5 A	0.5	—	CI75055	—
Split-core current transformers	100 / 5 A	3	—	METSECT5GA010	Schneider Electric
Split-core current transformers	100 / 5 A	3	—	SL10510100	—
Split-core current transformers	100 / 5 A	1	—	4NC5117-2CC21	Siemens

Split-core current transformers	100 / 5 A	1	Ø 24 mm	CTD2X1005AXXX	Carlo Gavazzi
Split-core current transformers	100 / 5 A	0.2S	—	CI77055FU01	—
Split-core current transformers	100 / 5 A	0.5	—	2CSG225785R1101	ABB
Split-core current transformers	100 / 5 A	0.5	—	4NC5117-2DA21	Siemens
Split-core current transformers	100 / 5 A	3	Ø 26 mm	CTD5S1005AXXX	Carlo Gavazzi
Split-core current transformers	120 / 5 A	0.5	Ø 24 mm	CTD1X1205AXXX	Carlo Gavazzi
Split-core current transformers	120 / 5 A	1	Ø 24 mm	CTD2X1205AXXX	Carlo Gavazzi
Split-core current transformers	120 / 5 A	1	Ø 41 mm	CTD3X1205AXXX	Carlo Gavazzi
Split-core current transformers	125 / 5 A	0.5	Ø 24 mm	CTD1X1255AXXX	Carlo Gavazzi
Split-core current transformers	125 / 5 A	1	—	MC3-125	—
Split-core current transformers	125 / 5 A	0.5	—	CI75056	—
Split-core current transformers	125 / 5 A	0.5	—	CI75026	—
Split-core current transformers	125 / 5 A	1	Ø 26 mm	CTD5S1255AXXX	Carlo Gavazzi
Split-core current transformers	125 / 5 A	0.5	Ø 24 mm	CTD2X1255AXXX	Carlo Gavazzi
Split-core current transformers	125 / 5 A	1	Ø 41 mm	CTD3X1255AXXX	Carlo Gavazzi
Split-core current transformers	150 / 1 A	1	—	4NC5121-0CC21	Siemens
Split-core current transformers	150 / 1 A	0.5	—	4NC5121-0DC21	Siemens
Split-core current transformers	150 / 5 A	3	Ø 24 mm	CTA5X150A5A	Carlo Gavazzi
Split-core current transformers	150 / 5 A	1	—	METSECT5HA015	Schneider Electric
Split-core current transformers	150 / 5 A	0.5	—	CI75047	—
Split-core current transformers	150 / 5 A	0.5	—	CI75027	—
Split-core current transformers	150 / 5 A	0.5	—	CI75057	—
Split-core current transformers	150 / 5 A	0.2S	—	CI77047FU01	—
Split-core current transformers	150 / 5 A	3	Ø 24 mm	8005151	—
Split-core current transformers	150 / 5 A	3	—	METSECT5GA015	Schneider Electric
Split-core current transformers	150 / 5 A	3	—	METSECT5HG015	Schneider Electric
Split-core current transformers	150 / 5 A	3	Ø 52 mm	CTD6S1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	1	Ø 26 mm	CTD5S1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	0.5	Ø 24 mm	CTD1X1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	3	—	SL10510150	—
Split-core current transformers	150 / 5 A	0.5	Ø 24 mm	CTD2X1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	1	Ø 51 mm	CTD4X1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	1	—	4NC5121-2CC21	Siemens
Split-core current transformers	150 / 5 A	0.5	—	4NC5121-2DC21	Siemens
Split-core current transformers	150 / 5 A	0.2	—	4NC5121-2FA21	Siemens
Split-core current transformers	150 / 5 A	0.5	Ø 41 mm	CTD3X1505AXXX	Carlo Gavazzi
Split-core current transformers	150 / 5 A	0.2S	—	CI77057FU01	—
Split-core current transformers	160 / 5 A	—	Ø 55 mm	1612777	—
Split-core current transformers	160 / 5 A	0.5	Ø 24 mm	CTD1X1605AXXX	Carlo Gavazzi

Split-core current transformers	160 / 5 A	0.5	Ø 24 mm	CTD2X1605AXXX	Carlo Gavazzi
Split-core current transformers	160 / 5 A	—	Ø 55 mm	1602534	—
Split-core current transformers	160 / 5 A	0.5	—	TCD1X160200CMX	Carlo Gavazzi
Split-core current transformers	160 / 5 A	0.5	—	TCD1X160150CMX	Carlo Gavazzi
Split-core current transformers	160 / 5 A	0.5	—	TCD1X16080CMX	Carlo Gavazzi
Split-core current transformers	160 / 5 A	0.5	Ø 41 mm	CTD3X1605AXXX	Carlo Gavazzi
Split-core current transformers	200 / 1 A	1	—	4NC5122-0CE21	Siemens
Split-core current transformers	200 / 1 A	1	—	4NC5222-0CE21	Siemens
Split-core current transformers	200 / 1 A	0.5	—	4NC5122-0DE21	Siemens
Split-core current transformers	200 / 1 A	0.5	—	4NC5222-0DE21	Siemens
Split-core current transformers	200 / 5 A	3	Ø 24 mm	CTA5X200A5A	Carlo Gavazzi
Split-core current transformers	200 / 5 A	1	Ø 21 mm	CTV4X200A333MV	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.5	—	CI75048	—
Split-core current transformers	200 / 5 A	3	Ø 36 mm	CTA6X200A5A	Carlo Gavazzi
Split-core current transformers	200 / 5 A	3	Ø 24 mm	8005152	—
Split-core current transformers	200 / 5 A	3	—	METSECT5HG020	Schneider Electric
Split-core current transformers	200 / 5 A	3	—	METSECT5GA020	Schneider Electric
Split-core current transformers	200 / 5 A	1	—	4NC5222-2CE21	Siemens
Split-core current transformers	200 / 5 A	0.5	—	4NC5122-2DE21	Siemens
Split-core current transformers	200 / 5 A	0.5	Ø 24 mm	CTD1X2005AXXX	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.5	—	CI75058	—
Split-core current transformers	200 / 5 A	1	—	4NC5122-2CE21	Siemens
Split-core current transformers	200 / 5 A	0.5	—	CI75028	—
Split-core current transformers	200 / 5 A	3	—	SL10510200	—
Split-core current transformers	200 / 5 A	1	Ø 51 mm	CTD4X2005AXXX	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.2S	—	CI77048FU01	—
Split-core current transformers	200 / 5 A	1	Ø 16 mm	CTV3X200A333MV	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.5	Ø 24 mm	CTD2X2005AXXX	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.2S	—	CI77058FU01	—
Split-core current transformers	200 / 5 A	1	Ø 26 mm	CTD5S2005AXXX	Carlo Gavazzi
Split-core current transformers	200 / 5 A	1	Ø 52 mm	CTD6S2005AXXX	Carlo Gavazzi
Split-core current transformers	200 / 5 A	0.5	Ø 41 mm	CTD3X2005AXXX	Carlo Gavazzi
Split-core current transformers	250 / 1 A	1	—	4NC5123-0CE21	Siemens
Split-core current transformers	250 / 1 A	1	—	4NC5223-0CE21	Siemens
Split-core current transformers	250 / 1 A	0.5	—	4NC5223-0DE21	Siemens
Split-core current transformers	250 / 5 A	—	Ø 80 mm	1612778	—
Split-core current transformers	250 / 5 A	1	Ø 24 mm	CTA5X250A5A	Carlo Gavazzi
Split-core current transformers	250 / 5 A	—	Ø 80 mm	1602535	—
Split-core current transformers	250 / 5 A	0.5	—	CI75049	—

Split-core current transformers	250 / 5 A	0.5	—	TCD2X250200CMX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	1	Ø 40 mm	8005154	—
Split-core current transformers	250 / 5 A	0.5	Ø 24 mm	CTD2X2505AXXX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	1	—	MC3-250A	—
Split-core current transformers	250 / 5 A	0.5	—	4NC5123-2DE21	Siemens
Split-core current transformers	250 / 5 A	1	—	METSECT5HP025	Schneider Electric
Split-core current transformers	250 / 5 A	0.5	Ø 24 mm	CTD1X2505AXXX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	0.5	—	CI75059	—
Split-core current transformers	250 / 5 A	0.5	—	CI75029	—
Split-core current transformers	250 / 5 A	1	—	METSECT5GA025	Schneider Electric
Split-core current transformers	250 / 5 A	1	—	METSECT5GD025	Schneider Electric
Split-core current transformers	250 / 5 A	0.5	—	TRM60 250/5A	—
Split-core current transformers	250 / 5 A	3	Ø 24 mm	8005153	—
Split-core current transformers	250 / 5 A	0.5	—	TCD2X25080CMX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	0.5	—	TCD2X250150CMX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	1	Ø 26 mm	CTD5S2505AXXX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	1	—	4NC5123-2CE21	Siemens
Split-core current transformers	250 / 5 A	1	Ø 52 mm	CTD6S2505AXXX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	1	—	4NC5223-2CE21	Siemens
Split-core current transformers	250 / 5 A	0.2S	—	CI77049FU01	—
Split-core current transformers	250 / 5 A	1	—	SL10510250	—
Split-core current transformers	250 / 5 A	0.2S	—	CI77059FU01	—
Split-core current transformers	250 / 5 A	0.5	Ø 51 mm	CTD4X2505AXXX	Carlo Gavazzi
Split-core current transformers	250 / 5 A	0.5	Ø 41 mm	CTD3X2505AXXX	Carlo Gavazzi
Split-core current transformers	300 / 1 A	1	—	4NC5224-0CE21	Siemens
Split-core current transformers	300 / 5 A	0.5	—	CI7504A	—
Split-core current transformers	300 / 5 A	0.5	Ø 41 mm	CTD3X3005AXXX	Carlo Gavazzi
Split-core current transformers	300 / 5 A	1	Ø 40 mm	8005155	—
Split-core current transformers	300 / 5 A	0.5	Ø 24 mm	CTD2X3005AXXX	Carlo Gavazzi
Split-core current transformers	300 / 5 A	0.5	Ø 24 mm	CTD1X3005AXXX	Carlo Gavazzi
Split-core current transformers	300 / 5 A	1	Ø 36 mm	CTA6X300A5A	Carlo Gavazzi
Split-core current transformers	300 / 5 A	0.5	—	TC83005	—
Split-core current transformers	300 / 5 A	1	—	METSECT5HG030	Schneider Electric
Split-core current transformers	300 / 5 A	1	—	METSECT5HJ030	Schneider Electric
Split-core current transformers	300 / 5 A	1	—	METSECT5HD030	Schneider Electric
Split-core current transformers	300 / 5 A	1	—	METSECT5HM030	Schneider Electric
Split-core current transformers	300 / 5 A	1	Ø 24 mm	CTA5X300A5A	Carlo Gavazzi
Split-core current transformers	300 / 5 A	1	—	4NC5224-2CE21	Siemens
Split-core current transformers	300 / 5 A	0.5	—	4NC5224-2DE21	Siemens

Split-core current transformers	300 / 5 A	0.5	—	SL10510300	—
Split-core current transformers	300 / 5 A	0.5	—	CI7506A	—
Split-core current transformers	300 / 5 A	1	—	SL11510300	—
Split-core current transformers	300 / 5 A	0.5	Ø 51 mm	CTD4X3005AXXX	Carlo Gavazzi
Split-core current transformers	300 / 5 A	0.2S	—	CI7705AFU01	—
Split-core current transformers	300 / 5 A	0.2S	—	CI7704AFU01	—
Split-core current transformers	300 / 5 A	1	Ø 52 mm	CTD6S3005AXXX	Carlo Gavazzi
Split-core current transformers	300 / 5 A	1	Ø 26 mm	CTD5S3005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 1 A	1	—	4NC5225-0CE21	Siemens
Split-core current transformers	400 / 1 A	0.5	—	4NC5225-0DE21	Siemens
Split-core current transformers	400 / 1 A	1	—	4NC5325-0CE21	Siemens
Split-core current transformers	400 / 5 A	—	Ø 110 mm	1612779	—
Split-core current transformers	400 / 5 A	1	Ø 36 mm	CTA6X400A5A	Carlo Gavazzi
Split-core current transformers	400 / 5 A	1	Ø 36 mm	CTV6X400A333MV	Carlo Gavazzi
Split-core current transformers	400 / 5 A	0.5	—	CI7504B	—
Split-core current transformers	400 / 5 A	1	Ø 31 mm	CTD8S4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	1	Ø 40 mm	8005156	—
Split-core current transformers	400 / 5 A	1	—	METSECT5HJ040	Schneider Electric
Split-core current transformers	400 / 5 A	0.5	—	TC6,24005	—
Split-core current transformers	400 / 5 A	1	—	METSECT5GG040	Schneider Electric
Split-core current transformers	400 / 5 A	—	Ø 110 mm	1602536	—
Split-core current transformers	400 / 5 A	0.5	—	CI7506B	—
Split-core current transformers	400 / 5 A	1	—	METSECT5HP040	Schneider Electric
Split-core current transformers	400 / 5 A	0.5	—	METSECT5GA040	Schneider Electric
Split-core current transformers	400 / 5 A	1	—	METSECT5HM040	Schneider Electric
Split-core current transformers	400 / 5 A	0.5	—	TP584005	—
Split-core current transformers	400 / 5 A	1	Ø 51 mm	CTD10S4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	1	Ø 52 mm	CTD6S4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	1	Ø 21 mm	CTV4X400A333MV	Carlo Gavazzi
Split-core current transformers	400 / 5 A	3	Ø 36 mm	CTD9S4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	0.5	—	4NC52252DE21	Siemens
Split-core current transformers	400 / 5 A	1	Ø 26 mm	CTD5S4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	0.2	—	4NC51252FE21	Siemens
Split-core current transformers	400 / 5 A	1	—	4NC53252CE21	Siemens
Split-core current transformers	400 / 5 A	0.5	—	2CSG225955R1101	ABB
Split-core current transformers	400 / 5 A	0.5	Ø 24 mm	CTD2X4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	1	—	2CSG225835R1101	ABB
Split-core current transformers	400 / 5 A	0.5	Ø 51 mm	CTD4X4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	0.5	Ø 31 mm	CTD8H4005AXXX	Carlo Gavazzi

Split-core current transformers	400 / 5 A	0.5	—	SL10510400	—
Split-core current transformers	400 / 5 A	0.5	—	SL11510400	—
Split-core current transformers	400 / 5 A	1	—	4NC5225-2CE21	Siemens
Split-core current transformers	400 / 5 A	0.2S	—	CI7704BFU01	—
Split-core current transformers	400 / 5 A	0.5	Ø 41 mm	CTD3X4005AXXX	Carlo Gavazzi
Split-core current transformers	400 / 5 A	0.2S	—	CI7705BFU01	—
Split-core current transformers	500 / 1 A	1	—	4NC53260CE21	Siemens
Split-core current transformers	500 / 5 A	0.5	—	CI7504C	—
Split-core current transformers	500 / 5 A	0.5	—	CI7506C	—
Split-core current transformers	500 / 5 A	0.2S	—	CI7704CFU01	—
Split-core current transformers	500 / 5 A	0.5	—	TC125005	—
Split-core current transformers	500 / 5 A	0.2S	—	CI7706CFU01	—
Split-core current transformers	500 / 5 A	1	Ø 36 mm	CTA6X500A5A	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	—	METSECT5GG050	Schneider Electric
Split-core current transformers	500 / 5 A	1	Ø 51 mm	CTD10S5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	—	8005161	—
Split-core current transformers	500 / 5 A	0.5	Ø 40 mm	8005157	—
Split-core current transformers	500 / 5 A	1	—	METSECT5HM050	Schneider Electric
Split-core current transformers	500 / 5 A	1	Ø 36 mm	CTD9S5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	1	—	4NC5326-2CE21	Siemens
Split-core current transformers	500 / 5 A	0.5	—	TRM60 500/5A	—
Split-core current transformers	500 / 5 A	1	Ø 52 mm	CTD6S5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	1	Ø 31 mm	CTD8S5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	—	SL11510500	—
Split-core current transformers	500 / 5 A	0.5	Ø 51 mm	CTD4X5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	Ø 24 mm	CTD2X5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	Ø 31 mm	CTD8H5005AXXX	Carlo Gavazzi
Split-core current transformers	500 / 5 A	0.5	Ø 41 mm	CTD3X5005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 1 A	1	—	4NC5327-0CE21	Siemens
Split-core current transformers	600 / 5 A	0.5	Ø 51 mm	CTD4X6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	—	Ø 140 mm	1612780	—
Split-core current transformers	600 / 5 A	0.5	—	CI7507D	—
Split-core current transformers	600 / 5 A	0.5	Ø 24 mm	CTD2X6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	0.5	Ø 41 mm	CTD3X6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	0.5	Ø 40 mm	8005158	—
Split-core current transformers	600 / 5 A	0.5	—	CI7506D	—
Split-core current transformers	600 / 5 A	0.2S	—	CI7707DFU01	—
Split-core current transformers	600 / 5 A	0.5	—	METSECT5HM060	Schneider Electric
Split-core current transformers	600 / 5 A	0.5	—	TC6,26005	—

Split-core current transformers	600 / 5 A	0.5	—	CI7504D	—
Split-core current transformers	600 / 5 A	0.5	—	METSECT5HJ060	Schneider Electric
Split-core current transformers	600 / 5 A	0.5	—	METSECT5GD060	Schneider Electric
Split-core current transformers	600 / 5 A	0.5	—	8005162	—
Split-core current transformers	600 / 5 A	1	—	METSECT5HP060	Schneider Electric
Split-core current transformers	600 / 5 A	1	Ø 52 mm	CTD6S6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	1	Ø 51 mm	CTD10S6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	1	Ø 36 mm	CTA6X600A5A	Carlo Gavazzi
Split-core current transformers	600 / 5 A	0.2S	—	CI7706DFU01	—
Split-core current transformers	600 / 5 A	1	Ø 31 mm	CTD8S6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	1	Ø 36 mm	CTD9S6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	1	—	4NC5327-2CE21	Siemens
Split-core current transformers	600 / 5 A	0.5	—	4NC5327-2DE21	Siemens
Split-core current transformers	600 / 5 A	0.5	—	SL11510600	—
Split-core current transformers	600 / 5 A	0.2S	—	CI7704DFU01	—
Split-core current transformers	600 / 5 A	0.5	Ø 36 mm	CTD9H6005AXXX	Carlo Gavazzi
Split-core current transformers	600 / 5 A	0.5	Ø 31 mm	CTD8H6005AXXX	Carlo Gavazzi
Split-core current transformers	630 / 5 A	0.5	—	TCD3X630200CMX	Carlo Gavazzi
Split-core current transformers	630 / 5 A	0.5	—	TCD3X63080CMX	Carlo Gavazzi
Split-core current transformers	630 / 5 A	0.5	—	TCD3X630150CMX	Carlo Gavazzi
Split-core current transformers	700 / 5 A	0.2	—	4NC5228-2FE21	Siemens
Split-core current transformers	700 / 5 A	0.5	Ø 51 mm	CTD4X7005AXXX	Carlo Gavazzi
Split-core current transformers	700 / 5 A	0.5	Ø 41 mm	CTD3X7005AXXX	Carlo Gavazzi
Split-core current transformers	750 / 1 A	1	—	4NC53300CE21	Siemens
Split-core current transformers	750 / 5 A	0.5	—	CI7506E	—
Split-core current transformers	750 / 5 A	0.5	—	CI7504E	—
Split-core current transformers	750 / 5 A	0.5	—	CI7507E	—
Split-core current transformers	750 / 5 A	0.5	—	METSECT5HJ075	Schneider Electric
Split-core current transformers	750 / 5 A	0.2S	—	CI7706EFU01	—
Split-core current transformers	750 / 5 A	0.5	—	METSECT5HM075	Schneider Electric
Split-core current transformers	750 / 5 A	1	Ø 36 mm	CTD9S7505AXXX	Carlo Gavazzi
Split-core current transformers	750 / 5 A	1	Ø 51 mm	CTD10S7505AXXX	Carlo Gavazzi
Split-core current transformers	750 / 5 A	1	—	4NC53302CE21	Siemens
Split-core current transformers	750 / 5 A	1	Ø 31 mm	CTD8S7505AXXX	Carlo Gavazzi
Split-core current transformers	750 / 5 A	0.5	—	4NC5330-2DE21	Siemens
Split-core current transformers	750 / 5 A	1	Ø 52 mm	CTD6S7505AXXX	Carlo Gavazzi
Split-core current transformers	750 / 5 A	0.2S	—	CI7704EFU01	—
Split-core current transformers	750 / 5 A	0.5	Ø 51 mm	CTD4X7505AXXX	Carlo Gavazzi
Split-core current transformers	750 / 5 A	0.5	Ø 31 mm	CTD8H7505AXXX	Carlo Gavazzi

Split-core current transformers	750 / 5 A	0.5	Ø 41 mm	CTD3X7505AXXX	Carlo Gavazzi
Split-core current transformers	800 / 1 A	0.5	—	4NC54310DH21	Siemens
Split-core current transformers	800 / 1 A	1	—	4NC5431-0CH21	Siemens
Split-core current transformers	800 / 5 A	0.5	—	CI7504F	—
Split-core current transformers	800 / 5 A	0.5	—	CI7507F	—
Split-core current transformers	800 / 5 A	0.5	Ø 80 mm	SL13510800	—
Split-core current transformers	800 / 5 A	0.5	—	CI7508F	—
Split-core current transformers	800 / 5 A	0.5	Ø 40 mm	8005159	—
Split-core current transformers	800 / 5 A	0.5	—	METSECT5HJ080	Schneider Electric
Split-core current transformers	800 / 5 A	1	—	METSECT5HP080	Schneider Electric
Split-core current transformers	800 / 5 A	0.5	—	TC128005	—
Split-core current transformers	800 / 5 A	0.2S	—	CI7707FFU01	—
Split-core current transformers	800 / 5 A	0.2S	—	SL12510800	—
Split-core current transformers	800 / 5 A	—	Ø 180 mm	1612781	—
Split-core current transformers	800 / 5 A	0.5	—	METSECT5GD080	Schneider Electric
Split-core current transformers	800 / 5 A	0.5	—	8005163	—
Split-core current transformers	800 / 5 A	0.5	—	METSECT5HM080	Schneider Electric
Split-core current transformers	800 / 5 A	0.2S	—	CI7706FFU01	—
Split-core current transformers	800 / 5 A	1	Ø 51 mm	CTD10S8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	1	Ø 52 mm	CTD6S8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	1	Ø 36 mm	CTD9S8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.5	—	CI7506F	—
Split-core current transformers	800 / 5 A	1	Ø 31 mm	CTD8S8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.2	—	4NC5231-2FE21	Siemens
Split-core current transformers	800 / 5 A	0.5	—	4NC5331-2DE21	Siemens
Split-core current transformers	800 / 5 A	1	Ø 50 mm	CTV8X800A333MV	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.5	—	SL11510800	—
Split-core current transformers	800 / 5 A	0.5	—	4NC54312DH21	Siemens
Split-core current transformers	800 / 5 A	0.2S	—	CI7704FFU01	—
Split-core current transformers	800 / 5 A	1	—	4NC5431-2CH21	Siemens
Split-core current transformers	800 / 5 A	0.5	Ø 51 mm	CTD4X8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.5	—	SL28510800	—
Split-core current transformers	800 / 5 A	0.5	Ø 41 mm	CTD3X8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.5	Ø 36 mm	CTD9H8005AXXX	Carlo Gavazzi
Split-core current transformers	800 / 5 A	0.5	Ø 31 mm	CTD8H8005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 1 A	1	—	4NC5432-0CH21	Siemens
Split-core current transformers	1000 / 5 A	0.5	—	8005164	—
Split-core current transformers	1000 / 5 A	1	—	METSECT5HP100	Schneider Electric
Split-core current transformers	1000 / 5 A	0.2S	—	CI7706GFU01	—

Split-core current transformers	1000 / 5 A	0.5	—	TC1210005	—
Split-core current transformers	1000 / 5 A	0.5	—	CI7507G	—
Split-core current transformers	1000 / 5 A	0.5	—	CI7508G	—
Split-core current transformers	1000 / 5 A	0.2S	—	CI7707GFU01	—
Split-core current transformers	1000 / 5 A	0.2S	—	SL12511000	—
Split-core current transformers	1000 / 5 A	0.5	Ø 40 mm	8005160	—
Split-core current transformers	1000 / 5 A	0.5	—	SL13511000	—
Split-core current transformers	1000 / 5 A	1	—	4NC54322CH21	Siemens
Split-core current transformers	1000 / 5 A	0.5	—	METSECT5GD100	Schneider Electric
Split-core current transformers	1000 / 5 A	0.2	—	4NC5232-2FE21	Siemens
Split-core current transformers	1000 / 5 A	0.5	—	CI7506G	—
Split-core current transformers	1000 / 5 A	0.5	Ø 51 mm	CTD4X10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	1	Ø 31 mm	CTD8S10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	1	Ø 52 mm	CTD6S10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	1	Ø 51 mm	CTD10S10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	1	Ø 36 mm	CTD9S10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	0.5	—	4NC5432-2DH21	Siemens
Split-core current transformers	1000 / 5 A	0.5	—	SL11511000	—
Split-core current transformers	1000 / 5 A	0.5	—	SL28511000	—
Split-core current transformers	1000 / 5 A	0.5	—	SL29511000	—
Split-core current transformers	1000 / 5 A	0.5	Ø 51 mm	CTD10H10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	0.5	Ø 31 mm	CTD8H10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	0.5	Ø 55 mm	CTD8Q10005AXXX	Carlo Gavazzi
Split-core current transformers	1000 / 5 A	0.5	Ø 36 mm	CTD9H10005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	0.2S	—	CI7708HFU01	—
Split-core current transformers	1200 / 5 A	0.2S	—	CI7707HFU01	—
Split-core current transformers	1200 / 5 A	0.5	—	CI7508H	—
Split-core current transformers	1200 / 5 A	0.5	—	CI7507H	—
Split-core current transformers	1200 / 5 A	0.5	—	SL13511200	—
Split-core current transformers	1200 / 5 A	0.2S	—	SL12511200	—
Split-core current transformers	1200 / 5 A	0.2S	—	CI7706HFU01	—
Split-core current transformers	1200 / 5 A	0.5	—	CI7506H	—
Split-core current transformers	1200 / 5 A	1	Ø 51 mm	CTD10S12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	1	Ø 36 mm	CTD9S12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	1	Ø 31 mm	CTD8S12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	0.5	Ø 31 mm	CTD8H12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	0.5	Ø 36 mm	CTD9H12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	0.5	Ø 51 mm	CTD10H12005AXXX	Carlo Gavazzi
Split-core current transformers	1200 / 5 A	0.5	—	2CSG521200R1101	ABB

Split-core current transformers	1200 / 5 A	0.5	—	4NC5433-2DH21	Siemens
Split-core current transformers	1200 / 5 A	0.5	Ø 51 mm	CTD4X12005AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 1 A	1	—	4NC54340CH21	Siemens
Split-core current transformers	1250 / 5 A	—	—	1612782	—
Split-core current transformers	1250 / 5 A	1	Ø 31 mm	CTD8S12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	—	CI7507J	—
Split-core current transformers	1250 / 5 A	0.5	—	CI7508J	—
Split-core current transformers	1250 / 5 A	0.5	—	CI7506J	—
Split-core current transformers	1250 / 5 A	1	Ø 36 mm	CTD9S12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	—	SL28511250	—
Split-core current transformers	1250 / 5 A	1	—	4NC5434-2CH21	Siemens
Split-core current transformers	1250 / 5 A	1	Ø 51 mm	CTD10S12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	Ø 51 mm	CTD4X12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	—	SL29511250	—
Split-core current transformers	1250 / 5 A	0.5	Ø 31 mm	CTD8H12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	Ø 51 mm	CTD10H12505AXXX	Carlo Gavazzi
Split-core current transformers	1250 / 5 A	0.5	Ø 36 mm	CTD9H12505AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 1 A	1	—	4NC5435-0CH21	Siemens
Split-core current transformers	1500 / 1 A	0.5	—	4NC5435-0DH21	Siemens
Split-core current transformers	1500 / 5 A	0.5	—	CI7507K	—
Split-core current transformers	1500 / 5 A	0.5	—	CI7506K	—
Split-core current transformers	1500 / 5 A	0.2S	—	CI7707KFU01	—
Split-core current transformers	1500 / 5 A	0.5	—	CI7508K	—
Split-core current transformers	1500 / 5 A	0.5	—	SL13511500	—
Split-core current transformers	1500 / 5 A	0.2S	—	SL12511500	—
Split-core current transformers	1500 / 5 A	1	Ø 36 mm	CTD9S15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	1	Ø 51 mm	CTD10S15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.2S	—	CI7708KFU01	—
Split-core current transformers	1500 / 5 A	1	Ø 31 mm	CTD8S15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.5	—	SL28511500	—
Split-core current transformers	1500 / 5 A	1	—	4NC5435-2CH21	Siemens
Split-core current transformers	1500 / 5 A	0.5	Ø 51 mm	CTD4X15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.5	—	SL29511500	—
Split-core current transformers	1500 / 5 A	0.2S	—	CI7706KFU01	—
Split-core current transformers	1500 / 5 A	0.5	Ø 55 mm	CTD8Q15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.5	Ø 36 mm	CTD9H15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.5	Ø 31 mm	CTD8H15005AXXX	Carlo Gavazzi
Split-core current transformers	1500 / 5 A	0.5	Ø 51 mm	CTD10H15005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	—	CI7507L	—

Split-core current transformers	1600 / 5 A	0.5	—	CI7508L	—
Split-core current transformers	1600 / 5 A	0.2S	—	CI7707LFU01	—
Split-core current transformers	1600 / 5 A	0.5	—	CI7506L	—
Split-core current transformers	1600 / 5 A	0.2S	—	CI7708LFU01	—
Split-core current transformers	1600 / 5 A	0.2S	—	CI7706LFU01	—
Split-core current transformers	1600 / 5 A	1	Ø 36 mm	CTD9S16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	—	METSECT5GJ160	Schneider Electric
Split-core current transformers	1600 / 5 A	1	Ø 31 mm	CTD8S16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	1	Ø 51 mm	CTD10S16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	Ø 31 mm	CTD8H16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	Ø 51 mm	CTD10H16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	Ø 36 mm	CTD9H16005AXXX	Carlo Gavazzi
Split-core current transformers	1600 / 5 A	0.5	Ø 51 mm	CTD4X16005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 1 A	1	—	4NC5438-0CJ21	Siemens
Split-core current transformers	2000 / 5 A	0.5	—	CI7507M	—
Split-core current transformers	2000 / 5 A	—	—	1612783	—
Split-core current transformers	2000 / 5 A	1	Ø 36 mm	CTD9S20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	0.5	—	CI7508M	—
Split-core current transformers	2000 / 5 A	0.2S	—	CI7707MFU01	—
Split-core current transformers	2000 / 5 A	0.5	—	TA60020005	Micro Matic
Split-core current transformers	2000 / 5 A	0.2S	—	SL12512000	—
Split-core current transformers	2000 / 5 A	0.5	—	SL13512000	—
Split-core current transformers	2000 / 5 A	1	Ø 51 mm	CTD10S20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	1	Ø 31 mm	CTD8S20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	0.2S	—	CI7708MFU01	—
Split-core current transformers	2000 / 5 A	0.5	—	SL28512000	—
Split-core current transformers	2000 / 5 A	1	—	4NC54382CJ21	Siemens
Split-core current transformers	2000 / 5 A	0.5	Ø 31 mm	CTD8H20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	0.5	Ø 55 mm	CTD8Q20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	0.5	Ø 51 mm	CTD10H20005AXXX	Carlo Gavazzi
Split-core current transformers	2000 / 5 A	0.5	—	SL29512000	—
Split-core current transformers	2000 / 5 A	0.5	Ø 36 mm	CTD9H20005AXXX	Carlo Gavazzi
Split-core current transformers	2500 / 1 A	1	—	4NC5440-0CJ21	Siemens
Split-core current transformers	2500 / 5 A	0.5	—	CI7508N	—
Split-core current transformers	2500 / 5 A	0.5	—	CI7507N	—
Split-core current transformers	2500 / 5 A	0.5	—	TA60025005	Micro Matic
Split-core current transformers	2500 / 5 A	0.2S	—	CI7707NFU01	—
Split-core current transformers	2500 / 5 A	0.2S	—	CI7708NFU01	—
Split-core current transformers	2500 / 5 A	1	Ø 31 mm	CTD8S25005AXXX	Carlo Gavazzi

Split-core current transformers	2500 / 5 A	1	Ø 36 mm	CTD9S25005AXXX	Carlo Gavazzi
Split-core current transformers	2500 / 5 A	1	Ø 51 mm	CTD10S25005AXXX	Carlo Gavazzi

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier. © cBallast 2026 · cballast.com