DIN-Rail Terminal Block Cross-Reference — Phoenix Contact, Weidmüller, WAGO, Schneider Electric, Eaton, ABB by Cross-Section and Type

cBallast Technical Sourcing · Feed-through, ground, double-level, fuse and disconnect terminal blocks (IEC 60947-7-1 / -7-2) · issued 2026-09-29 · cballast.com/documents/din-rail-terminal-block-cross-reference-phoenix-contact-weidmuller-wago-schneider-eaton-abb-by-cross-section-and-type

DIN-rail terminals are matched by nominal cross-section (1.5, 2.5, 4, 6, 10, 16, 35 mm² and up), function (feed-through, protective-earth with rail contact, double- or triple-level, fuse holder, disconnect / test, diode or component blocks) and connection technology (screw, tension spring, push-in). Phoenix Contact UT / ST / PT, Weidmüller WDU / ZDU / A-series, WAGO TOPJOB S 2000 series, Schneider Linergy TR, Eaton.

DIN-Rail Terminal Block Cross-Reference

DIN-rail terminals are matched by nominal cross-section (1.5, 2.5, 4, 6, 10, 16, 35 mm² and up), function (feed-through, protective-earth with rail contact, double- or triple-level, fuse holder, disconnect / test, diode or component blocks) and connection technology (screw, tension spring, push-in). Phoenix Contact UT / ST / PT, Weidmüller WDU / ZDU / A-series, WAGO TOPJOB S 2000 series, Schneider Linergy TR, Eaton XT and ABB SNK ranges all cover the same functions in each cross-section, so an equivalent block can be found by matching those three properties. The table lists the catalogue by type and cross-section with one column per make.

Terminals of different makes do not share end covers, jumpers (bridges) or marker strips — order accessories from the same range. The nominal cross-section is the largest conductor the block is rated for; a 2.5 mm² block usually accepts 0.14–4 mm² conductors. Spring and push-in blocks require ferrules only for fine-stranded conductors below the specified size; screw blocks are torque-specified.

Coverage: 539 catalogue rows with a readable rating, of 2,034 in these categories. Each cell lists up to 5 part numbers per column; click a part number for the product page and a quotation.

Feed-through terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

0.14 mm² · n/s | — | 9028240000
9028250000 | — | — | — | — |

0.5 mm² · n/s | — | 9037200000
9037400000
9019020000
0409500000 | — | — | — | — |

0.75 mm² · n/s | — | 9019060000
9004770000
9037420000
9202830000
09018570000 | — | — | — | — |

1 mm² · n/s | — | 0372600000
9019070000
00409700000
9019110000
09026080000 | — | — | — | — |

1.5 mm² · n/s | QTC 1,5
FBS 5-4
FBS 10-4
FBS 3-4
FBS 4-4 | 9037480000
9019430000
9005890000
9037490000
9019130000 | — | — | — | — |

1.5 mm² · push-in | PT 1,5/S
PT 1,5/S-QUATTRO BU
PT 1,5/S BU
PT 1,5/S-TWIN
PT 1,5/S-QUATTRO | 1988260000
1552690000
2816930000
1552790000

2464750000 | — | — | — | — |

1.5 mm² · screw | MT 1,5 | 1031480000 | — | — | — | — |

1.5 mm² · spring | ST 1,5-QUATTRO BU
ST 1,5-TWIN
ST 1,5 BU
ST 1,5 | — | — | — | — | — |

2.5 mm² · n/s | FBS 10-5
FBS 2-5
FBS 20-5
PTI 2,5-L/L
FBS 3-5 | 9025430000
9037510000
2902380000
0373000000
9021240000 | — | — | — | — |

2.5 mm² · push-in | 3209522
PT 2,5-TWIN
PT 2,5-MT
PT 2,5 BU
PT 2,5-QUATTRO | 2503880000
2847330000
2428520000 | — | NSYTRP24
NSYTRP22BL
NSYTRP24BL
NSYTRP22
NSYTRP24D | — | — |

2.5 mm² · screw | 3044076
UT 2,5
UTTB 2,5
UT 2,5 BU
UK 2,5 N | 1020000000
1783820000
0380480000
01068040000 | — | — | — | — |

2.5 mm² · spring | ST 2,5
ST 2,5 BU
ST 2,5-3L
ST 2,5/ 1P | 1608510000
1772060000
1712750000
1608580000 | — | NSYTRR26T
NSYTRR22BL
NSYTRR23 | — | — |

3 mm² · screw | UK 3 N BU
UK 3 N
UK 3-TWIN | — | — | — | — | — |

4 mm² · n/s | FBS 10-6
FBS 20-6
FBS 3-6
FBS 2-6
FBS 50-6 | A2C 4 BL
A2C 4
09026010000
2874840000
2874870000 | — | — | — | — |

4 mm² · push-in | 3211773
PT 4 BU | 2581790000
2460130000
2871990000
2459010000
2871870000 | — | NSYTRP42
NSYTRP42BL
NSYTRP44
NSYTRP44BL
NSYTRP43BL | — | — |

4 mm² · screw | 3044102
UT 4
UT 4 BU

UK 4 BU
UT 4-TWIN | 1020100000 | — | — | — | — |

4 mm² · spring | ST 4
ST 4-QUATTRO BU
ST 4-TWIN
ST 4-QUATTRO | ZDU 4-2/3AN | — | NSYTRR44
NSYTRR43
NSYTRR42BL | — | — |

5 mm² · push-in | — | 2464730000 | — | — | — | — |

5 mm² · screw | 3004362
UK 5 N
UK 5 N BU | — | — | — | — | — |

6 mm² · n/s | FBS 2-8
FBS 10-8
FBS 5-8
FBS 6-8
FB 10- 8-EX | A2C 6
A2C 6 BL
9037560000
09019220000
9037550000 | 2007-8875
2007-8873 | — | — | — |

6 mm² · push-in | PT 6 BU | 1991780000
1988130000
2623910000 | — | — | — | — |

6 mm² · screw | UK 6 N
UT 6
UT 6 BU
UK 5-MTK
UK 6 N BU | — | — | — | — | — | — |

6 mm² · spring | ST 6-TWIN
ST 6 | — | — | NSYTRR63
NSYTRR62BL
NSYTRR62 | — | — |

10 mm² · n/s | FBS 5-10
FBS 2-10
0203247
XTV 10 BU
XTV 10 | 9037570000
9037340000 | — | — | — | — |

10 mm² · push-in | PT 10 BU
PT 10 | 2503900000
1988180000
1988190000 | — | — | — | — |

10 mm² · screw | 3005099
UT 10
UT 10 BU
UK 10 N
UK 10 N BU | 1020200000
3039104240 | — | — | — | — |

10 mm² · spring | ST 10 | ZDU 10
ZDU 10 BL | — | NSYTRR102 | — | — |

16 mm² · n/s | FBS 2-12
XTV 16
XTV 16 BU | 0492500000
9037590000
9037730000 | — | — | AKU16/5
AKU16/10 | — |

16 mm² · push-in | PT 16 N BU | 2494100000 | — | — | — | — |

16 mm² · screw | 3006043
UT 16
UT 16 BU
UK 16 N
UK 16 N BU | — | — | — | — | — | — |

16 mm² · spring | ST 16 | ZDU 16 | — | NSYTRR162 | — | — |

35 mm² · n/s | FBS 2-16

FBI 3-15
FBI 2-15 | 0317300000
9019310000 | — | — | AKU35/5
AKU35/10 | 2CCA183465R0001 |

35 mm² · push-in | — | 2552090000
2551510000 | — | — | — | — |

35 mm² · screw | UT 35
UT 35 BU
UK 35 BU
UK 35 N | — | — | — | — | — |

35 mm² · spring | ST 35 BU
ST 35 | — | — | — | — | — |

50 mm² · n/s | FBI 3-20
FBI 2-20 | — | — | — | BPZ-IC/50-16/235-P
BPZ-IC/50-16/235-P-II
BPZ-IC/50-16/235-N | ZK150 |

70 mm² · n/s | — | 9028200000 | — | — | Y7-107190
AKU70/10 | — |

70 mm² · push-in | — | 2663250000 | — | — | — | — |

70 mm² · screw | — | 9512190000 | — | — | — | — |

95 mm² · n/s | AGK 10-UKH 95 | — | — | — | — | — |

95 mm² · push-in | PTPOWER 95 | — | — | — | — | — |

95 mm² · screw | UKH 95 | — | — | — | — | — |

120 mm² · n/s | — | — | — | — | AKU120/10
AKU120/5 | — |

150 mm² · n/s | — | — | — | — | EML26 | — |

150 mm² · screw | UKH 150 | — | — | — | — | — |

240 mm² · n/s | — | — | — | 33640 | — | — |

240 mm² · screw | UKH 240 | — | — | — | — | — |

Ground / PE terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

1.5 mm² · n/s | QTC 1,5-TWIN-PE
QTC 1,5-PE | — | — | — | — | — |

1.5 mm² · push-in | PT 1,5/S-PE
PT 1,5/S-QUATTRO-PE
PT 1,5/S-PE/L/L
PT 1,5/S-3PE
PT 1,5/S-TWIN-PE | — | — | — | — | — |

1.5 mm² · spring | ST 1,5-PE
ST 1,5-TWIN-PE
STTB 1,5-PE | — | — | — | — | — |

2 mm² · screw | — | WPE 2.5N | — | — | — | — |

2.5 mm² · n/s | UTTB 2,5-PE
QTC 2,5-PE
USLKG 2,5
USLKG 2,5 N
UTI 2,5-PE/L/N | A2C 2.5 PE | — | — | — | — |

2.5 mm² · push-in | PT 2,5-PE
PTTB 2,5-PE
PT 2,5-QUATTRO-PE
PT 2,5-TWIN-PE
PT 2,5-PE/L/N | — | 2003-6645
2003-7646
2002-3227
2002-2207 | NSYTRP23PE
NSYTRP22PE
NSYTRP24DPE
NSYTRP24PE | — | — |

2.5 mm² · screw | UT 2,5-PE
UT 2,5- TWIN-PE
UT 2,5- QUATTRO-PE | WPE 2.5 | — | — | — | — |

2.5 mm² · spring | ST 2,5-QUATTRO-PE
ST 2,5-TWIN-PE

ST 2,5-PE
STTB 2,5-PE
ST 2,5-3PE | ZPE 2.5
ZPE 2.5/4AN | — | NSYTRR23PE
NSYTRR24DPE
NSYTRR22PE | — | — |

3 mm² · n/s | USLKG 3 | — | — | — | — | — |

4 mm² · n/s | AKG 4 GNYE-EX
PTI 4-PE/L/N
UTTB 4-PE | — | — | — | — | — |

4 mm² · push-in | PT 4-PE
PT 4-QUATTRO-PE
PT 4-TWIN-PE | — | — | NSYTRP42PE | — | — |

4 mm² · screw | UT 4-PE
UT 4-QUATTRO-PE
UT 4-TWIN-PE
UT 4-MTD-PE/S
UT 4-HEDI-P/P | 1010100000
WPE 4 | — | — | — | — |

4 mm² · spring | ST 4-PE
ST 4-TWIN-PE
ST 4-QUATTRO-PE | ZPE 4 | — | NSYTRR42PE
NSYTRR44DPE | — | — |

5 mm² · n/s | 0441504
USLKG 5 | — | — | — | — | — |

5 mm² · screw | UK 5-TWIN-PE | — | — | — | — | — |

6 mm² · n/s | USLKG 6 N
XTV 6-QUATTRO-PE
XTV 6-TWIN-PE | — | — | — | — | — |

6 mm² · push-in | PT 6-PE | — | — | — | — | — |

6 mm² · screw | UT 6-PE | WPE 6 | — | — | — | — |

6 mm² · spring | ST 6-TWIN-PE
ST 6-PE | ZPE 6 | — | — | — | — |

10 mm² · n/s | USLKG 10 N
XTV 10-PE
XTV 10-TWIN-PE | — | — | — | — | — |

10 mm² · push-in | PT 10-PE
PT 6-TWIN-PE | — | — | — | — | — |

10 mm² · screw | UT 10-PE
UK 10-TWIN-PE | WPE 10 | — | — | — | — |

10 mm² · spring | ST 10-PE | ZPE 10 | — | — | — | — |

16 mm² · n/s | USLKG 16 N | — | — | — | — | — |

16 mm² · push-in | PT 16 N-PE | — | — | — | — | — |

16 mm² · screw | UT 16-PE | WPE 16 | — | — | — | — |

16 mm² · spring | ST 16-PE | ZPE 16 | — | NSYTRR162PE | — | — |

35 mm² · n/s | PTPOWER 35-PE
USLKG 35 | — | — | — | — | — |

35 mm² · screw | UT 35-PE | WPE 35 | — | — | — | — |

35 mm² · spring | ST 35-PE | — | — | — | — | — |

50 mm² · n/s | USLKG 50 | — | — | — | — | — |

70 mm² · n/s | — | — | — | — | — | 1SEP408430P0001 |

95 mm² · n/s | USLKG 95
PTPOWER 95-PE | — | — | — | — | — |

120 mm² · n/s | — | — | — | — | — | NHP 300162R0001 |

Double-level terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

1.5 mm² · spring | STTB 1,5 | — | — | — | — | — |

2.5 mm² · n/s | UTTB 2,5 BU
UTTB 2,5-PV | — | — | — | — | — |

2.5 mm² · push-in | PTTB 2,5 BU
PTTB 2,5-L/N | — | 2002-2951 | — | — | — |

2.5 mm² · screw | UKK 3 | 1021600000 | — | — | — | — |

2.5 mm² · spring | STTB 2,5
STTB 2,5 BU | — | — | — | — | — |

4 mm² · n/s | UTTB 4 | — | — | — | — | — |

4 mm² · push-in | PTTB 4
PTTB 4-PV
PTTB 4 BU | — | — | — | — | — |

Triple-level terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

2.5 mm² · push-in | — | — | 2002-3208 | — | — | — |

Fuse terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

2.5 mm² · n/s | QTC 2,5-HESI (5X20) | — | 2202-1611
2202-1711 | — | — | — |

4 mm² · push-in | PT 4-HESI (5X20)
PT 4-HESILED 24 (5X20)
PT 4-HESILA 250 (5X20) | — | — | — | — | — |

4 mm² · screw | 3046032
UT 4-HESI (5X20)
UT 4-HESILA 250 (5X20)
UT 4-HESILED 24 (5X20) | 0474560000 | — | — | — | — |

4 mm² · spring | ST 4-HESILED 24 (5X20)
ST 4-FSI/C
ST 4-HESILA 250 (5X20)
ST 4-HESI (6,3X32)
ST 4-HESI (5X20) | — | — | — | — | — |

5 mm² · screw | UK 5-HESI
UK 5-HESILED 24
UK 5-HESILA 250 | — | — | — | — | — |

6 mm² · push-in | — | — | 2006-1681 | — | — | — |

6 mm² · screw | UK 6-FSI/C-LED12
UK 6-FSI/C
UK 6-FSI/C-LED24
UT 6-HESILED 24 (6,3X32)
UT 6-HESI (6,3X32) | 1014400000 | — | — | — | — |

6.3 mm² · screw | UK 6,3-HESI | — | — | — | — | — | — |

10 mm² · n/s | — | 1011300000 | — | — | — | — |

10 mm² · screw | UK 10-DREHSI/K (5X25)
UK 10-DREHSI (5X20)
UK 10-DREHSI (6,3X32) | — | — | — | — | — | — |

Disconnect and test terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

1.5 mm² · n/s | QTC 1,5-MT | — | — | — | — | — | — |

1.5 mm² · push-in | PT 1,5/S-MT | — | — | — | — | — | — |

2.5 mm² · n/s | MTK
MTK-P/P MED SPERRE
MTK BU | 1021500000 | — | NSYTRR22SC | — | — |

2.5 mm² · push-in | PT 2,5-MTB
PT 2,5-QUATTRO-MTB
PT 2,5-MT BU
PT 2,5-TG
PT 2,5-TWIN-MT BU | — | — | NSYTRP22TB | — | — |

2.5 mm² · screw | UT 2,5-MT
UT 2,5-MT BU
UT 2,5-MT-P/P
UT 2,5-TG-P/P
UT 2,5-TG | — | — | — | — | — | — |

2.5 mm² · spring | ST 2,5-MT
ST 2,5-MT BU | — | — | — | — | — | — |

4 mm² · n/s | PTV 2,5-MT
PTV 2,5-MT BU | — | — | NSYTRV42SCD | — | — |

4 mm² · push-in | PT 4-MT
PTTBS 2,5-2MTB
PT 4-TG | — | — | — | — | — |

4 mm² · screw | UT 4-MT
UT 4-MT BU
UT 4-TG-P/P
UT 4-MT-P/P
UT 4-TG | — | — | — | — | — |

4 mm² · spring | PTME 4 | — | — | — | — | — |

5 mm² · screw | UK 5-MTK-P/P
UK 5-MTK-P/P BU | — | — | — | — | — |

6 mm² · n/s | UTTB 4-MT | — | — | NSYTRV62TTD | — | — |

6 mm² · push-in | PTME 6 | — | — | — | — | — |

Component terminal blocks

Cross-section · connection | Phoenix Contact | Weidmüller | WAGO | Schneider Electric | Eaton | ABB |

2.5 mm² · n/s | UTTB 2,5-DIO/U-O
UTTB 2,5-2DIO/O-UL/UR-UL
UTTB 2,5-DIO/O-U | — | — | — | — | — |

2.5 mm² · push-in | PT 2,5-TWIN-DIO/L-R
PTTB 2,5-2DIO/O-UL/O-UR
PT 2,5-DIO/L-R
PTTB 2,5-DIO/U-O
PT 2,5-QUATTRO-DIO/R-L | — | — | — | — | — |

2.5 mm² · screw | UTTB 2,5-2DIOOULOUR | — | — | — | — | — |

2.5 mm² · spring | STTB 2,5-DIO/O-U | — | — | — | — | — |

4 mm² · push-in | PT 4-QUATTRO-DIO 1N 5408/R-L | — | — | — | — | — |

4 mm² · screw | UT 4-MTD-DIO/R-L
UT 4-MTD-DIO/L-R | WDUL 4/5K | — | — | — | — |

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier; confirm ratings against the nameplate of the installed equipment before ordering. Table generated from the cBallast catalogue on 2026-09-29.

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier. © cBallast 2026 · cballast.com