

Enclosure Size Finder — Wall-Mount and Floor-Standing Cabinets by H × W × D, IP Rating and Material (Rittal, Schneider, nVent HOFFMAN, Fibox, Eaton)

cBallast Technical Sourcing · generated 2026-09-29 · cballast.com/documents/enclosure-size-finder-wall-mount-floor-standing-h-w-d-ip-rating-rittal-schneider-nvent-fibox · first 500 rows; the full table is online

Enclosures are selected by internal or external height × width × depth, ingress protection (IP54/IP55 indoor, IP66/IP69K washdown or outdoor), impact rating IK, material (painted sheet steel, stainless steel 304/316L, polyester GRP, polycarbonate/ABS) and by the mounting plate and door options. The finder lists the catalogue cabinets by dimensions as stated in the manufacturer designation (the order H × W × D is as given by each maker) so a like-for-like or next-larger size can be located across Rittal AX/VX, Schneider Spacial S3D/SF/PanelSeT, nVent HOFFMAN, Fibox ARCA and Eaton xEnergy.

Section	Dimensions (as designated)	IP	Material	Part number	Brand
height < 400 mm	100 × 100 × 81	—	aluminium	AL 1010-8	Spelsberg
height < 400 mm	107 × 107 × 125	66	plastic	NSYTBS111113H	Schneider Electric
height < 400 mm	110 × 110 × 66	—	sheet steel	TK PC1111-7-M	Spelsberg
height < 400 mm	110 × 110 × 66	66	polyester GRP	9506000	Rittal
height < 400 mm	110 × 110 × 90	66	polyester GRP	9507000	Rittal
height < 400 mm	116 × 116 × 62	66	plastic	NSYTBP11116	Schneider Electric
height < 400 mm	116 × 116 × 62	66	plastic	NSYTBS11116	Schneider Electric
height < 400 mm	120 × 122 × 86	—	sheet steel	DPCP121209G	Ensto
height < 400 mm	120 × 122 × 86	—	sheet steel	DPCP121209T	Ensto
height < 400 mm	120 × 122 × 90	—	polyester GRP	MGRP121209	Ensto
height < 400 mm	120 × 160 × 91	—	sheet steel	DPCP121609G	Ensto
height < 400 mm	120 × 200 × 86	—	sheet steel	DPCP122009G	Ensto
height < 400 mm	120 × 200 × 86	—	sheet steel	DPCP122009T	Ensto
height < 400 mm	120 × 220 × 90	—	polyester GRP	MGRP122209	Ensto
height < 400 mm	121 × 105 × 192	66	plastic	NSYTBS191210HT	Schneider Electric
height < 400 mm	122 × 120 × 80	66	aluminium	9108210	Rittal
height < 400 mm	122 × 120 × 81	—	aluminium	AL 1212-8	Spelsberg
height < 400 mm	122 × 122 × 90	—	sheet steel	HALP121209	Ensto nor
height < 400 mm	122 × 220 × 90	—	sheet steel	HALP122009	Ensto nor
height < 400 mm	125 × 125 × 125	—	sheet steel	SPCM131313T	Ensto
height < 400 mm	125 × 175 × 150	—	sheet steel	SPCM131815T	Ensto
height < 400 mm	130 × 120 × 800	31	sheet steel	1700027	Stansefabrikken
height < 400 mm	130 × 120 × 800	31	sheet steel	1700028	Stansefabrikken
height < 400 mm	130 × 120 × 800	31	sheet steel	1750006	Stansefabrikken
height < 400 mm	130 × 130 × 75	66	polyester GRP	9510000	Rittal
height < 400 mm	130 × 130 × 75	66	plastic	PCM125/75G	Eaton
height < 400 mm	130 × 130 × 99	66	polyester GRP	9511000	Rittal
height < 400 mm	130 × 130 × 100	66	plastic	PCM125/100T	Eaton
height < 400 mm	150 × 150 × 80	66	sheet steel	NSYSBM15158	Schneider Electric
height < 400 mm	150 × 150 × 80	66	sheet steel	1551000	Rittal
height < 400 mm	150 × 150 × 120	66	sheet steel	NSYSBM151512	Schneider Electric

height < 400 mm	150 × 150 × 120	66	sheet steel	1553000	Rittal
height < 400 mm	150 × 200 × 76	—	sheet steel	DPCP152008G	Ensto
height < 400 mm	150 × 200 × 80	66	sheet steel	NSYSBM15208	Schneider Electric
height < 400 mm	150 × 200 × 120	66	sheet steel	NSYSBM152012	Schneider Electric
height < 400 mm	150 × 300 × 80	66	sheet steel	NSYSBM15308	Schneider Electric
height < 400 mm	150 × 300 × 80	66	sheet steel	1545000	Rittal
height < 400 mm	150 × 300 × 120	66	sheet steel	1548000	Rittal
height < 400 mm	160 × 160 × 90	—	sheet steel	HALP161609	Ensto nor
height < 400 mm	160 × 160 × 90	66	aluminium	9112210	Rittal
height < 400 mm	160 × 160 × 91	—	aluminium	AL 1616-9	Spelsberg
height < 400 mm	160 × 240 × 91	67	plastic	DPCP162409T	Ensto nor
height < 400 mm	160 × 240 × 91	—	sheet steel	DPCP162409G	Ensto
height < 400 mm	160 × 240 × 121	—	sheet steel	DPCP162412T	Ensto
height < 400 mm	160 × 260 × 90	—	sheet steel	HALP162609	Ensto nor
height < 400 mm	160 × 260 × 91	—	polyester GRP	MGRP162609	Ensto
height < 400 mm	160 × 360 × 90	—	sheet steel	HALP163609	Ensto nor
height < 400 mm	164 × 105 × 192	66	plastic	NSYTBS191610HT	Schneider Electric
height < 400 mm	164 × 121 × 87	66	plastic	NSYTBS16128T	Schneider Electric
height < 400 mm	164 × 121 × 87	66	plastic	NSYTBS16128	Schneider Electric
height < 400 mm	164 × 121 × 87	66	plastic	NSYTBP16128	Schneider Electric
height < 400 mm	164 × 121 × 87	66	plastic	NSYTBP16128T	Schneider Electric
height < 400 mm	170 × 140 × 95	67	polyester GRP	PCH95G	Eaton
height < 400 mm	175 × 175 × 75	—	sheet steel	SPCM181808G	Ensto
height < 400 mm	175 × 175 × 75	—	sheet steel	SPCM181808T	Ensto
height < 400 mm	175 × 175 × 125	—	sheet steel	SPCM181813T	Ensto
height < 400 mm	175 × 225 × 100	66	plastic	NSYTBP241910	Schneider Electric
height < 400 mm	175 × 225 × 100	66	plastic	NSYTBS241910	Schneider Electric
height < 400 mm	175 × 225 × 100	66	plastic	NSYTBP241910T	Schneider Electric
height < 400 mm	175 × 250 × 100	—	sheet steel	SPCM182510T	Ensto
height < 400 mm	180 × 110 × 90	—	sheet steel	TK PC1811-9-M	Spelsberg
height < 400 mm	180 × 110 × 90	—	sheet steel	TK PS1811-9-TO	Spelsberg
height < 400 mm	180 × 110 × 90	66	polyester GRP	9514000	Rittal
height < 400 mm	180 × 110 × 111	66	plastic	TK PC1811-11-M	Spelsberg
height < 400 mm	180 × 110 × 111	66	polyester GRP	9515000	Rittal
height < 400 mm	180 × 110 × 111	66	polyester GRP	9515100	Rittal
height < 400 mm	180 × 110 × 111	—	sheet steel	TK PS1811-11-TM	Spelsberg
height < 400 mm	180 × 110 × 111	—	sheet steel	TK PS1811-11-O	Spelsberg
height < 400 mm	180 × 110 × 165	66	polyester GRP	9516000	Rittal
height < 400 mm	180 × 110 × 165	66	polyester GRP	9516100	Rittal

height < 400 mm	180 × 130 × 60	66	plastic	PCM150/60G	Eaton
height < 400 mm	180 × 130 × 75	66	plastic	PCM150/75G	Eaton
height < 400 mm	180 × 240 × 150	66	stainless steel	ASR0182415-316	nVent HOFFMAN
height < 400 mm	180 × 240 × 150	66	stainless steel	ASR0182415	nVent HOFFMAN
height < 400 mm	182 × 180 × 90	—	sheet steel	TK PS1818-9-TM	Spelsberg
height < 400 mm	182 × 180 × 90	66	polyester GRP	9517100	Rittal
height < 400 mm	182 × 180 × 90	66	polyester GRP	9517000	Rittal
height < 400 mm	182 × 180 × 90	—	sheet steel	TK PC1818-9-M	Spelsberg
height < 400 mm	182 × 180 × 111	66	plastic	TK C1818-11-M	Spelsberg
height < 400 mm	182 × 180 × 111	66	polyester GRP	9518100	Rittal
height < 400 mm	182 × 180 × 111	66	polyester GRP	9518000	Rittal
height < 400 mm	182 × 180 × 165	66	polyester GRP	9519100	Rittal
height < 400 mm	182 × 180 × 165	66	polyester GRP	9519000	Rittal
height < 400 mm	182 × 180 × 165	—	sheet steel	TK C1818-16-M	Spelsberg
height < 400 mm	190 × 190 × 100	66	polyester GRP	EKHA	Eaton
height < 400 mm	192 × 121 × 87	66	plastic	NSYTBP19128	Schneider Electric
height < 400 mm	192 × 121 × 87	66	plastic	NSYTBS19128	Schneider Electric
height < 400 mm	192 × 121 × 87	66	plastic	NSYTBP19128T	Schneider Electric
height < 400 mm	192 × 121 × 87	66	plastic	NSYTBS19128T	Schneider Electric
height < 400 mm	192 × 121 × 105	66	plastic	NSYTBS191210H	Schneider Electric
height < 400 mm	192 × 121 × 105	66	plastic	NSYTBP191210H	Schneider Electric
height < 400 mm	192 × 121 × 105	66	plastic	NSYTBP191210HT	Schneider Electric
height < 400 mm	193 × 164 × 87	66	plastic	NSYTBP19168	Schneider Electric
height < 400 mm	193 × 164 × 87	66	plastic	NSYTBS19168	Schneider Electric
height < 400 mm	193 × 164 × 87	66	plastic	NSYTBP19168T	Schneider Electric
height < 400 mm	193 × 164 × 87	66	plastic	NSYTBS19168T	Schneider Electric
height < 400 mm	193 × 164 × 105	66	plastic	NSYTBP191610H	Schneider Electric
height < 400 mm	193 × 164 × 105	66	plastic	NSYTBS191610H	Schneider Electric
height < 400 mm	193 × 164 × 105	66	plastic	NSYTBP191610HT	Schneider Electric
height < 400 mm	194 × 107 × 241	66	plastic	NSYTBS241910HT	Schneider Electric
height < 400 mm	194 × 107 × 241	66	plastic	NSYTBS241910T	Schneider Electric
height < 400 mm	200 × 200 × 55	—	sheet steel	OPCP202006E	Ensto
height < 400 mm	200 × 200 × 80	66	sheet steel	NSYSBM20208	Schneider Electric
height < 400 mm	200 × 200 × 80	66	sheet steel	1546000	Rittal
height < 400 mm	200 × 200 × 120	66	sheet steel	NSYSBM202012	Schneider Electric
height < 400 mm	200 × 200 × 120	66	sheet steel	1549000	Rittal
height < 400 mm	200 × 200 × 132	67	plastic	OPCP202013T	Ensto
height < 400 mm	200 × 200 × 132	—	sheet steel	WPCP202013G	Ensto
height < 400 mm	200 × 200 × 132	—	sheet steel	WPCP202013T	Ensto

height < 400 mm	200 × 200 × 155	66	sheet steel	MAS0202015PER5	nVent HOFFMAN
height < 400 mm	200 × 200 × 155	66	sheet steel	MAS0202015R5	nVent HOFFMAN
height < 400 mm	200 × 200 × 185	—	sheet steel	WPCP202018G	Ensto
height < 400 mm	200 × 200 × 185	—	sheet steel	WPCP202018T	Ensto
height < 400 mm	200 × 300 × 80	66	sheet steel	NSYSBM20308	Schneider Electric
height < 400 mm	200 × 300 × 80	66	sheet steel	1552000	Rittal
height < 400 mm	200 × 300 × 120	66	sheet steel	NSYSBM203012	Schneider Electric
height < 400 mm	200 × 300 × 120	66	sheet steel	1554000	Rittal
height < 400 mm	200 × 300 × 132	67	plastic	CPCF203013G	Ensto
height < 400 mm	200 × 300 × 132	—	sheet steel	WPCP203013G	Ensto
height < 400 mm	200 × 300 × 132	—	sheet steel	WPCP203013T	Ensto
height < 400 mm	200 × 300 × 150	66	plastic	ARCA 203015	Fibox
height < 400 mm	200 × 300 × 150	66	plastic	ARCA 203015W	Fibox
height < 400 mm	200 × 300 × 155	66	sheet steel	1574000	Rittal
height < 400 mm	200 × 300 × 155	—	stainless steel	1302600	Rittal
height < 400 mm	200 × 300 × 185	—	sheet steel	WPCP203018G	Ensto
height < 400 mm	200 × 300 × 185	—	sheet steel	WPCP203018T	Ensto
height < 400 mm	200 × 400 × 55	—	sheet steel	OPCP204006E	Ensto
height < 400 mm	200 × 400 × 80	66	sheet steel	1547000	Rittal
height < 400 mm	200 × 400 × 120	66	sheet steel	NSYSBM204012	Schneider Electric
height < 400 mm	200 × 400 × 120	66	sheet steel	1550000	Rittal
height < 400 mm	200 × 400 × 132	—	sheet steel	OPCP204013T	Ensto
height < 400 mm	200 × 400 × 132	—	sheet steel	CPCF204013T	Ensto
height < 400 mm	200 × 500 × 120	66	sheet steel	1557000	Rittal
height < 400 mm	200 × 600 × 120	66	sheet steel	NSYSBM206012	Schneider Electric
height < 400 mm	220 × 120 × 81	—	aluminium	AL 2212-8	Spelsberg
height < 400 mm	220 × 120 × 90	66	aluminium	9110210	Rittal
height < 400 mm	230 × 140 × 95	67	polyester GRP	PCM95G	Eaton
height < 400 mm	230 × 200 × 111	—	aluminium	AL 2320-11	Spelsberg
height < 400 mm	230 × 330 × 110	—	sheet steel	HALP233311	Ensto nor
height < 400 mm	240 × 240 × 150	66	stainless steel	ASR0242415-316	nVent HOFFMAN
height < 400 mm	240 × 240 × 150	66	stainless steel	ASR0242415	nVent HOFFMAN
height < 400 mm	240 × 360 × 150	66	stainless steel	ASR0243615-316	nVent HOFFMAN
height < 400 mm	240 × 360 × 150	66	stainless steel	ASR0243615	nVent HOFFMAN
height < 400 mm	241 × 128 × 291	66	plastic	NSYTBS292412HT	Schneider Electric
height < 400 mm	241 × 168 × 291	66	plastic	NSYTBS292416HT	Schneider Electric
height < 400 mm	241 × 168 × 291	66	plastic	NSYTBS292416H	Schneider Electric
height < 400 mm	241 × 194 × 87	66	plastic	NSYTBP24198	Schneider Electric
height < 400 mm	241 × 194 × 87	66	plastic	NSYTBS24198	Schneider Electric

height < 400 mm	241 × 194 × 87	66	plastic	NSYTBP24198T	Schneider Electric
height < 400 mm	241 × 194 × 87	66	plastic	NSYTBS24198T	Schneider Electric
height < 400 mm	241 × 194 × 105	66	plastic	NSYTBP241910H	Schneider Electric
height < 400 mm	241 × 194 × 105	66	plastic	NSYTBS241910H	Schneider Electric
height < 400 mm	241 × 194 × 105	66	plastic	NSYTBP241910HT	Schneider Electric
height < 400 mm	241 × 194 × 127	66	plastic	NSYTBS241912H	Schneider Electric
height < 400 mm	241 × 194 × 127	66	plastic	NSYTBP241912HT	Schneider Electric
height < 400 mm	241 × 194 × 127	66	plastic	NSYTBS241912HT	Schneider Electric
height < 400 mm	241 × 194 × 127	66	plastic	NSYTBP241912H	Schneider Electric
height < 400 mm	250 × 200 × 155	66	sheet steel	MAS0252015PER5	nVent HOFFMAN
height < 400 mm	250 × 200 × 155	66	sheet steel	MAS0252015R5	nVent HOFFMAN
height < 400 mm	250 × 250 × 155	66	sheet steel	MAS0252515PER5	nVent HOFFMAN
height < 400 mm	250 × 250 × 155	66	sheet steel	MAS0252515R5	nVent HOFFMAN
height < 400 mm	250 × 255 × 120	—	polyester GRP	MGRP252612	Ensto
height < 400 mm	250 × 350 × 150	—	polyester GRP	1432000	Rittal
height < 400 mm	250 × 375 × 120	—	stainless steel	U-CI43E	Eaton
height < 400 mm	250 × 375 × 120	65	plastic	U-CI43X	Eaton
height < 400 mm	250 × 375 × 120	—	sheet steel	U-CI43	Eaton
height < 400 mm	250 × 375 × 150	—	sheet steel	CI43-125	Eaton
height < 400 mm	250 × 375 × 150	65	sheet steel	CI43X-125	Eaton
height < 400 mm	250 × 375 × 150	—	sheet steel	CI43X-125-NA	Eaton
height < 400 mm	250 × 375 × 175	—	sheet steel	CI43E-150	Eaton
height < 400 mm	250 × 375 × 175	—	sheet steel	CI43X-150-NA	Eaton
height < 400 mm	250 × 375 × 175	—	sheet steel	CI43X-150	Eaton
height < 400 mm	250 × 375 × 175	—	stainless steel	KST43-150	Eaton
height < 400 mm	250 × 375 × 175	—	sheet steel	ZG/I43E-G-150	Eaton
height < 400 mm	250 × 375 × 225	—	sheet steel	CI43E-200	Eaton
height < 400 mm	250 × 375 × 225	65	sheet steel	CI43X-200	Eaton
height < 400 mm	250 × 375 × 225	—	stainless steel	KST43-200	Eaton
height < 400 mm	250 × 375 × 225	—	sheet steel	CI43X-200-NA	Eaton
height < 400 mm	250 × 375 × 225	—	sheet steel	CI43-200	Eaton
height < 400 mm	250 × 600 × 985	66	stainless steel	MPCS062-316	nVent HOFFMAN
height < 400 mm	250 × 600 × 985	66	stainless steel	MPCS062	nVent HOFFMAN
height < 400 mm	250 × 600 × 985	66	sheet steel	MPC062R5	nVent HOFFMAN
height < 400 mm	250 × 800 × 985	66	sheet steel	MPC082R5	nVent HOFFMAN
height < 400 mm	250 × 800 × 985	66	stainless steel	MPCS082	nVent HOFFMAN
height < 400 mm	250 × 800 × 985	66	stainless steel	MPCS082-316	nVent HOFFMAN
height < 400 mm	250 × 1000 × 985	66	sheet steel	MPC102R5	nVent HOFFMAN
height < 400 mm	250 × 1000 × 985	66	stainless steel	MPCS102-316	nVent HOFFMAN

height < 400 mm	250 × 1000 × 985	66	stainless steel	MPCS102	nVent HOFFMAN
height < 400 mm	250 × 1200 × 985	55	stainless steel	MPCS122-316	nVent HOFFMAN
height < 400 mm	250 × 1200 × 985	55	sheet steel	MPC122R5	nVent HOFFMAN
height < 400 mm	250 × 1200 × 985	55	stainless steel	MPCS122	nVent HOFFMAN
height < 400 mm	250 × 1600 × 985	55	stainless steel	MPCS162-316	nVent HOFFMAN
height < 400 mm	250 × 1600 × 985	55	stainless steel	MPCS162	nVent HOFFMAN
height < 400 mm	250 × 1600 × 985	55	sheet steel	MPC162R5	nVent HOFFMAN
height < 400 mm	254 × 180 × 90	66	polyester GRP	9520100	Rittal
height < 400 mm	254 × 180 × 90	66	polyester GRP	9520000	Rittal
height < 400 mm	254 × 180 × 90	—	sheet steel	10600801	Spelsberg
height < 400 mm	254 × 180 × 111	66	plastic	TK PC 2518-11-M	Spelsberg
height < 400 mm	254 × 180 × 111	66	polyester GRP	9521000	Rittal
height < 400 mm	254 × 180 × 111	—	sheet steel	TK PS2518-11-TO	Spelsberg
height < 400 mm	254 × 180 × 165	66	polyester GRP	9522100	Rittal
height < 400 mm	254 × 180 × 165	66	polyester GRP	9522000	Rittal
height < 400 mm	255 × 180 × 75	66	plastic	PCM200/75G	Eaton
height < 400 mm	255 × 180 × 100	66	plastic	PCM200/100T	Eaton
height < 400 mm	255 × 180 × 100	66	plastic	PCM200/100XG	Eaton
height < 400 mm	255 × 180 × 125	66	plastic	PCM200/125XT	Eaton
height < 400 mm	255 × 180 × 150	66	plastic	PCM200/150T	Eaton
height < 400 mm	255 × 180 × 175	66	plastic	PCM200/175XG	Eaton
height < 400 mm	260 × 160 × 90	66	aluminium	9113210	Rittal
height < 400 mm	260 × 160 × 91	—	aluminium	AL 2616-9	Spelsberg
height < 400 mm	280 × 190 × 100	66	polyester GRP	EKJB	Eaton
height < 400 mm	280 × 280 × 100	66	polyester GRP	EKOE	Eaton
height < 400 mm	280 × 560 × 100	66	polyester GRP	EKTH	Eaton
height < 400 mm	291 × 128 × 341	66	plastic	NSYTBS342912T	Schneider Electric
height < 400 mm	291 × 168 × 341	66	plastic	NSYTBS342916HT	Schneider Electric
height < 400 mm	291 × 241 × 88	66	plastic	NSYTBS29248	Schneider Electric
height < 400 mm	291 × 241 × 88	66	plastic	NSYTBP29248	Schneider Electric
height < 400 mm	291 × 241 × 88	66	plastic	NSYTBS29248T	Schneider Electric
height < 400 mm	291 × 241 × 88	66	plastic	NSYTBP29248T	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBP292412	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBS292412H	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBS292412	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBS292412T	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBP292412H	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBP292412T	Schneider Electric
height < 400 mm	291 × 241 × 128	66	plastic	NSYTBP292412HT	Schneider Electric

height < 400 mm	291 × 241 × 168	66	plastic	NSYTBP292416H	Schneider Electric
height < 400 mm	291 × 241 × 168	66	plastic	NSYTBP292416HT	Schneider Electric
height < 400 mm	296 × 234 × 150	—	sheet steel	CI23-125-NA	Eaton
height < 400 mm	296 × 234 × 175	—	sheet steel	CI23-150-NA	Eaton
height < 400 mm	296 × 421 × 150	—	sheet steel	CI43-125-NA	Eaton
height < 400 mm	296 × 421 × 175	—	sheet steel	CI43-150-NA	Eaton
height < 400 mm	296 × 421 × 225	—	sheet steel	CI43-200-NA	Eaton
height < 400 mm	300 × 150 × 132	—	sheet steel	74500101	Spelsberg
height < 400 mm	300 × 200 × 150	66	plastic	ARCA 302015	Fibox
height < 400 mm	300 × 200 × 150	66	sheet steel	NSYS3D3215P	Schneider Electric
height < 400 mm	300 × 200 × 150	66	plastic	ARCA 302015W	Fibox
height < 400 mm	300 × 200 × 150	66	stainless steel	ASR0302015-316	nVent HOFFMAN
height < 400 mm	300 × 200 × 150	—	stainless steel	NSYS3X3215H	Schneider Electric
height < 400 mm	300 × 200 × 150	66	stainless steel	ASR0302015	nVent HOFFMAN
height < 400 mm	300 × 200 × 155	66	stainless steel	AFS03021-316	nVent HOFFMAN
height < 400 mm	300 × 200 × 155	66	stainless steel	AFS03021	nVent HOFFMAN
height < 400 mm	300 × 250 × 150	—	stainless steel	NSYS3X302515	Schneider Electric
height < 400 mm	300 × 250 × 150	66	sheet steel	NSYS3D32515P	Schneider Electric
height < 400 mm	300 × 250 × 150	—	sheet steel	NSYS3D32515	Schneider Electric
height < 400 mm	300 × 250 × 150	—	stainless steel	NSYS3X302515H	Schneider Electric
height < 400 mm	300 × 250 × 150	—	polyester GRP	NSYS3D32515T	Schneider Electric
height < 400 mm	300 × 250 × 155	66	sheet steel	MAS0302515R5	nVent HOFFMAN
height < 400 mm	300 × 250 × 155	66	sheet steel	MAS0302515PER5	nVent HOFFMAN
height < 400 mm	300 × 250 × 210	66	sheet steel	MAS0302521R5	nVent HOFFMAN
height < 400 mm	300 × 250 × 210	66	sheet steel	MAS0302521PER5	nVent HOFFMAN
height < 400 mm	300 × 300 × 55	—	sheet steel	OPCP303006E	Ensto
height < 400 mm	300 × 300 × 120	66	sheet steel	NSYSBM303012	Schneider Electric
height < 400 mm	300 × 300 × 120	66	sheet steel	1555000	Rittal
height < 400 mm	300 × 300 × 132	—	sheet steel	OPCP303013T	Ensto
height < 400 mm	300 × 300 × 132	—	sheet steel	CPCF303013T	Ensto
height < 400 mm	300 × 300 × 132	—	sheet steel	WPCP303013G	Ensto
height < 400 mm	300 × 300 × 132	—	sheet steel	74500201	Spelsberg
height < 400 mm	300 × 300 × 150	66	sheet steel	NSYS3D3315P	Schneider Electric
height < 400 mm	300 × 300 × 155	66	sheet steel	1575000	Rittal
height < 400 mm	300 × 300 × 155	55	sheet steel	OICE303015	nVent HOFFMAN
height < 400 mm	300 × 300 × 155	66	sheet steel	MAS0303015R5	nVent HOFFMAN
height < 400 mm	300 × 300 × 155	66	sheet steel	MAS0303015PER5	nVent HOFFMAN
height < 400 mm	300 × 300 × 185	—	sheet steel	WPCP303018G	Ensto
height < 400 mm	300 × 300 × 185	—	sheet steel	WPCP303018T	Ensto

height < 400 mm	300 × 300 × 200	66	sheet steel	NSYS3D3320P	Schneider Electric
height < 400 mm	300 × 300 × 210	—	sheet steel	1033000	Rittal
height < 400 mm	300 × 300 × 210	—	stainless steel	1003000	Rittal
height < 400 mm	300 × 300 × 210	66	sheet steel	MAS0303021PER5	nVent HOFFMAN
height < 400 mm	300 × 300 × 210	—	sheet steel	74390201	Spelsberg
height < 400 mm	300 × 300 × 210	66	sheet steel	MAS0303021R5	nVent HOFFMAN
height < 400 mm	300 × 380 × 210	—	stainless steel	1005000	Rittal
height < 400 mm	300 × 400 × 120	66	stainless steel	NSYSBM304012	Schneider Electric
height < 400 mm	300 × 400 × 120	66	sheet steel	1556000	Rittal
height < 400 mm	300 × 400 × 132	—	stainless steel	OPCP304013T	Ensto
height < 400 mm	300 × 400 × 132	—	stainless steel	CPCF304013G	Ensto
height < 400 mm	300 × 400 × 132	—	stainless steel	WPCP304013G	Ensto
height < 400 mm	300 × 400 × 132	—	stainless steel	WPCP304013T	Ensto
height < 400 mm	300 × 400 × 132	—	stainless steel	CPCF304013T	Ensto
height < 400 mm	300 × 400 × 150	66	stainless steel	ARCA 304015	Fibox
height < 400 mm	300 × 400 × 150	66	sheet steel	NSYS3D3415P	Schneider Electric
height < 400 mm	300 × 400 × 150	66	stainless steel	ARCA 304015W	Fibox
height < 400 mm	300 × 400 × 155	66	sheet steel	1577000	Rittal
height < 400 mm	300 × 400 × 185	—	stainless steel	WPCP304018T	Ensto
height < 400 mm	300 × 400 × 200	—	sheet steel	NSYS3D3420P	Schneider Electric
height < 400 mm	300 × 400 × 200	—	polyester GRP	1434000	Rittal
height < 400 mm	300 × 400 × 200	—	sheet steel	NSYS3D3420	Schneider Electric
height < 400 mm	300 × 400 × 200	—	polyester GRP	NSYS3D3420T	Schneider Electric
height < 400 mm	300 × 400 × 210	—	sheet steel	1034000	Rittal
height < 400 mm	300 × 400 × 210	66	stainless steel	ARCA 304021	Fibox
height < 400 mm	300 × 400 × 210	55	stainless steel	OICE304021	nVent HOFFMAN
height < 400 mm	300 × 450 × 132	—	sheet steel	74500301	Spelsberg
height < 400 mm	300 × 500 × 120	66	sheet steel	NSYSBM305012	Schneider Electric
height < 400 mm	300 × 500 × 160	44	sheet steel	2CPX052180R9999	ABB
height < 400 mm	300 × 600 × 120	66	sheet steel	NSYSBM306012	Schneider Electric
height < 400 mm	300 × 600 × 132	—	sheet steel	OPCP306013T	Ensto
height < 400 mm	300 × 600 × 132	—	sheet steel	74500401	Spelsberg
height < 400 mm	300 × 600 × 155	66	sheet steel	1578000	Rittal
height < 400 mm	300 × 600 × 185	—	sheet steel	WPCP306018T	Ensto
height < 400 mm	300 × 600 × 300	66	sheet steel	MAP0306030PER5	nVent HOFFMAN
height < 400 mm	300 × 600 × 300	66	sheet steel	MAP0306030R5	nVent HOFFMAN
height < 400 mm	300 × 650 × 160	44	sheet steel	2CPX052181R9999	ABB
height < 400 mm	300 × 650 × 210	43	sheet steel	S14SE	Schneider Electric
height < 400 mm	300 × 800 × 155	66	sheet steel	1579000	Rittal

height < 400 mm	300 × 800 × 160	44	sheet steel	2CPX052182R9999	ABB
height < 400 mm	300 × 800 × 300	66	sheet steel	MAP0308030R5	nVent HOFFMAN
height < 400 mm	300 × 800 × 300	66	sheet steel	MAP0308030PER5	nVent HOFFMAN
height < 400 mm	300 × 950 × 160	44	sheet steel	2CPX052183R9999	ABB
height < 400 mm	300 × 1000 × 300	66	sheet steel	MAP0310030PER5	nVent HOFFMAN
height < 400 mm	300 × 1000 × 300	66	sheet steel	MAP0310030R5	nVent HOFFMAN
height < 400 mm	300 × 1200 × 300	66	sheet steel	MAP0312030R5	nVent HOFFMAN
height < 400 mm	300 × 1200 × 300	66	sheet steel	MAP0312030PER5	nVent HOFFMAN
height < 400 mm	302 × 186 × 131	67	sheet steel	4TBO856001C0100	ABB
height < 400 mm	308 × 255 × 160	66	polyester GRP	NSYPLM3025G	Schneider Electric
height < 400 mm	308 × 255 × 160	66	polyester GRP	NSYPLM3025TG	Schneider Electric
height < 400 mm	310 × 215 × 160	66	plastic	NSYPLM32G	Schneider Electric
height < 400 mm	310 × 215 × 160	66	plastic	NSYPLM32TG	Schneider Electric
height < 400 mm	315 × 215 × 170	66	polyester GRP	UCP320	nVent HOFFMAN
height < 400 mm	330 × 230 × 111	—	aluminium	AL 3323-11	Spelsberg
height < 400 mm	341 × 291 × 128	66	plastic	NSYTBS342912	Schneider Electric
height < 400 mm	341 × 291 × 128	66	plastic	NSYTBP342912	Schneider Electric
height < 400 mm	341 × 291 × 128	66	plastic	NSYTBP342912T	Schneider Electric
height < 400 mm	341 × 291 × 168	66	plastic	NSYTBS342916H	Schneider Electric
height < 400 mm	341 × 291 × 168	66	plastic	NSYTBP342916H	Schneider Electric
height < 400 mm	341 × 291 × 168	66	plastic	NSYTBP342916HT	Schneider Electric
height < 400 mm	350 × 250 × 155	66	sheet steel	MAS0352515PER5	nVent HOFFMAN
height < 400 mm	350 × 250 × 155	66	sheet steel	MAS0352515R5	nVent HOFFMAN
height < 400 mm	360 × 160 × 90	66	aluminium	9114210	Rittal
height < 400 mm	360 × 240 × 150	66	stainless steel	ASR0362415	nVent HOFFMAN
height < 400 mm	360 × 240 × 150	66	stainless steel	ASR0362415-316	nVent HOFFMAN
height < 400 mm	360 × 254 × 111	66	polyester GRP	9523000	Rittal
height < 400 mm	360 × 254 × 111	66	polyester GRP	9523100	Rittal
height < 400 mm	360 × 254 × 165	66	polyester GRP	9524000	Rittal
height < 400 mm	360 × 254 × 165	66	polyester GRP	9524100	Rittal
height < 400 mm	361 × 254 × 111	66	plastic	TK PC3625-11-M	Spelsberg
height < 400 mm	370 × 300 × 130	67	plastic	4TBO856011C0100	ABB
height < 400 mm	375 × 250 × 150	—	stainless steel	KST34-125	Eaton
height < 400 mm	375 × 250 × 175	—	stainless steel	KST34-150	Eaton
height < 400 mm	375 × 250 × 225	—	stainless steel	KST34-200	Eaton
height < 400 mm	375 × 250 × 225	—	sheet steel	ZG/I43E-G-200	Eaton
height < 400 mm	375 × 375 × 120	—	sheet steel	U-CI44E	Eaton
height < 400 mm	375 × 375 × 120	—	sheet steel	U-CI44	Eaton
height < 400 mm	375 × 375 × 120	65	plastic	U-CI44X	Eaton

height < 400 mm	375 × 375 × 150	65	sheet steel	CI44X-125	Eaton
height < 400 mm	375 × 375 × 150	—	sheet steel	CI44X-125-NA	Eaton
height < 400 mm	375 × 375 × 150	—	stainless steel	KST44-125	Eaton
height < 400 mm	375 × 375 × 175	65	sheet steel	CI44X-150	Eaton
height < 400 mm	375 × 375 × 175	—	sheet steel	CI44X-150-NA	Eaton
height < 400 mm	375 × 375 × 225	—	sheet steel	CI44X-200-NA	Eaton
height < 400 mm	375 × 375 × 225	—	sheet steel	CI44-200	Eaton
height < 400 mm	375 × 375 × 225	65	sheet steel	CI44X-200	Eaton
height < 400 mm	375 × 375 × 225	—	stainless steel	KST44-200	Eaton
height < 400 mm	375 × 375 × 225	—	sheet steel	ZG/I44E-200	Eaton
height < 400 mm	375 × 375 × 225	—	sheet steel	ZG/I44E-150	Eaton
height < 400 mm	375 × 375 × 275	—	sheet steel	CI44E-250	Eaton
height < 400 mm	375 × 375 × 275	65	sheet steel	CI44X-250	Eaton
height < 400 mm	375 × 375 × 275	—	sheet steel	CI44-250	Eaton
height < 400 mm	375 × 375 × 275	—	stainless steel	KST44-250	Eaton
height < 400 mm	375 × 375 × 275	—	sheet steel	CI44X-250-NA	Eaton
height < 400 mm	380 × 190 × 100	66	polyester GRP	EKMB	Eaton
height < 400 mm	380 × 280 × 100	66	polyester GRP	EKPE	Eaton
height < 400 mm	380 × 280 × 150	66	polyester GRP	EKPK	Eaton
height < 400 mm	380 × 300 × 155	66	sheet steel	1576000	Rittal
height < 400 mm	380 × 300 × 210	—	sheet steel	1031000	Rittal
height < 400 mm	380 × 300 × 210	—	stainless steel	1011000	Rittal
height < 400 mm	380 × 380 × 210	66	sheet steel	1039500	Rittal
height < 400 mm	380 × 380 × 210	—	sheet steel	1380000	Rittal
height < 400 mm	380 × 380 × 210	—	stainless steel	1006000	Rittal
height < 400 mm	380 × 560 × 150	66	polyester GRP	EKUH	Eaton
height < 400 mm	380 × 600 × 210	66	sheet steel	1038500	Rittal
height < 400 mm	380 × 600 × 210	—	sheet steel	1038000	Rittal
height < 400 mm	380 × 600 × 210	—	stainless steel	1008000	Rittal
height < 400 mm	380 × 600 × 350	—	sheet steel	1338000	Rittal
height < 400 mm	390 × 430 × 210	—	stainless steel	1306600	Rittal
height < 400 mm	390 × 550 × 210	—	stainless steel	1305600	Rittal
height 400–799 mm	400 × 200 × 155	65	polyester GRP	1610000	Rittal
height 400–799 mm	400 × 300 × 150	66	plastic	ARCA 403015	Fibox
height 400–799 mm	400 × 300 × 150	66	sheet steel	NSYS3D4315P	Schneider Electric
height 400–799 mm	400 × 300 × 150	66	stainless steel	ASR0403015-316	nVent HOFFMAN
height 400–799 mm	400 × 300 × 150	66	stainless steel	ASR0403015	nVent HOFFMAN
height 400–799 mm	400 × 300 × 155	65	polyester GRP	1611000	Rittal
height 400–799 mm	400 × 300 × 155	66	stainless steel	AFS04031-316	nVent HOFFMAN

height 400–799 mm	400 × 300 × 155	66	stainless steel	AFS04031	nVent HOFFMAN
height 400–799 mm	400 × 300 × 155	66	sheet steel	MAS0403015R5	nVent HOFFMAN
height 400–799 mm	400 × 300 × 155	66	sheet steel	MAS0403015PER5	nVent HOFFMAN
height 400–799 mm	400 × 300 × 200	66	sheet steel	NSYS3D4320P	Schneider Electric
height 400–799 mm	400 × 300 × 200	65	stainless steel	SF 403020	Stansefabrikken
height 400–799 mm	400 × 300 × 200	65	sheet steel	SRN4320K	ABB
height 400–799 mm	400 × 300 × 200	66	stainless steel	NSYS3X4320H	Schneider Electric
height 400–799 mm	400 × 300 × 200	55	sheet steel	NSYS3HF4320P	Schneider Electric
height 400–799 mm	400 × 300 × 210	66	plastic	ARCA 403021	Fibox
height 400–799 mm	400 × 300 × 210	66	sheet steel	MAS0403021R5	nVent HOFFMAN
height 400–799 mm	400 × 300 × 210	66	stainless steel	ASR0403021-316	nVent HOFFMAN
height 400–799 mm	400 × 300 × 210	66	plastic	ARCA 403021S	Fibox
height 400–799 mm	400 × 300 × 210	66	plastic	8120127	Fibox
height 400–799 mm	400 × 300 × 210	66	stainless steel	ASR0403021	nVent HOFFMAN
height 400–799 mm	400 × 300 × 210	66	sheet steel	MAS0403021PER5	nVent HOFFMAN
height 400–799 mm	400 × 400 × 200	66	sheet steel	NSYS3D4420P	Schneider Electric
height 400–799 mm	400 × 400 × 200	—	polyester GRP	1444000	Rittal
height 400–799 mm	400 × 400 × 200	—	polyester GRP	1448000	Rittal
height 400–799 mm	400 × 400 × 210	66	sheet steel	MAS0404021R5	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	stainless steel	ASR0404021-316	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	sheet steel	MAS0404021PER5	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	stainless steel	ASR0404021	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	stainless steel	AFS04042	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	stainless steel	AFS04042-316	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	66	sheet steel	MASE0404021R5	nVent HOFFMAN
height 400–799 mm	400 × 400 × 210	55	sheet steel	OICE404021	nVent HOFFMAN
height 400–799 mm	400 × 500 × 120	66	sheet steel	NSYSBM405012	Schneider Electric
height 400–799 mm	400 × 500 × 210	—	sheet steel	1045000	Rittal
height 400–799 mm	400 × 500 × 210	66	plastic	ARCA 405021W	Fibox
height 400–799 mm	400 × 500 × 210	—	stainless steel	1015000	Rittal
height 400–799 mm	400 × 500 × 210	66	stainless steel	MAS0405021R5	nVent HOFFMAN
height 400–799 mm	400 × 500 × 210	66	sheet steel	ARCA 405021S	Fibox
height 400–799 mm	400 × 500 × 210	66	sheet steel	MAS0405021PER5	nVent HOFFMAN
height 400–799 mm	400 × 600 × 120	66	sheet steel	NSYSBM406012	Schneider Electric
height 400–799 mm	400 × 600 × 132	67	plastic	CPCF406013G	Ensto nor
height 400–799 mm	400 × 600 × 132	—	sheet steel	OPCP406013T	Ensto
height 400–799 mm	400 × 600 × 132	—	sheet steel	CPCF406013T	Ensto
height 400–799 mm	400 × 600 × 185	—	sheet steel	WPCP406018T	Ensto
height 400–799 mm	400 × 600 × 200	66	sheet steel	NSYS3D4620P	Schneider Electric

height 400–799 mm	400 × 600 × 200	—	polyester GRP	1446000	Rittal
height 400–799 mm	400 × 600 × 200	—	polyester GRP	1449000	Rittal
height 400–799 mm	400 × 600 × 210	65	plastic	ARCA 406021W	Fibox
height 400–799 mm	400 × 600 × 210	66	plastic	ARCA 406021	Fibox
height 400–799 mm	400 × 600 × 210	66	sheet steel	MAS0406021R5	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	66	stainless steel	ASR0406021	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	66	stainless steel	AFS04062-316	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	66	stainless steel	ASR0406021-316	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	66	stainless steel	AFS04062	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	55	sheet steel	OICE406021	nVent HOFFMAN
height 400–799 mm	400 × 600 × 210	66	sheet steel	MAS0406021PER5	nVent HOFFMAN
height 400–799 mm	400 × 600 × 230	—	polyester GRP	NGRP406023.S	Ensto
height 400–799 mm	400 × 600 × 250	66	sheet steel	NSYS3D4625P	Schneider Electric
height 400–799 mm	400 × 800 × 120	66	sheet steel	NSYSBM408012	Schneider Electric
height 400–799 mm	400 × 800 × 300	—	sheet steel	1037000	Rittal
height 400–799 mm	415 × 315 × 170	66	polyester GRP	UCP430	nVent HOFFMAN
height 400–799 mm	415 × 315 × 170	—	polyester GRP	4TBA831035C0100	ABB
height 400–799 mm	415 × 315 × 170	66	polyester GRP	UCPT430	nVent HOFFMAN
height 400–799 mm	415 × 470 × 200	55	aluminium	OICP414720	nVent HOFFMAN
height 400–799 mm	421 × 421 × 150	—	sheet steel	CI44-125-NA	Eaton
height 400–799 mm	421 × 421 × 175	—	sheet steel	CI44-150-NA	Eaton
height 400–799 mm	421 × 421 × 225	—	sheet steel	CI44-200-NA	Eaton
height 400–799 mm	430 × 330 × 200	66	polyester GRP	NSYPLM43G	Schneider Electric
height 400–799 mm	430 × 330 × 200	66	polyester GRP	NSYPLM43VG	Schneider Electric
height 400–799 mm	430 × 330 × 200	66	polyester GRP	NSYPLM43TG	Schneider Electric
height 400–799 mm	430 × 330 × 200	66	polyester GRP	NSYPLM43TVG	Schneider Electric
height 400–799 mm	442 × 220 × 155	66	stainless steel	HDW0442215	nVent HOFFMAN
height 400–799 mm	460 × 340 × 160	65	plastic	13195	Schneider Electric
height 400–799 mm	480 × 300 × 130	67	plastic	4TBO856004C0100	ABB
height 400–799 mm	500 × 300 × 210	66	sheet steel	MAS0503021R5	nVent HOFFMAN
height 400–799 mm	500 × 300 × 210	66	sheet steel	MAS0503021PER5	nVent HOFFMAN
height 400–799 mm	500 × 375 × 120	—	sheet steel	U-CI45E	Eaton
height 400–799 mm	500 × 375 × 120	—	sheet steel	U-CI45	Eaton
height 400–799 mm	500 × 375 × 120	65	sheet steel	U-CI45X	Eaton
height 400–799 mm	500 × 375 × 225	—	sheet steel	001891	Eaton
height 400–799 mm	500 × 375 × 225	—	sheet steel	CI45X-200	Eaton
height 400–799 mm	500 × 375 × 225	—	sheet steel	CI45X-200-NA	Eaton
height 400–799 mm	500 × 375 × 225	—	sheet steel	ZG/I45E-200	Eaton
height 400–799 mm	500 × 400 × 155	66	sheet steel	MAS0504015R5	nVent HOFFMAN

height 400–799 mm	500 × 400 × 155	66	sheet steel	MAS0504015PER5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 200	66	sheet steel	NSYS3D5420P	Schneider Electric
height 400–799 mm	500 × 400 × 210	66	plastic	ARCA 504021	Fibox
height 400–799 mm	500 × 400 × 210	66	plastic	8120131	Fibox
height 400–799 mm	500 × 400 × 210	66	sheet steel	MAS0504021R5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 210	66	sheet steel	MAS0504021PER5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 210	66	stainless steel	ASR0504021	nVent HOFFMAN
height 400–799 mm	500 × 400 × 210	66	sheet steel	ARCA 504021S	Fibox
height 400–799 mm	500 × 400 × 210	66	stainless steel	ASR0504021-316	nVent HOFFMAN
height 400–799 mm	500 × 400 × 250	66	sheet steel	NSYS3D5425P	Schneider Electric
height 400–799 mm	500 × 400 × 260	66	sheet steel	MAS0504026PER5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 260	66	sheet steel	MAS0504026R5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 300	66	stainless steel	MAS0504030R5	nVent HOFFMAN
height 400–799 mm	500 × 400 × 300	66	sheet steel	MAS0504030PER5	nVent HOFFMAN
height 400–799 mm	500 × 500 × 200	66	sheet steel	NSYS3D5520P	Schneider Electric
height 400–799 mm	500 × 500 × 210	66	sheet steel	1050500	Rittal
height 400–799 mm	500 × 500 × 210	—	sheet steel	1050000	Rittal
height 400–799 mm	500 × 500 × 210	—	stainless steel	1007000	Rittal
height 400–799 mm	500 × 500 × 210	66	stainless steel	AFS05052-316	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	66	stainless steel	ASR0505021-316	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	66	stainless steel	ASR0505021	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	66	stainless steel	AFS05052	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	66	sheet steel	MAS0505021R5	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	55	sheet steel	OICE505021	nVent HOFFMAN
height 400–799 mm	500 × 500 × 210	66	sheet steel	MAS0505021PER5	nVent HOFFMAN
height 400–799 mm	500 × 500 × 250	66	sheet steel	NSYS3D5525P	Schneider Electric
height 400–799 mm	500 × 500 × 300	—	stainless steel	1013000	Rittal
height 400–799 mm	500 × 500 × 300	—	sheet steel	1350000	Rittal
height 400–799 mm	500 × 500 × 300	—	polyester GRP	1453000	Rittal
height 400–799 mm	500 × 500 × 300	—	polyester GRP	1454000	Rittal
height 400–799 mm	500 × 500 × 300	66	sheet steel	MAS0505030PER5	nVent HOFFMAN
height 400–799 mm	500 × 500 × 300	66	sheet steel	MAS0505030R5	nVent HOFFMAN
height 400–799 mm	500 × 500 × 320	—	polyester GRP	4TBP833000C0100	ABB
height 400–799 mm	500 × 500 × 320	65	polyester GRP	NSYPLA553G	Schneider Electric
height 400–799 mm	500 × 500 × 320	54	polyester GRP	UDPT5050	nVent HOFFMAN
height 400–799 mm	500 × 500 × 320	65	polyester GRP	NSYPLA553TG	Schneider Electric
height 400–799 mm	500 × 500 × 320	44	polyester GRP	NSYPLAZT553G	Schneider Electric
height 400–799 mm	500 × 500 × 320	44	polyester GRP	NSYPLAT553G	Schneider Electric
height 400–799 mm	500 × 500 × 320	54	polyester GRP	NSYPLAZ553G	Schneider Electric

height 400–799 mm	500 × 500 × 320	65	polyester GRP	UDP5050	nVent HOFFMAN
-------------------	-----------------	----	---------------	---------	---------------

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier. © cBallast 2026 · cballast.com