

Flange Bolt and Fine-Thread Hexagon Bolt Finder — DIN 6921, DIN 960 / DIN 961, ISO 8676 / ISO 8765 by Size and Length

cBallast Technical Sourcing · generated 2026-09-29 · cballast.com/documents/flange-bolt-and-fine-thread-hexagon-bolt-finder-din-6921-din-960-din-961-iso-8676-iso-8765 · first 400 rows; the full table is online

Two families sit outside the plain DIN 931/933 series. Hexagon flange screws to DIN 6921 (EN 1665) have an integral washer face that spreads the bearing pressure and, in the serrated form, resists loosening without a separate lock washer; they are common on machine covers, guards and vehicle assemblies. Fine-pitch hexagon bolts to DIN 960 (part thread) and DIN 961 (full thread), or ISO 8765 and ISO 8676, use a reduced pitch (M8 × 1, M10 × 1.25, M12 × 1.5, M16 × 1.5, M20 × 1.5) for higher preload per turn, thinner walls and vibration-prone joints. The finder lists both families by thread, pitch and length with one column per material and finish.

Standard · thread × pitch × length	Steel 8.8 zinc-plated	Steel 8.8 plain / other finish	Steel 10.9 / 12.9	Steel 4.6–6.8 / other	Hot-dip galvanised	Stainless A2	Stainless A4
DIN 6921 hexagon flange screws · M5 × 8	69218050081	—	—	—	—	6921A205008	—
DIN 6921 hexagon flange screws · M5 × 10	69218050101, 6921Z8050101	—	69211005010	—	—	6921A205010, 6921ZA205010	6921A405010
DIN 6921 hexagon flange screws · M5 × 12	69218050121, 6921Z8050121	—	692110050121	6921Z5050121	—	6921A205012, 6921ZA205012	6921A405012
DIN 6921 hexagon flange screws · M5 × 16	69218050161, 6921Z8050161	—	69211005016, 692110050161	6921Z5050161	—	6921A205016, 6921ZA205016	6921A405016
DIN 6921 hexagon flange screws · M5 × 20	69218050201, 6921Z8050201	—	69211005020	—	—	6921A205020, 6921ZA205020	—
DIN 6921 hexagon flange screws · M5 × 25	69218050251, 6921Z8050251	—	—	—	—	6921A205025, 6921ZA205025	6921A405025
DIN 6921 hexagon flange screws · M5 × 30	69218050301, 6921Z8050301FT	—	—	—	—	6921A205030, 6921A20503070	—
DIN 6921 hexagon flange screws · M5 × 35	—	—	—	—	—	6921A205035, 6921ZA205035	—
DIN 6921 hexagon flange screws · M5 × 40	—	—	—	—	—	6921A205040, 6921A20504070	—
DIN 6921 hexagon flange screws · M5 × 45	—	—	—	—	—	6921A205045	—
DIN 6921 hexagon flange screws · M5 × 50	—	—	—	—	—	6921A205050	—
DIN 6921 hexagon flange screws · M6 × 8	6921Z8060081	—	69211006008	—	—	6921A206008, 6921ZA206008	6921ZA40608
DIN 6921 hexagon flange screws · M6 × 10	69218060101, 6921Z8060101	—	6921Z10060101	—	—	6921A206010, 6921ZA206010	6921A406010, 6921A40601080
DIN 6921 hexagon flange screws · M6 × 12	69218060121, 69218060121SST072	6921806012	69211006012, 692110060121	—	—	6921A206012, 6921ZA206012	6921A406012, 6921A40601280
DIN 6921 hexagon flange screws · M6 × 14	69218060141, 6921Z8060141	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M6 × 16	6921060161, 69218060161	6921806016	69211006016, 692110060161	—	—	6921A206016, 6921A206016SER	6921A406016
DIN 6921 hexagon flange screws · M6 × 20	69218060201, 6921Z8060201	6921806020, 6921Z806020	69211006020, 692110060201	—	—	6921A206020, 6921A20602070	6921A406020, 6921A40602080
DIN 6921 hexagon flange screws · M6 × 25	69218060251, 69218060251SST072	6921806025	69211006025, 692110060251	6921Z6060251	—	6921A206025	6921A406025, 6921ZA406025
DIN 6921 hexagon flange screws · M6 × 30	69218060301, 6921Z8060301	6921806030	692110060301	6921Z6060301	—	6921A206030, 6921A206030W627	6921A406030, 6921A40603080
DIN 6921 hexagon flange screws · M6 × 35	69218060351, 6921Z8060351	—	69211006035	—	—	6921A206035, 6921ZA206035	6921A406035, 6921A40603580

DIN 6921 hexagon flange screws · M6 × 40	69218060401, 6921Z8060401	6921806040	—	—	—	6921A206040, 6921ZA206040	—
DIN 6921 hexagon flange screws · M6 × 45	69218060451, 6921Z8060451	—	—	—	—	6921A206045	—
DIN 6921 hexagon flange screws · M6 × 50	69218060501, 6921Z8060501	—	—	—	—	6921A206050	—
DIN 6921 hexagon flange screws · M6 × 55	—	—	—	—	—	6921A20605570	—
DIN 6921 hexagon flange screws · M6 × 60	69218060601	—	—	—	—	6921A206060	6921A406060
DIN 6921 hexagon flange screws · M6 × 75	69218060751	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 10	—	—	692110080101, 6921Z10080101	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 12	6921080122, 69218080121	—	69211008012, 6921Z10080121	—	—	6921A208012, 6921ZA208012	6921A408012
DIN 6921 hexagon flange screws · M8 × 14	69218080141, 6921Z8080141	—	6921Z10080141	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 16	69218080161, 6921Z8080161	6921808016, 6921Z8080161	69211008016, 692110080161	—	—	6921A208016, 6921ZA208016	6921A408016, 6921ZA408016
DIN 6921 hexagon flange screws · M8 × 18	69218080181	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 20	69218080201, 6921Z8080201	6921808020	69211008020, 692110080201	—	—	6921A208020, 6921A20802070	6921A408020, 6921ZA40802070
DIN 6921 hexagon flange screws · M8 × 25	69218080251, 69218080251SST096	6921808025, 69218080251	69211008025, 692110080251	—	—	6921A208025, 6921ZA208025	6921A408025, 6921A40802570
DIN 6921 hexagon flange screws · M8 × 30	69218080301, 69218080301FT	6921808030	692110080301	—	—	6921A208030, 6921ZA208030	6921A408030
DIN 6921 hexagon flange screws · M8 × 35	69218080351, 69218080351SST200	6921808035	692110080351	—	—	6921A2080035FT, 6921A208035	6921A408035
DIN 6921 hexagon flange screws · M8 × 40	69218080401, 6921808040H1	6921808040	69211008040, 692110080401	—	—	6921A208040, 6921ZA208040	6921A408040, 6921A40804080
DIN 6921 hexagon flange screws · M8 × 45	69218080451	—	69211008045, 692110080451	—	—	6921A208045	6921A408045
DIN 6921 hexagon flange screws · M8 × 50	69218080501, 6921808050H1	69218080501	69211008050, 692110080501	—	—	6921A208050, 6921ZA208050	6921A408050, 6921A40805070
DIN 6921 hexagon flange screws · M8 × 53	69218080531	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 55	69218080551, 6921808055H1	—	—	—	—	6921A208055, 6921ZA208055	—
DIN 6921 hexagon flange screws · M8 × 60	69218080601	—	69211008060, 692110080601	—	—	6921A208060, 6921A20806070	—
DIN 6921 hexagon flange screws · M8 × 65	69218080651, 692180806511	—	—	—	—	6921A208065	—
DIN 6921 hexagon flange screws · M8 × 70	69218080701, 69218080701SST200	—	—	—	—	6921A208070	—
DIN 6921 hexagon flange screws · M8 × 75	69218080751	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 80	69218080801, 692180808011	6921808080	—	—	—	6921A208080, 6921A208080FT	6921A408080FT
DIN 6921 hexagon flange screws · M8 × 100	69218081001, 692180810011	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 115	69218081151	—	—	—	—	—	—

DIN 6921 hexagon flange screws · M8 × 120	69218081201	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 1 × 16	6921Z8081000161	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 1 × 20	6921Z8081000201	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M8 × 1 × 30	6921Z8081000301	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 12	69218100121	6921810012B	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 14	69218100141	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 16	69218100161, 6921Z8100161	—	692110100161	—	—	6921A210016	—
DIN 6921 hexagon flange screws · M10 × 20	69218100201, 69218100201I	6921810020	69211010020, 692110100201	—	—	6921A210020, 6921A210020W	6921A410020, 6921A410020W
DIN 6921 hexagon flange screws · M10 × 25	69218100251, 6921Z8100251	6921810025	69211010025, 692110100251	—	—	6921A210025, 6921ZA210025	6921A410025
DIN 6921 hexagon flange screws · M10 × 30	69218100301, 6921Z8100301	6921810030	69211010030, 692110100301	—	—	6921A210030, 6921A210030W	6921A410030, 6921ZA41003070
DIN 6921 hexagon flange screws · M10 × 35	370011398100351, 69218100351	6921810035	69211010035, 692110100351	—	—	6921A210035, 6921A210035W	6921A410035
DIN 6921 hexagon flange screws · M10 × 40	69218100401, 6921Z8100401	6921810040, 6921810040I	69211010040, 692110100401	—	—	6921A210040	6921A410040
DIN 6921 hexagon flange screws · M10 × 45	69218100451, 6921Z8100451	—	692110100451	—	—	6921A210045	—
DIN 6921 hexagon flange screws · M10 × 50	69218100501, 69218100501SST200	6921810050	69211010050, 692110100501	—	—	6921A210050	6921A410050
DIN 6921 hexagon flange screws · M10 × 55	69218100551	—	—	—	—	6921A210055	—
DIN 6921 hexagon flange screws · M10 × 60	69218100601	—	69211010060, 692110100601	—	—	6921A210060, 6921ZA210060	—
DIN 6921 hexagon flange screws · M10 × 65	—	—	—	—	—	6921A210065FT	—
DIN 6921 hexagon flange screws · M10 × 70	69218100701, 69218100701V	—	—	—	—	6921A210070	—
DIN 6921 hexagon flange screws · M10 × 80	69218100801	—	692110100801, 69211010080GEO500B	—	—	6921A210080, 6921A21008070	—
DIN 6921 hexagon flange screws · M10 × 90	69218100901	—	69211010090, 692110100901	—	—	6921A210090	—
DIN 6921 hexagon flange screws · M10 × 100	69218101001	—	—	—	—	6921A210100	—
DIN 6921 hexagon flange screws · M10 × 110	69218101101	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 120	69218101201	—	69211010120	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 130	—	6921810130	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 140	69218101401	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M10 × 160	69218101601	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 20	69218120201, 6921Z8120201	6921Z812020I	692110120201P	—	—	6921A212020	—
DIN 6921 hexagon flange screws · M12 × 25	69218120251, 6921Z8120251	—	69211012025, 692110120251	—	—	6921A21202570	6921A41202570
DIN 6921 hexagon flange screws · M12 × 30	69218120301, 6921Z8120301	6921812030	69211012030, 692110120301	—	—	6921A212030	6921A412030
DIN 6921 hexagon flange screws · M12 × 35	69218120351, 6921Z8120351	6921812035	69211012035, 692110120351	—	—	—	6921A41203570

DIN 6921 hexagon flange screws · M12 × 40	69218120401, 6921812040GEO500B	6921812040	69211012040, 692110120401	—	—	6921A212040, 6921ZA212040	6921A41204070
DIN 6921 hexagon flange screws · M12 × 45	69218120451, 69218120451SST072	6921812045	69211012045, 692110120451	—	—	—	6921A41204570
DIN 6921 hexagon flange screws · M12 × 50	69218120501, 6921812050H1	—	69211012050, 692110120501	—	—	6921A212050	—
DIN 6921 hexagon flange screws · M12 × 55	69218120551	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 60	69218120601	—	69211012060, 692110120601	—	—	6921A212060	—
DIN 6921 hexagon flange screws · M12 × 70	6921120702, 69218120701	6921812070	69211012070, 692110120701	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 75	—	—	69211012075	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 80	69218120801	6921812080	69211012080, 692110120801	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 90	69218120901	6921812090	69211012090	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 100	69218121001	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 110	69218121101	6921812110	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 120	69218121201	6921812120	692110121201	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 150	69218121501	6921812150	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 160	—	6921812160	—	—	—	—	—
DIN 6921 hexagon flange screws · M12 × 1.25 × 40	—	—	69211012125040	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 30	—	—	69211014030	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 35	69218140351	6921814035	—	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 40	—	—	69211014040, 692110140401	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 50	—	—	69211014050, 69211014050/34	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 60	—	—	69211014060, 692110140601	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 70	—	—	69211014070	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 75	—	—	692110140751	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 80	69218140801	6921814080	69211014080, 692110140801	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 100	—	6921814100	—	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 110	—	—	692110141101	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 1.5 × 30	—	—	69211014150301	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 1.5 × 40	—	—	6921Z1014150401	—	—	—	—
DIN 6921 hexagon flange screws · M14 × 1.5 × 55	—	—	6921121415055, 6921Z101415055	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 30	69218160301	—	69211016030	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 35	69218160351	6921816035	69211016035, 692110160351	—	—	6921A216035	—
DIN 6921 hexagon flange screws · M16 × 40	69218160401	—	69211016040	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 45	—	6921816045	—	—	—	6921A216045	—

DIN 6921 hexagon flange screws · M16 × 50	69218160501	6921816050	69211016050, 692110160501	—	—	6921A216050	—
DIN 6921 hexagon flange screws · M16 × 55	69218160551	6921816055	—	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 60	69218160601	—	69211016060, 6921Z1016060	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 65	69218160651	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 70	69218160701, 69218160701FT	—	69211016070, 692110160701	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 80	69218160801	—	69211016080	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 90	69218160901	—	69211016090	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 100	69218161001	—	69211016100	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 110	69218161101	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 150	69218161501	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 160	69218161601	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 1.5 × 50	—	—	6921101615050	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 1.5 × 55	—	—	6921101615055	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 1.5 × 60	—	—	6921101615060	—	—	—	—
DIN 6921 hexagon flange screws · M16 × 1.5 × 85	—	—	69211016150851	—	—	—	—
DIN 6921 hexagon flange screws · M20 × 80	69218200801	—	—	—	—	—	—
DIN 6921 hexagon flange screws · M20 × 90	—	6921820090	692110200901, 69211020090GEO500B	—	—	—	—
DIN 6921 hexagon flange screws · M20 × 150	—	6921820150	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M8 × 1 × 50	—	—	96010081050	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M8 × 1 × 55	—	—	96010081055	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M8 × 1 × 70	960808100701	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M8 × 1 × 80	960808100801	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 40	96081010401	9608101040	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 50	—	96081010050	96010101050	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 55	—	—	96010101055	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 60	—	—	96010101060	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 65	96081010651	9608101065	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 80	—	9608101080	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1 × 120	960810101201	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 40	9608101250401	960810125040	9601010125040	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 45	9608101250451	960810125045	9601010125045	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 50	9608101250501	960810125050	9601010125050	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 55	9608101250551	—	9601010125055	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 60	9608101250601	960810125060	96010101250601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 70	9608101250701	96010125070, 960810125070	9601010125070, 96010101250701	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 80	9608101250801	960810125080	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 90	9608101250901	960810125090	9601010125090	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 100	9608101251001	—	9601010125100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M10 × 1.25 × 130	9608101251301	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1 × 50	—	96081210050	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 40	—	960812125040	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 45	—	—	9601012125045	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 50	9608121250501	—	9601012125050	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 55	9608121250551	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 60	9608121250601, 960812 1250601SST400TL30	960812125060	96010121250601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 65	—	960812125065	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 70	9608121250701	960812125070	9601012125070	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 80	9608121250801	960812125080	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 90	9608121250901	960812125090	9601012125090	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 100	—	—	9601012125100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 105	—	—	—	—	—	—	960A41212510580
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 110	9608121251101	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 130	9608121251301	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 160	—	—	9601012125160, 96010121251601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.25 × 170	9608121251701	—	—	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 45	—	96081215045	960101215045, 9601012150451	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 50	960812150501	960812150050	960101215050, 9601012150501	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 55	9608121500551, 960812150551	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 60	960812150601	96081215060	960101215060, 9601012150601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 65	—	960812150065	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 70	960812150701	96081215070	9601012150701	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 75	—	—	960101215075	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 80	960812150801	—	960101215080, 9601012150801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 90	960812150901	—	9601012150901	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 100	—	—	960101215100, 9601012151001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M12 × 1.5 × 110	—	960812150110	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 40	—	—	960121415040	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 50	—	—	960101415050, 9601014150501	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 55	—	96081415055	960121415055	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 60	960814150601	—	9601014150601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 65	—	—	960101415065, 9601014150651	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 70	—	—	9601014150701	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 75	—	96081415075	9601014150751	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 80	—	—	9601014150801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 85	—	—	960101415085, 9601014150851	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 90	—	—	9601014150901	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 100	960814151001	—	9601014151001, 960121415100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 110	—	—	960101415110	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 140	—	—	960101415140	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M14 × 1.5 × 160	—	—	960101415160	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 50	960816150501	—	960101615050, 960121615050	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 55	960816150551	96081615055	960101615055, 9601016150551	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 60	9608161500601, 960816150601	96081615060	960101615060, 9601016150601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 65	—	—	960101615065, 9601016150651	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 70	960816150701	96081615070	960101615070, 9601016150701	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 75	960816150751	—	960101615075	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 80	960816150801	—	960101615080, 9601016150801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 85	—	—	960101615085, 9601016150851	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 90	960816150901	—	960101615090, 9601016150901	—	—	—	960A41615090
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 95	—	—	960101615095, 9601016150951	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 100	960816151001	—	960101615100, 9601016151001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 110	960816151101	—	9601016150110, 960101615110	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 120	960816151201	96081615120	960101615120, 9601016151201	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 130	960816151301	96081615130	960101615130	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 140	960816151401	96081615140	960101615140, 9601016151401	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 150	960816151501, 960816151501SST096	—	9601016150150, 960101615150	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 160	960816151601	96081615160	960101615160, 9601016151601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 180	—	—	9601016151801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M16 × 1.5 × 250	—	—	9601016152501	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 55	—	—	9601018150055TL34	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 60	960818150601	—	960101815060, 9601018150601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 65	—	—	9601018150065TL42	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 70	960818150701	96081815070	9601018150070, 960101815070	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 75	—	—	960101815075	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 80	960818150801	—	960101815080, 9601018150801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 90	—	—	9601018150901	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 100	960818151001	—	9601018151001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 110	—	—	960101815110	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 120	960818151201	—	960101815120, 9601018151201	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 140	—	—	960101815140	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 145	960818151451	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 150	960818151501	—	960101815150	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 180	—	—	960101815180	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 190	—	—	960101815190	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 200	—	—	960101815200	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M18 × 1.5 × 230	—	—	960101815230	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 60	960820150601	—	9601020150601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 65	960820150651	96082015065	960102015065	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 70	—	96082015070	960102015070, 9601020150701	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 80	960820150801	96082015080	8765122015080, 960102015080	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 90	960820150901	—	960102015090, 9601020150901	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 100	—	96082015100	960102015100, 9601020151001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 110	—	96082015110	960102015110	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 120	960820151201	96082015120	960102015120	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 130	9608201501301SST400 W, 960820151301	—	960102015130, 9601020151301	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 140	—	96082015140	960102015140, 9601020151401	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 150	—	96082015150	960102015150	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 160	9608201501601, 960820151601	—	960102015160	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 170	—	96082015170	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 180	960820151801	96082015180	960102015180, 9601020151801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 190	—	96082015190	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 200	960820152001	960820150200	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 220	—	—	960102015220	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 240	—	—	960102015240, 9601020152401	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 1.5 × 255	—	—	960102015255	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 70	—	96082020070	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 80	960820200801	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 90	960820200901	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 100	960820201001	—	960102020100, 9601020201001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 120	—	—	960102020120	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 150	—	—	960102020150	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 160	—	—	96010202160	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M20 × 2 × 500	—	—	96010202500	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 70	—	—	960102215070	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 80	—	—	9601022150801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 85	—	96082215085	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 100	—	—	960102215100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 130	—	—	960102215130	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 140	—	—	960102215140	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 180	960822151801	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 210	—	—	960102215210	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M22 × 1.5 × 220	—	—	960102215220	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 1.5 × 110	—	—	9601024151101	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 1.5 × 120	—	96082415120	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 1.5 × 310	—	—	960102415310	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 1.5 × 330	—	—	960102415330	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 1.5 × 400	—	—	960102415400	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 70	960824200701	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 100	—	—	960102420100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 105	—	—	960122420105	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 110	960824201101	—	960102420110, 9601024220110	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 120	—	—	960102420120, 9601024201201	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 130	—	960824200130	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 140	—	—	9601024201401	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 150	—	96082420150, 9608242150	960102420150, 9601024201501	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 170	9608242001701, 960824201701	960824200170	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 190	—	96082420190	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 200	—	960824200200, 96082420200	960102420200, 9601024202001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 210	—	—	960102420210	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 220	—	—	9601024200220, 960102420220	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 240	—	—	960102420240	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M24 × 2 × 250	—	96082420250	960102420250	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M27 × 2 × 260	—	—	960102720260	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 80	—	9608302080	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 85	—	96083002085	—	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 100	—	—	96012302100	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 120	960830201201	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 135	—	—	96010302135	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 170	—	—	960103020170	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 180	—	—	960103021801	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 260	—	—	9601030202601	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 300	—	—	960103020300	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M30 × 2 × 340	96083023401	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 90	—	9608363090	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 140	—	—	960103630140	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 160	—	—	960103630160	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 180	—	96083630180	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 200	—	—	96012363200	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 220	—	9608363220	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M36 × 3 × 460	—	9608363460	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M39 × 3 × 400	—	—	9601039304001	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 135	96084231351	—	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 140	—	—	960104230140	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 150	—	—	960104230150	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 190	—	—	960104230190	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 300	—	9608423300	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M42 × 3 × 340	—	9608423340	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M45 × 3 × 220	—	960845220	—	—	9608452202	—	—
DIN 960 / ISO 8765 fine thread, part thread · M45 × 3 × 300	—	—	96010453300	—	—	—	—

DIN 960 / ISO 8765 fine thread, part thread · M52 × 3 × 270	—	—	960105230270	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M56 × 4 × 150	—	96085640150	—	—	—	—	—
DIN 960 / ISO 8765 fine thread, part thread · M56 × 4 × 260	—	96085640260	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 16	—	9618081016	—	—	—	961A208101670	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 18	96180810181	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 20	96180810201	9618081020	96110081020, 961100810201	—	—	—	961A408100020
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 25	8676808010251	9618081025	96110081025, 961100810251	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 30	—	—	9611008100301, 96110081030	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 35	96180810351	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 45	—	9618081045	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M8 × 1 × 50	—	9618081050	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 25	88961101000252	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 16	961810100161, 8676810100161	—	—	—	—	—	961A41011680
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 20	96181010201	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 25	—	9618101025, 86768101025	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 30	96181010301	9618101030	96110101030, 96112101030	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 40	—	—	96110101040	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 60	—	96181010060	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 65	—	—	961101010651	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 70	—	—	—	8676A4L1010007080	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1 × 100	—	96181010100	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 16	9618101250161	961810125016	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 20	9618101250201	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 25	9618101250251	961810125025	9611010125025	8676A41012502580	—	961A21012525	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 30	9618101250301, 86768101250301	961810125030	9611010125030	—	—	—	961A41012503080
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 35	9618101250351	961810125035	9611010125035, 96110101250351	—	—	961A21012535	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 40	9618101250401	—	9611010125040, 96110101250401	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 45	—	—	96110101250451	—	—	—	961A41012504580

DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 50	9618101250501	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 60	9618101250601	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 70	9618101250701, 9618101250701SST096	—	9611010125070, 96110101250701	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M10 × 1.25 × 90	9618101250901	961810125090	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1 × 12	961812100121	—	—	—	—	—	961A41211280
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1 × 20	961812100201	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1 × 25	—	—	—	—	—	—	961A41212580
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 13	—	961812125013	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 20	9618121250201	961812125020	9611012125020, 96110121250201	—	—	961A21212520	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 25	9618121250251, 86768121250251	961812125025	9611012125025, 96110121250251	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 30	9618121250301	961812125030	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 35	9618121250351	961812125035	9611012125035, 96110121250351	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 40	9618121250401, 86768121250401	—	9611012125040, 96110121250401	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 45	—	—	96110121250451	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 50	—	—	9611012125050	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 55	—	—	9611012125055	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 60	9618121250601	—	9611012125060, 96110121250601	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 80	—	961812125080	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.25 × 120	—	—	9611012125120	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 20	9618121500201	961812150020, 96181215020	9611012150201	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 25	961812150251, 8676812150251	867681215025	961101215025	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 30	961812150301	96181215030, 867681215030	961101215030, 9611012150301	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 35	961812150351, 86768120150351SST400	961812150035, 8676812015035	9611012150351	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 40	961812150401	961812150040	961101215040, 9611012150401	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 45	961812150451	—	961101215045, 9611012150451	—	—	—	—

DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 50	961812150501	—	961101215050	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 60	8676812150601	—	961101215060, 9611012150601	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 65	961812150651	96181215065	8676101215060	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 70	—	—	9611012150701, 8676101215070	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 75	—	—	961101215075	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 80	8676812150801	—	961101215080	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 100	—	96181215100	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M12 × 1.5 × 120	8676812151201	867681215120	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 50	88961141500502	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 20	—	961814150020	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 25	961814150251	—	961101415025	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 30	961814150301	961814150030	961101415030, 9611014150301	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 35	961814150351	96181415035	9611014150351	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 40	961814150401	96181415040	961101415040, 9611014150401	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 45	961814150451	—	9611014150451, 8676101415045	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 50	961814150501	96181415050	961101415050, 9611014150501	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 55	—	—	961101415055, 9611014150551	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 60	—	—	961101415060, 961814150601	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 70	—	—	9611014150701	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 75	—	—	961101415075	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 80	—	96181415080	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M14 × 1.5 × 90	—	—	961101415090	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 20	—	867681615020	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 25	—	96181615025	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 30	961816150301	96181615030	961101615030, 9611016150301	—	—	—	—

DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 35	961816150351, 961816150353	96181615035	961101615035, 9611016150351	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 40	961816150401	96181615040	961101615040, 9611016150401	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 45	961816150451, 961816150451SST096	96181615045	9611016150045, 961101615045	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 50	961816150501	961816150050, 96181615050	961101615050, 9611016150501	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 55	961816150551, 961816150551SST096	96181615055	9611016150551, 9611016150551SST096	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 60	961816150601, 961816150601SST096	—	961101615060, 9611016150601	—	—	961A21615060	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 65	—	—	961101615065, 9611016150651	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 70	961816150701SST096	—	961101615070, 9611016150701	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 80	961816150801	—	9611016150801	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 100	961816151001	96181615100	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 110	961816151101	—	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 130	8676816151301	867681615130	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 140	867681615140ZN8	867681615140	—	—	—	—	—
DIN 961 / ISO 8676 fine thread, full thread · M16 × 1.5 × 160	8676816151601	—	—	—	—	—	—

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier. © cBallast 2026 · cballast.com