

V-Belt Finder — SPZ, SPA, SPB, SPC and Classical Z, A, B, C, D Sections by Length (Gates, ConCar)

cBallast Technical Sourcing · generated 2026-09-29 · cballast.com/documents/v-belt-finder-spz-spa-spb-spc-z-a-b-c-d-by-section-and-length-gates-concar · first 500 rows; the full table is online

V-belts are identified by section and effective length: classical sections Z (10 × 6 mm), A (13 × 8), B (17 × 11), C (22 × 14), D (32 × 19) to DIN 2215 with inside length Li, and narrow (wedge) sections SPZ (9.7 × 8), SPA (12.7 × 10), SPB (16.3 × 13), SPC (22 × 18) to DIN 7753 with datum length Ld; raw-edge cogged versions (XPZ/XPA/XPB, AX/BX/CX) run on the same pulleys with higher power rating and smaller minimum pulley diameter. The finder lists the catalogue belts by section and length so an identical belt, or the same length in a different construction, can be selected.

Section	Section	Length	Construction	Part number	Brand
Section 3V	3V	220 mm	wrapped	PHP1-3V220-JA	SKF
Section 3V	3V	220 mm	wrapped	PHP2-3V220-JA	SKF
Section 3V	3V	235 mm	wrapped	PHP1-3V235-JA	SKF
Section 3V	3V	235 mm	wrapped	PHP2-3V235-JA	SKF
Section 3V	3V	250 mm	wrapped	PHP1-3V250-JA	SKF
Section 3V	3V	250 mm	wrapped	PHP2-3V250-JA	SKF
Section 3V	3V	250 mm	wrapped	PHP3-3V250-JA	SKF
Section 3V	3V	265 mm	wrapped	PHP1-3V265-JA	SKF
Section 3V	3V	265 mm	wrapped	PHP2-3V265-JA	SKF
Section 3V	3V	265 mm	wrapped	PHP3-3V265-JA	SKF
Section 3V	3V	265 mm	wrapped	PHP4-3V265-JA	SKF
Section 3V	3V	280 mm	wrapped	PHP1-3V280-JA	SKF
Section 3V	3V	280 mm	wrapped	PHP2-3V280-JA	SKF
Section 3V	3V	280 mm	wrapped	PHP3-3V280-JA	SKF
Section 3V	3V	280 mm	wrapped	PHP4-3V280-JA	SKF
Section 3V	3V	300 mm	wrapped	PHP1-3V300-JA	SKF
Section 3V	3V	300 mm	wrapped	PHP2-3V300-JA	SKF
Section 3V	3V	300 mm	wrapped	PHP3-3V300-SH	SKF
Section 3V	3V	300 mm	wrapped	PHP4-3V300-SH	SKF
Section 3V	3V	315 mm	wrapped	PHP1-3V315-JA	SKF
Section 3V	3V	315 mm	wrapped	PHP2-3V315-JA	SKF
Section 3V	3V	315 mm	wrapped	PHP3-3V315-SH	SKF
Section 3V	3V	315 mm	wrapped	PHP4-3V315-SH	SKF
Section 3V	3V	335 mm	wrapped	PHP1-3V335-JA	SKF
Section 3V	3V	335 mm	wrapped	PHP2-3V335-SH	SKF
Section 3V	3V	335 mm	wrapped	PHP3-3V335-SH	SKF
Section 3V	3V	335 mm	wrapped	PHP4-3V335-SH	SKF
Section 3V	3V	365 mm	wrapped	PHP1-3V365-SH	SKF
Section 3V	3V	365 mm	wrapped	PHP2-3V365-SH	SKF
Section 3V	3V	365 mm	wrapped	PHP3-3V365-SH	SKF
Section 3V	3V	365 mm	wrapped	PHP4-3V365-SH	SKF
Section 3V	3V	412 mm	wrapped	PHP1-3V412-SH	SKF
Section 3V	3V	412 mm	wrapped	PHP2-3V412-SH	SKF

Section 3V	3V	412 mm	wrapped	PHP3-3V412-SH	SKF
Section 3V	3V	412 mm	wrapped	PHP4-3V412-SH	SKF
Section 3V	3V	450 mm	wrapped	PHP1-3V450-SH	SKF
Section 3V	3V	450 mm	wrapped	PHP2-3V450-SH	SKF
Section 3V	3V	450 mm	wrapped	PHP3-3V450-SDS	SKF
Section 3V	3V	450 mm	wrapped	PHP4-3V450-SDS	SKF
Section 3V	3V	475 mm	wrapped	PHP10-3V475-SK	SKF
Section 3V	3V	475 mm	wrapped	PHP2-3V475-SH	SKF
Section 3V	3V	475 mm	wrapped	PHP3-3V475-SDS	SKF
Section 3V	3V	475 mm	wrapped	PHP4-3V475-SDS	SKF
Section 3V	3V	475 mm	wrapped	PHP5-3V475-SDS	SKF
Section 3V	3V	475 mm	wrapped	PHP6-3V475-SK	SKF
Section 3V	3V	475 mm	wrapped	PHP8-3V475-SK	SKF
Section 3V	3V	500 mm	wrapped	PHP1-3V500-SH	SKF
Section 3V	3V	500 mm	wrapped	PHP10-3V500-SK	SKF
Section 3V	3V	500 mm	wrapped	PHP2-3V500-SH	SKF
Section 3V	3V	500 mm	wrapped	PHP3-3V500-SDS	SKF
Section 3V	3V	500 mm	wrapped	PHP4-3V500-SDS	SKF
Section 3V	3V	500 mm	wrapped	PHP5-3V500-SDS	SKF
Section 3V	3V	500 mm	wrapped	PHP6-3V500-SK	SKF
Section 3V	3V	500 mm	wrapped	PHP8-3V500-SK	SKF
Section 3V	3V	530 mm	wrapped	PHP1-3V530-SH	SKF
Section 3V	3V	530 mm	wrapped	PHP10-3V530-SK	SKF
Section 3V	3V	530 mm	wrapped	PHP2-3V530-SH	SKF
Section 3V	3V	530 mm	wrapped	PHP3-3V530-SDS	SKF
Section 3V	3V	530 mm	wrapped	PHP4-3V530-SDS	SKF
Section 3V	3V	530 mm	wrapped	PHP5-3V530-SK	SKF
Section 3V	3V	530 mm	wrapped	PHP6-3V530-SK	SKF
Section 3V	3V	530 mm	wrapped	PHP8-3V530-SK	SKF
Section 3V	3V	560 mm	wrapped	PHP1-3V560-SH	SKF
Section 3V	3V	560 mm	wrapped	PHP10-3V560-SK	SKF
Section 3V	3V	560 mm	wrapped	PHP2-3V560-SH	SKF
Section 3V	3V	560 mm	wrapped	PHP3-3V560-SDS	SKF
Section 3V	3V	560 mm	wrapped	PHP4-3V560-SDS	SKF
Section 3V	3V	560 mm	wrapped	PHP5-3V560-SK	SKF
Section 3V	3V	560 mm	wrapped	PHP6-3V560-SK	SKF
Section 3V	3V	560 mm	wrapped	PHP8-3V560-SK	SKF
Section 3V	3V	600 mm	wrapped	PHP1-3V600-SH	SKF
Section 3V	3V	600 mm	wrapped	PHP10-3V600-SK	SKF

Section 3V	3V	600 mm	wrapped	PHP2-3V600-SH	SKF
Section 3V	3V	600 mm	wrapped	PHP3-3V600-SDS	SKF
Section 3V	3V	600 mm	wrapped	PHP4-3V600-SK	SKF
Section 3V	3V	600 mm	wrapped	PHP5-3V600-SK	SKF
Section 3V	3V	600 mm	wrapped	PHP6-3V600-SK	SKF
Section 3V	3V	600 mm	wrapped	PHP8-3V600-SK	SKF
Section 3V	3V	650 mm	wrapped	PHP1-3V650-SH	SKF
Section 3V	3V	650 mm	wrapped	PHP10-3V650-SK	SKF
Section 3V	3V	650 mm	wrapped	PHP2-3V650-SDS	SKF
Section 3V	3V	650 mm	wrapped	PHP3-3V650-SDS	SKF
Section 3V	3V	650 mm	wrapped	PHP4-3V650-SK	SKF
Section 3V	3V	650 mm	wrapped	PHP5-3V650-SK	SKF
Section 3V	3V	650 mm	wrapped	PHP6-3V650-SK	SKF
Section 3V	3V	650 mm	wrapped	PHP8-3V650-SK	SKF
Section 3V	3V	690 mm	wrapped	PHP1-3V690-SH	SKF
Section 3V	3V	690 mm	wrapped	PHP10-3V690-SK	SKF
Section 3V	3V	690 mm	wrapped	PHP2-3V690-SDS	SKF
Section 3V	3V	690 mm	wrapped	PHP3-3V690-SDS	SKF
Section 3V	3V	690 mm	wrapped	PHP4-3V690-SK	SKF
Section 3V	3V	690 mm	wrapped	PHP5-3V690-SK	SKF
Section 3V	3V	690 mm	wrapped	PHP6-3V690-SK	SKF
Section 3V	3V	690 mm	wrapped	PHP8-3V690-SK	SKF
Section 3V	3V	800 mm	wrapped	PHP1-3V800-SDS	SKF
Section 3V	3V	800 mm	wrapped	PHP10-3V800-SF	SKF
Section 3V	3V	800 mm	wrapped	PHP2-3V800-SDS	SKF
Section 3V	3V	800 mm	wrapped	PHP3-3V800-SK	SKF
Section 3V	3V	800 mm	wrapped	PHP4-3V800-SK	SKF
Section 3V	3V	800 mm	wrapped	PHP5-3V800-SK	SKF
Section 3V	3V	800 mm	wrapped	PHP6-3V800-SK	SKF
Section 3V	3V	800 mm	wrapped	PHP8-3V800-SF	SKF
Section 3V	3V	1060 mm	wrapped	PHP1-3V1060-SDS	SKF
Section 3V	3V	1060 mm	wrapped	PHP10-3V1060-E	SKF
Section 3V	3V	1060 mm	wrapped	PHP2-3V1060-SK	SKF
Section 3V	3V	1060 mm	wrapped	PHP3-3V1060-SK	SKF
Section 3V	3V	1060 mm	wrapped	PHP4-3V1060-SK	SKF
Section 3V	3V	1060 mm	wrapped	PHP5-3V1060-SK	SKF
Section 3V	3V	1060 mm	wrapped	PHP6-3V1060-SF	SKF
Section 3V	3V	1060 mm	wrapped	PHP8-3V1060-SF	SKF
Section 3V	3V	1400 mm	wrapped	PHP1-3V1400-SK	SKF

Section 3V	3V	1400 mm	wrapped	PHP10-3V1400-E	SKF
Section 3V	3V	1400 mm	wrapped	PHP2-3V1400-SK	SKF
Section 3V	3V	1400 mm	wrapped	PHP3-3V1400-SK	SKF
Section 3V	3V	1400 mm	wrapped	PHP4-3V1400-SK	SKF
Section 3V	3V	1400 mm	wrapped	PHP5-3V1400-SF	SKF
Section 3V	3V	1400 mm	wrapped	PHP6-3V1400-SF	SKF
Section 3V	3V	1400 mm	wrapped	PHP8-3V1400-E	SKF
Section 3V	3V	1600 mm	wrapped	PHP3-3V1600-SK	SKF
Section 3V	3V	1600 mm	wrapped	PHP4-3V1600-SK	SKF
Section 3V	3V	1900 mm	wrapped	PHP1-3V1900-SK	SKF
Section 3V	3V	1900 mm	wrapped	PHP10-3V1900-E	SKF
Section 3V	3V	1900 mm	wrapped	PHP2-3V1900-SK	SKF
Section 3V	3V	1900 mm	wrapped	PHP3-3V1900-SF	SKF
Section 3V	3V	1900 mm	wrapped	PHP4-3V1900-SF	SKF
Section 3V	3V	1900 mm	wrapped	PHP5-3V1900-SF	SKF
Section 3V	3V	1900 mm	wrapped	PHP6-3V1900-E	SKF
Section 3V	3V	1900 mm	wrapped	PHP8-3V1900-E	SKF
Section 3V	3V	2500 mm	wrapped	PHP10-3V2500-F	SKF
Section 3V	3V	2500 mm	wrapped	PHP2-3V2500-SF	SKF
Section 3V	3V	2500 mm	wrapped	PHP3-3V2500-SF	SKF
Section 3V	3V	2500 mm	wrapped	PHP4-3V2500-SF	SKF
Section 3V	3V	2500 mm	wrapped	PHP5-3V2500-E	SKF
Section 3V	3V	2500 mm	wrapped	PHP6-3V2500-E	SKF
Section 3V	3V	2500 mm	wrapped	PHP8-3V2500-E	SKF
Section 3V	3V	3350 mm	wrapped	PHP10-3V3350-F	SKF
Section 3V	3V	3350 mm	wrapped	PHP3-3V3350-SF	SKF
Section 3V	3V	3350 mm	wrapped	PHP4-3V3350-E	SKF
Section 3V	3V	3350 mm	wrapped	PHP5-3V3350-E	SKF
Section 3V	3V	3350 mm	wrapped	PHP6-3V3350-E	SKF
Section 3V	3V	3350 mm	wrapped	PHP8-3V3350-F	SKF
Section 5V	5V	440 mm	wrapped	PHP2-5V440-SH	SKF
Section 5V	5V	440 mm	wrapped	PHP3-5V440-SDS	SKF
Section 5V	5V	440 mm	wrapped	PHP4-5V440-SD	SKF
Section 5V	5V	440 mm	wrapped	PHP5-5V440-SD	SKF
Section 5V	5V	440 mm	wrapped	PHP6-5V440-SD	SKF
Section 5V	5V	465 mm	wrapped	PHP2-5V465-SDS	SKF
Section 5V	5V	465 mm	wrapped	PHP3-5V465-SDS	SKF
Section 5V	5V	465 mm	wrapped	PHP4-5V465-SD	SKF
Section 5V	5V	465 mm	wrapped	PHP5-5V465-SD	SKF

Section 5V	5V	465 mm	wrapped	PHP6-5V465-SD	SKF
Section 5V	5V	490 mm	wrapped	PHP2-5V490-SDS	SKF
Section 5V	5V	490 mm	wrapped	PHP3-5V490-SDS	SKF
Section 5V	5V	490 mm	wrapped	PHP4-5V490-SD	SKF
Section 5V	5V	490 mm	wrapped	PHP5-5V490-SD	SKF
Section 5V	5V	490 mm	wrapped	PHP6-5V490-SD	SKF
Section 5V	5V	520 mm	wrapped	PHP2-5V520-SDS	SKF
Section 5V	5V	520 mm	wrapped	PHP3-5V520-SDS	SKF
Section 5V	5V	520 mm	wrapped	PHP4-5V520-SD	SKF
Section 5V	5V	520 mm	wrapped	PHP5-5V520-SD	SKF
Section 5V	5V	520 mm	wrapped	PHP6-5V520-SD	SKF
Section 5V	5V	550 mm	wrapped	PHP2-5V550-SDS	SKF
Section 5V	5V	550 mm	wrapped	PHP3-5V550-SDS	SKF
Section 5V	5V	550 mm	wrapped	PHP4-5V550-SD	SKF
Section 5V	5V	550 mm	wrapped	PHP5-5V550-SD	SKF
Section 5V	5V	550 mm	wrapped	PHP6-5V550-SD	SKF
Section 5V	5V	590 mm	wrapped	PHP2-5V590-SDS	SKF
Section 5V	5V	590 mm	wrapped	PHP3-5V590-SDS	SKF
Section 5V	5V	590 mm	wrapped	PHP4-5V590-SD	SKF
Section 5V	5V	590 mm	wrapped	PHP5-5V590-SK	SKF
Section 5V	5V	590 mm	wrapped	PHP6-5V590-SK	SKF
Section 5V	5V	630 mm	wrapped	PHP2-5V630-SK	SKF
Section 5V	5V	630 mm	wrapped	PHP3-5V630-SK	SKF
Section 5V	5V	630 mm	wrapped	PHP4-5V630-SK	SKF
Section 5V	5V	630 mm	wrapped	PHP5-5V630-SK	SKF
Section 5V	5V	630 mm	wrapped	PHP6-5V630-SK	SKF
Section 5V	5V	670 mm	wrapped	PHP2-5V670-SK	SKF
Section 5V	5V	670 mm	wrapped	PHP3-5V670-SK	SKF
Section 5V	5V	670 mm	wrapped	PHP4-5V670-SK	SKF
Section 5V	5V	670 mm	wrapped	PHP5-5V670-SF	SKF
Section 5V	5V	670 mm	wrapped	PHP6-5V670-SF	SKF
Section 5V	5V	710 mm	wrapped	PHP2-5V710-SK	SKF
Section 5V	5V	710 mm	wrapped	PHP3-5V710-SF	SKF
Section 5V	5V	710 mm	wrapped	PHP4-5V710-SF	SKF
Section 5V	5V	710 mm	wrapped	PHP5-5V710-SF	SKF
Section 5V	5V	710 mm	wrapped	PHP6-5V710-SF	SKF
Section 5V	5V	710 mm	wrapped	PHP8-5V710-SF	SKF
Section 5V	5V	750 mm	wrapped	PHP2-5V750-SK	SKF
Section 5V	5V	750 mm	wrapped	PHP3-5V750-SF	SKF

Section 5V	5V	750 mm	wrapped	PHP4-5V750-SF	SKF
Section 5V	5V	750 mm	wrapped	PHP5-5V750-SF	SKF
Section 5V	5V	750 mm	wrapped	PHP6-5V750-SF	SKF
Section 5V	5V	750 mm	wrapped	PHP8-5V750-SF	SKF
Section 5V	5V	800 mm	wrapped	PHP10-5V800-E	SKF
Section 5V	5V	800 mm	wrapped	PHP2-5V800-SK	SKF
Section 5V	5V	800 mm	wrapped	PHP3-5V800-SF	SKF
Section 5V	5V	800 mm	wrapped	PHP4-5V800-E	SKF
Section 5V	5V	800 mm	wrapped	PHP5-5V800-E	SKF
Section 5V	5V	800 mm	wrapped	PHP6-5V800-E	SKF
Section 5V	5V	800 mm	wrapped	PHP8-5V800-E	SKF
Section 5V	5V	850 mm	wrapped	PHP10-5V850-E	SKF
Section 5V	5V	850 mm	wrapped	PHP2-5V850-SK	SKF
Section 5V	5V	850 mm	wrapped	PHP3-5V850-SF	SKF
Section 5V	5V	850 mm	wrapped	PHP4-5V850-E	SKF
Section 5V	5V	850 mm	wrapped	PHP5-5V850-E	SKF
Section 5V	5V	850 mm	wrapped	PHP6-5V850-E	SKF
Section 5V	5V	850 mm	wrapped	PHP8-5V850-E	SKF
Section 5V	5V	900 mm	wrapped	PHP10-5V900-F	SKF
Section 5V	5V	900 mm	wrapped	PHP2-5V900-SK	SKF
Section 5V	5V	900 mm	wrapped	PHP3-5V900-SF	SKF
Section 5V	5V	900 mm	wrapped	PHP4-5V900-E	SKF
Section 5V	5V	900 mm	wrapped	PHP5-5V900-E	SKF
Section 5V	5V	900 mm	wrapped	PHP6-5V900-E	SKF
Section 5V	5V	900 mm	wrapped	PHP8-5V900-E	SKF
Section 5V	5V	925 mm	wrapped	PHP10-5V925-F	SKF
Section 5V	5V	925 mm	wrapped	PHP2-5V925-SK	SKF
Section 5V	5V	925 mm	wrapped	PHP3-5V925-SF	SKF
Section 5V	5V	925 mm	wrapped	PHP4-5V925-E	SKF
Section 5V	5V	925 mm	wrapped	PHP5-5V925-E	SKF
Section 5V	5V	925 mm	wrapped	PHP6-5V925-E	SKF
Section 5V	5V	925 mm	wrapped	PHP8-5V925-F	SKF
Section 5V	5V	975 mm	wrapped	PHP10-5V975-F	SKF
Section 5V	5V	975 mm	wrapped	PHP2-5V975-SK	SKF
Section 5V	5V	975 mm	wrapped	PHP3-5V975-SF	SKF
Section 5V	5V	975 mm	wrapped	PHP4-5V975-E	SKF
Section 5V	5V	975 mm	wrapped	PHP5-5V975-E	SKF
Section 5V	5V	975 mm	wrapped	PHP6-5V975-E	SKF
Section 5V	5V	975 mm	wrapped	PHP8-5V975-F	SKF

Section 5V	5V	1030 mm	wrapped	PHP10-5V1030-F	SKF
Section 5V	5V	1030 mm	wrapped	PHP2-5V1030-SK	SKF
Section 5V	5V	1030 mm	wrapped	PHP3-5V1030-SF	SKF
Section 5V	5V	1030 mm	wrapped	PHP4-5V1030-E	SKF
Section 5V	5V	1030 mm	wrapped	PHP5-5V1030-E	SKF
Section 5V	5V	1030 mm	wrapped	PHP6-5V1030-E	SKF
Section 5V	5V	1030 mm	wrapped	PHP8-5V1030-F	SKF
Section 5V	5V	1090 mm	wrapped	PHP10-5V1090-F	SKF
Section 5V	5V	1090 mm	wrapped	PHP2-5V1090-SK	SKF
Section 5V	5V	1090 mm	wrapped	PHP3-5V1090-SF	SKF
Section 5V	5V	1090 mm	wrapped	PHP4-5V1090-E	SKF
Section 5V	5V	1090 mm	wrapped	PHP5-5V1090-E	SKF
Section 5V	5V	1090 mm	wrapped	PHP6-5V1090-E	SKF
Section 5V	5V	1090 mm	wrapped	PHP8-5V1090-F	SKF
Section 5V	5V	1130 mm	wrapped	PHP10-5V1130-F	SKF
Section 5V	5V	1130 mm	wrapped	PHP2-5V1130-SK	SKF
Section 5V	5V	1130 mm	wrapped	PHP3-5V1130-SF	SKF
Section 5V	5V	1130 mm	wrapped	PHP4-5V1130-E	SKF
Section 5V	5V	1130 mm	wrapped	PHP5-5V1130-E	SKF
Section 5V	5V	1130 mm	wrapped	PHP6-5V1130-E	SKF
Section 5V	5V	1130 mm	wrapped	PHP8-5V1130-F	SKF
Section 5V	5V	1180 mm	wrapped	PHP10-5V1180-F	SKF
Section 5V	5V	1180 mm	wrapped	PHP2-5V1180-SK	SKF
Section 5V	5V	1180 mm	wrapped	PHP3-5V1180-SF	SKF
Section 5V	5V	1180 mm	wrapped	PHP4-5V1180-E	SKF
Section 5V	5V	1180 mm	wrapped	PHP5-5V1180-E	SKF
Section 5V	5V	1180 mm	wrapped	PHP6-5V1180-E	SKF
Section 5V	5V	1180 mm	wrapped	PHP8-5V1180-F	SKF
Section 5V	5V	1250 mm	wrapped	PHP10-5V1250-J	SKF
Section 5V	5V	1250 mm	wrapped	PHP2-5V1250-SF	SKF
Section 5V	5V	1250 mm	wrapped	PHP3-5V1250-E	SKF
Section 5V	5V	1250 mm	wrapped	PHP4-5V1250-E	SKF
Section 5V	5V	1250 mm	wrapped	PHP5-5V1250-E	SKF
Section 5V	5V	1250 mm	wrapped	PHP6-5V1250-F	SKF
Section 5V	5V	1250 mm	wrapped	PHP8-5V1250-F	SKF
Section 5V	5V	1320 mm	wrapped	PHP10-5V1320-J	SKF
Section 5V	5V	1320 mm	wrapped	PHP2-5V1320-SF	SKF
Section 5V	5V	1320 mm	wrapped	PHP3-5V1320-E	SKF
Section 5V	5V	1320 mm	wrapped	PHP4-5V1320-E	SKF

Section 5V	5V	1320 mm	wrapped	PHP5-5V1320-E	SKF
Section 5V	5V	1320 mm	wrapped	PHP6-5V1320-F	SKF
Section 5V	5V	1320 mm	wrapped	PHP8-5V1320-F	SKF
Section 5V	5V	1400 mm	wrapped	PHP10-5V1400-J	SKF
Section 5V	5V	1400 mm	wrapped	PHP2-5V1400-SF	SKF
Section 5V	5V	1400 mm	wrapped	PHP3-5V1400-E	SKF
Section 5V	5V	1400 mm	wrapped	PHP4-5V1400-E	SKF
Section 5V	5V	1400 mm	wrapped	PHP5-5V1400-E	SKF
Section 5V	5V	1400 mm	wrapped	PHP6-5V1400-F	SKF
Section 5V	5V	1400 mm	wrapped	PHP8-5V1400-F	SKF
Section 5V	5V	1500 mm	wrapped	PHP10-5V1500-J	SKF
Section 5V	5V	1500 mm	wrapped	PHP2-5V1500-SF	SKF
Section 5V	5V	1500 mm	wrapped	PHP3-5V1500-E	SKF
Section 5V	5V	1500 mm	wrapped	PHP4-5V1500-E	SKF
Section 5V	5V	1500 mm	wrapped	PHP5-5V1500-E	SKF
Section 5V	5V	1500 mm	wrapped	PHP6-5V1500-F	SKF
Section 5V	5V	1500 mm	wrapped	PHP8-5V1500-F	SKF
Section 5V	5V	1600 mm	wrapped	PHP10-5V1600-J	SKF
Section 5V	5V	1600 mm	wrapped	PHP2-5V1600-SF	SKF
Section 5V	5V	1600 mm	wrapped	PHP3-5V1600-E	SKF
Section 5V	5V	1600 mm	wrapped	PHP4-5V1600-E	SKF
Section 5V	5V	1600 mm	wrapped	PHP5-5V1600-E	SKF
Section 5V	5V	1600 mm	wrapped	PHP6-5V1600-F	SKF
Section 5V	5V	1600 mm	wrapped	PHP8-5V1600-F	SKF
Section 5V	5V	1870 mm	wrapped	PHP10-5V1870-J	SKF
Section 5V	5V	1870 mm	wrapped	PHP2-5V1870-SF	SKF
Section 5V	5V	1870 mm	wrapped	PHP3-5V1870-E	SKF
Section 5V	5V	1870 mm	wrapped	PHP4-5V1870-E	SKF
Section 5V	5V	1870 mm	wrapped	PHP5-5V1870-F	SKF
Section 5V	5V	1870 mm	wrapped	PHP6-5V1870-F	SKF
Section 5V	5V	1870 mm	wrapped	PHP8-5V1870-J	SKF
Section 5V	5V	2120 mm	wrapped	PHP10-5V2120-J	SKF
Section 5V	5V	2120 mm	wrapped	PHP2-5V2120-SF	SKF
Section 5V	5V	2120 mm	wrapped	PHP3-5V2120-E	SKF
Section 5V	5V	2120 mm	wrapped	PHP4-5V2120-E	SKF
Section 5V	5V	2120 mm	wrapped	PHP5-5V2120-F	SKF
Section 5V	5V	2120 mm	wrapped	PHP6-5V2120-F	SKF
Section 5V	5V	2120 mm	wrapped	PHP8-5V2120-J	SKF
Section 5V	5V	2360 mm	wrapped	PHP10-5V2360-M	SKF

Section 5V	5V	2360 mm	wrapped	PHP2-5V2360-E	SKF
Section 5V	5V	2360 mm	wrapped	PHP3-5V2360-E	SKF
Section 5V	5V	2360 mm	wrapped	PHP4-5V2360-F	SKF
Section 5V	5V	2360 mm	wrapped	PHP5-5V2360-F	SKF
Section 5V	5V	2360 mm	wrapped	PHP6-5V2360-J	SKF
Section 5V	5V	2360 mm	wrapped	PHP8-5V2360-J	SKF
Section 5V	5V	2800 mm	wrapped	PHP10-5V2800-M	SKF
Section 5V	5V	2800 mm	wrapped	PHP2-5V2800-E	SKF
Section 5V	5V	2800 mm	wrapped	PHP3-5V2800-E	SKF
Section 5V	5V	2800 mm	wrapped	PHP4-5V2800-F	SKF
Section 5V	5V	2800 mm	wrapped	PHP5-5V2800-F	SKF
Section 5V	5V	2800 mm	wrapped	PHP6-5V2800-J	SKF
Section 5V	5V	2800 mm	wrapped	PHP8-5V2800-J	SKF
Section 5V	5V	3150 mm	wrapped	PHP10-5V3150-M	SKF
Section 5V	5V	3150 mm	wrapped	PHP3-5V3150-F	SKF
Section 5V	5V	3150 mm	wrapped	PHP4-5V3150-F	SKF
Section 5V	5V	3150 mm	wrapped	PHP5-5V3150-J	SKF
Section 5V	5V	3150 mm	wrapped	PHP6-5V3150-J	SKF
Section 5V	5V	3150 mm	wrapped	PHP8-5V3150-M	SKF
Section 5V	5V	3750 mm	wrapped	PHP10-5V3750-M	SKF
Section 5V	5V	3750 mm	wrapped	PHP3-5V3750-F	SKF
Section 5V	5V	3750 mm	wrapped	PHP4-5V3750-F	SKF
Section 5V	5V	3750 mm	wrapped	PHP5-5V3750-J	SKF
Section 5V	5V	3750 mm	wrapped	PHP6-5V3750-J	SKF
Section 5V	5V	3750 mm	wrapped	PHP8-5V3750-M	SKF
Section 5V	5V	5000 mm	wrapped	PHP10-5V5000-M	SKF
Section 5V	5V	5000 mm	wrapped	PHP3-5V5000-F	SKF
Section 5V	5V	5000 mm	wrapped	PHP4-5V5000-J	SKF
Section 5V	5V	5000 mm	wrapped	PHP5-5V5000-J	SKF
Section 5V	5V	5000 mm	wrapped	PHP6-5V5000-M	SKF
Section 8V	8V	1250 mm	wrapped	PHP10-8V1250-J	SKF
Section 8V	8V	1250 mm	wrapped	PHP4-8V1250-F	SKF
Section 8V	8V	1250 mm	wrapped	PHP5-8V1250-F	SKF
Section 8V	8V	1250 mm	wrapped	PHP6-8V1250-F	SKF
Section 8V	8V	1250 mm	wrapped	PHP8-8V1250-J	SKF
Section 8V	8V	1320 mm	wrapped	PHP10-8V1320-J	SKF
Section 8V	8V	1320 mm	wrapped	PHP4-8V1320-F	SKF
Section 8V	8V	1320 mm	wrapped	PHP5-8V1320-F	SKF
Section 8V	8V	1320 mm	wrapped	PHP6-8V1320-F	SKF

Section 8V	8V	1320 mm	wrapped	PHP8-8V1320-J	SKF
Section 8V	8V	1400 mm	wrapped	PHP10-8V1400-J	SKF
Section 8V	8V	1400 mm	wrapped	PHP4-8V1400-F	SKF
Section 8V	8V	1400 mm	wrapped	PHP5-8V1400-F	SKF
Section 8V	8V	1400 mm	wrapped	PHP6-8V1400-F	SKF
Section 8V	8V	1400 mm	wrapped	PHP8-8V1400-J	SKF
Section 8V	8V	1500 mm	wrapped	PHP10-8V1500-M	SKF
Section 8V	8V	1500 mm	wrapped	PHP4-8V1500-F	SKF
Section 8V	8V	1500 mm	wrapped	PHP5-8V1500-F	SKF
Section 8V	8V	1500 mm	wrapped	PHP6-8V1500-J	SKF
Section 8V	8V	1500 mm	wrapped	PHP8-8V1500-J	SKF
Section 8V	8V	1600 mm	wrapped	PHP10-8V1600-M	SKF
Section 8V	8V	1600 mm	wrapped	PHP4-8V1600-F	SKF
Section 8V	8V	1600 mm	wrapped	PHP5-8V1600-F	SKF
Section 8V	8V	1600 mm	wrapped	PHP6-8V1600-J	SKF
Section 8V	8V	1600 mm	wrapped	PHP8-8V1600-J	SKF
Section 8V	8V	1700 mm	wrapped	PHP10-8V1700-M	SKF
Section 8V	8V	1700 mm	wrapped	PHP4-8V1700-F	SKF
Section 8V	8V	1700 mm	wrapped	PHP5-8V1700-J	SKF
Section 8V	8V	1700 mm	wrapped	PHP6-8V1700-J	SKF
Section 8V	8V	1700 mm	wrapped	PHP8-8V1700-M	SKF
Section 8V	8V	1800 mm	wrapped	PHP10-8V1800-M	SKF
Section 8V	8V	1800 mm	wrapped	PHP4-8V1800-F	SKF
Section 8V	8V	1800 mm	wrapped	PHP5-8V1800-J	SKF
Section 8V	8V	1800 mm	wrapped	PHP6-8V1800-J	SKF
Section 8V	8V	1800 mm	wrapped	PHP8-8V1800-M	SKF
Section 8V	8V	1900 mm	wrapped	PHP10-8V1900-M	SKF
Section 8V	8V	1900 mm	wrapped	PHP4-8V1900-F	SKF
Section 8V	8V	1900 mm	wrapped	PHP5-8V1900-J	SKF
Section 8V	8V	1900 mm	wrapped	PHP6-8V1900-J	SKF
Section 8V	8V	1900 mm	wrapped	PHP8-8V1900-M	SKF
Section 8V	8V	2000 mm	wrapped	PHP10-8V2000-M	SKF
Section 8V	8V	2000 mm	wrapped	PHP4-8V2000-J	SKF
Section 8V	8V	2000 mm	wrapped	PHP5-8V2000-J	SKF
Section 8V	8V	2000 mm	wrapped	PHP6-8V2000-M	SKF
Section 8V	8V	2000 mm	wrapped	PHP8-8V2000-M	SKF
Section 8V	8V	2120 mm	wrapped	PHP10-8V2120-M	SKF
Section 8V	8V	2120 mm	wrapped	PHP4-8V2120-J	SKF
Section 8V	8V	2120 mm	wrapped	PHP5-8V2120-J	SKF

Section 8V	8V	2120 mm	wrapped	PHP6-8V2120-M	SKF
Section 8V	8V	2120 mm	wrapped	PHP8-8V2120-M	SKF
Section 8V	8V	2240 mm	wrapped	PHP10-8V2240-N	SKF
Section 8V	8V	2240 mm	wrapped	PHP4-8V2240-J	SKF
Section 8V	8V	2240 mm	wrapped	PHP5-8V2240-M	SKF
Section 8V	8V	2240 mm	wrapped	PHP6-8V2240-M	SKF
Section 8V	8V	2240 mm	wrapped	PHP8-8V2240-M	SKF
Section 8V	8V	2480 mm	wrapped	PHP10-8V2480-N	SKF
Section 8V	8V	2480 mm	wrapped	PHP4-8V2480-M	SKF
Section 8V	8V	2480 mm	wrapped	PHP5-8V2480-M	SKF
Section 8V	8V	2480 mm	wrapped	PHP6-8V2480-M	SKF
Section 8V	8V	2480 mm	wrapped	PHP8-8V2480-N	SKF
Section 8V	8V	3000 mm	wrapped	PHP10-8V3000-N	SKF
Section 8V	8V	3000 mm	wrapped	PHP4-8V3000-M	SKF
Section 8V	8V	3000 mm	wrapped	PHP5-8V3000-M	SKF
Section 8V	8V	3000 mm	wrapped	PHP6-8V3000-M	SKF
Section 8V	8V	3000 mm	wrapped	PHP8-8V3000-N	SKF
Section 8V	8V	3550 mm	wrapped	PHP4-8V3550-M	SKF
Section 8V	8V	3550 mm	wrapped	PHP5-8V3550-M	SKF
Section 8V	8V	3550 mm	wrapped	PHP6-8V3550-N	SKF
Section 8V	8V	3550 mm	wrapped	PHP8-8V3550-N	SKF
Section 8V	8V	4000 mm	wrapped	PHP4-8V4000-M	SKF
Section 8V	8V	4000 mm	wrapped	PHP5-8V4000-M	SKF
Section 8V	8V	4000 mm	wrapped	PHP6-8V4000-N	SKF
Section 8V	8V	4000 mm	wrapped	PHP8-8V4000-N	SKF
Section 8V	8V	4450 mm	wrapped	PHP5-8V4450-N	SKF
Section 8V	8V	5300 mm	wrapped	PHP4-8V5300-M	SKF
Section 8V	8V	5300 mm	wrapped	PHP5-8V5300-N	SKF
Section 8V	8V	5300 mm	wrapped	PHP6-8V5300-N	SKF
Section A	A	2570 mm	wrapped	G0882540	Concar
Section A	A	2570 mm	wrapped	962161000	Gates
Section A	A	2697 mm	wrapped	G0882667	Concar
Section A	A	2700 mm	wrapped	962161050	Gates
Section A	A	2750 mm	wrapped	962161070	Gates
Section A	A	2755 mm	wrapped	G0882725	Concar
Section A	A	2773 mm	wrapped	G0882743	Concar
Section A	A	2925 mm	wrapped	G0882895	Concar
Section A	A	2980 mm	wrapped	962161160	Gates
Section A	A	3030 mm	wrapped	G0883000	Concar

Section A	A	3280 mm	wrapped	G0883250	Concar
Section A	A	3430 mm	wrapped	G0883400	Concar
Section A	A	3484 mm	wrapped	G0883454	Concar
Section A	A	3485 mm	wrapped	962161360	Gates
Section A	A	3580 mm	wrapped	G0883550	Concar
Section A	A	4780 mm	wrapped	G0884750	Concar
Section A	A	4780 mm	wrapped	962161870	Gates
Section A	A	5030 mm	wrapped	G0885000	Concar
Section B	B	200 mm	wrapped	PHP1-B200-SK	SKF
Section B	B	200 mm	wrapped	PHP10-B200-F	SKF
Section B	B	200 mm	wrapped	PHP2-B200-SF	SKF
Section B	B	200 mm	wrapped	PHP3-B200-SF	SKF
Section B	B	200 mm	wrapped	PHP4-B200-SF	SKF
Section B	B	200 mm	wrapped	PHP5-B200-E	SKF
Section B	B	200 mm	wrapped	PHP6-B200-E	SKF
Section B	B	200 mm	wrapped	PHP8-B200-F	SKF
Section B	B	250 mm	wrapped	PHP10-B250-F	SKF
Section B	B	250 mm	wrapped	PHP2-B250-SF	SKF
Section B	B	250 mm	wrapped	PHP3-B250-SF	SKF
Section B	B	250 mm	wrapped	PHP4-B250-E	SKF
Section B	B	250 mm	wrapped	PHP5-B250-E	SKF
Section B	B	250 mm	wrapped	PHP6-B250-E	SKF
Section B	B	250 mm	wrapped	PHP8-B250-F	SKF
Section B	B	300 mm	wrapped	PHP10-B300-F	SKF
Section B	B	300 mm	wrapped	PHP2-B300-SF	SKF
Section B	B	300 mm	wrapped	PHP3-B300-SF	SKF
Section B	B	300 mm	wrapped	PHP4-B300-E	SKF
Section B	B	300 mm	wrapped	PHP6-B300-E	SKF
Section B	B	300 mm	wrapped	PHP8-B300-F	SKF
Section B	B	380 mm	wrapped	PHP10-B380-J	SKF
Section B	B	380 mm	wrapped	PHP2-B380-SF	SKF
Section B	B	380 mm	wrapped	PHP3-B380-E	SKF
Section B	B	380 mm	wrapped	PHP4-B380-E	SKF
Section B	B	380 mm	wrapped	PHP5-B380-E	SKF
Section B	B	380 mm	wrapped	PHP6-B380-E	SKF
Section B	B	380 mm	wrapped	PHP8-B380-F	SKF
Section B	B	2580 mm	wrapped	962261000	Gates
Section B	B	2650 mm	wrapped	962261030	Gates
Section B	B	2665 mm	wrapped	G0992625	Concar

Section B	B	2680 mm	wrapped	962261040	Gates
Section B	B	2690 mm	wrapped	G0992650	Concar
Section B	B	2700 mm	wrapped	962261050	Gates
Section B	B	2740 mm	wrapped	962261060	Gates
Section B	B	2790 mm	wrapped	962261080	Gates
Section B	B	2840 mm	wrapped	G0992800	Concar
Section B	B	2940 mm	wrapped	G0992900	Concar
Section B	B	2965 mm	wrapped	962261150	Gates
Section B	B	2990 mm	wrapped	962261160	Gates
Section B	B	3000 mm	wrapped	962261165	Gates
Section B	B	3040 mm	wrapped	G0993000	Concar
Section B	B	3088 mm	wrapped	G0993048	Concar
Section B	B	3090 mm	wrapped	962261200	Gates
Section B	B	3140 mm	wrapped	G0993100	Concar
Section B	B	3190 mm	wrapped	G0993150	Concar
Section B	B	3240 mm	wrapped	962261260	Gates
Section B	B	3240 mm	wrapped	G0993200	Concar
Section B	B	3290 mm	wrapped	G0993250	Concar
Section B	B	3340 mm	wrapped	G0993300	Concar
Section B	B	3400 mm	wrapped	962261320	Gates
Section B	B	3470 mm	wrapped	G0993430	Concar
Section B	B	3490 mm	wrapped	G0993450	Concar
Section B	B	3640 mm	wrapped	G0993600	Concar
Section B	B	3750 mm	wrapped	962261460	Gates
Section B	B	3780 mm	wrapped	962261470	Gates
Section B	B	3790 mm	wrapped	G0993750	Concar
Section B	B	3800 mm	wrapped	962261480	Gates
Section B	B	3890 mm	wrapped	G0993850	Concar
Section B	B	3950 mm	wrapped	962261540	Gates
Section B	B	3990 mm	wrapped	G0993950	Concar
Section B	B	4040 mm	wrapped	G0994000	Concar
Section B	B	4060 mm	wrapped	962261580	Gates
Section B	B	4240 mm	wrapped	G0994200	Concar
Section B	B	4280 mm	wrapped	962261670	Gates
Section B	B	4490 mm	wrapped	G0994450	Concar
Section B	B	4610 mm	wrapped	962261800	Gates
Section B	B	4790 mm	wrapped	G0994750	Concar
Section B	B	4790 mm	wrapped	962261870	Gates

Part numbers and designations are those of the original manufacturers and are given for identification. cBallast is an independent supplier. © cBallast 2026 · cballast.com