


VOLA 500, 590, 500T1
VOLA 2500
VOLA SC1, SC3, SC5, SC7, SC9, SC10, SC12

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvægledning
 Montage hanleiding
 Manuel de montage

590:



GODKENDT
TIL DRIKKEVAND



www.vola.com


500 - 2500_V9_40999844

vola



5 703182 096742

500/2500:












Data, 3 Bar /43.5 Psi:

	l/min.	Gal/min.
500:	14,5	3.8
590:	9,0	2.4
500-T1:	11,0	2.9
2500:	18,7	4.9
SC1:	18,7	4.9
SC5, 7:	18,0	4.8
SC9:	11,0	2.9



Max. 65°C, 150°F






VOLA 090, 090A, 090B:
VOLA 090C, 090D, 090E:
VOLA 090G, 090H, 090I, 090V:

1 - 4

VOLA 090FM:

5



Fitting instruction Monteringsvægledning
Montageanleitung Montage hanledning
Monteringsvejledning Manuel de montage







www.vola.com

mnt_090_V3_40999824

vola







VR17L9K: VR15P, VR16L9, VR17L
 VR437: VR98, 2xVR444, VR450, VR451



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA 090B

Date
 Apr. 12

Rev.
3

Sheet
SB 19.1

Exploded view diagram of a water tap assembly. The diagram shows the following components and their labels:

- 273**: Top handle assembly (left).
- 20**: Pin connecting the handle to the stem.
- 273L**: Top handle assembly (middle).
- 273M**: Top handle assembly (right).
- 22**: Stem assembly with a curved lever.
- 294**: Cartridge body, labeled **Q: 294BQ**.
- 295**: Cartridge seal/retainer.
- 269**: Hex nut for the cartridge.
- 296**: Cartridge seal/retainer.
- 277**: Cartridge body (lower section).
- 434**: Main body assembly (lower section).
- 446**: O-ring for the main body.
- 502**: O-ring for the main body.
- 445**: O-ring for the main body.
- 455**: Screws for the main body.
- AUS: 679 x 3**: AUS (Austrian) standard tap cartridge.
- 1902**: Mounting plate for the tap.

500 mm

(9/16" in C)
(9/16" in H)
(ø10mm out)

Technical drawing of a vertical rod. A dimension line indicates a diameter of $\varnothing 3/8"$.

VR277K:	VR22, VR269, VR277
VR297:	VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434:	2xVR444, VR445, 2xVR455, VR502
NR.10:	VR20, VR22, VR273, VR294, VR295

