

RoHS Certificate

Date: 9-Oct-25

To: Ahlsell

Dear customer,

The following item(s) are manufactured or purchased in accordance with, and conform to the Brady product specifications.

The following items are RoHS compliant to Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment and Amendment 2015/863.

Product compliance is based upon information provided by suppliers of the raw materials used by Brady to manufacture these products or based on results of testing using recognized analytical methods performed by a third party, independent laboratory. As such, Brady makes no independent representations or warranty, expressed or implied, and assumes no liability in connection with the use of this information.

The items are:

Material	Material Description	Customer Ref
Y832427	BASE FOR CABLE TIE-15x9,5MM-TM-1-BK-0.1	308477
Y832668	CABLE TIE-MEDI140RD-3,6x140MM-RD-0.1	196343
Y832692	BASE F. CABLETIES-10x43,7x6.5x9.7MM-BK-0	320205
Y833300	INSFLEX-SPIRAL-DIA 19,0MMX25MTR-BK	308147
Y772856	SPIRALFLEX 8,0MM SORT / 25M	308307
Y833292	INSFLEX-SPIRAL-DIA 6,0MMX25MTR-BK	308085
Y833296	INSFLEX-SPIRAL-DIA 10,0MMX25MTR-BK	308111
Y571515	CABLE TIE-MINI135B-2,5x135MM-BK-0.1	196278
Y853001	CABLE TIE-STAN250B-4,8x250MM-BK-0.1	196290
Y571512	CABLE TIE-STAN360W-4,5X360MM-NT-0.1	196319
Y832657	CABLE TIE-MAX365W-7,5x365MM-NT-0.1	196325
Y832623	CABLE TIE-MINI200B-2,6x200MM-BK-0.1	196280
Y571489	CABLE TIE-MINI100W-2,5x98MM-NT-0.1	196309
Y781927	CABLE TIE-MAX450B-7,5X450MM-BK-0.1	196300
Y827838	CABLE TIE-MEDI290W-3,5X290MM-NT-0.1	196312
Y832622	CABLE TIE-MINI160B-2,6x160MM-BK-0.1	196279
Y772840	CABLE TIE-STAN200B-4,5X200MM-BK-0.1	196286
Y781796	CABLE TIE-MEDI140B-3,5X140MM-BK-0.1	196282

RoHS Certificate

Y573622	CABLE TIE-STAN290W-4,5X290MM-NT-0.1	196318
Y832628	CABLE TIE-STAN178B-4,8x178MM-BK-0.1	196289
Y832649	CABLE TIE-STAN180W-4,8x178MM-NT-0.1	196316
Y571490	CABLE TIE-MINI140W-2,5x135MM-NT-0.1	196307
Y536616	CABLE TIE-STAN360B-4,5X360MM-BK-0.1	196292
Y832689	BASE FOR TIES-TM-2EB-14.6X23MM-BK-0.1	308484
Y772846	CABLE TIE-STAN200RD-4,5x200MM-RD-0.1	196335
Y834092	CABLE TIE TENSIONING TOOL-TG-3-FOR NYLON	308431
Y5074254	M7-R6000	173191
Y90608	ECONOMY LOCKOUT- 1.0" HASP	236920
Y772847	CABLE TIE-STAN200YL-4,5x200MM-YL-0.1	196336
Y832671	CABLE TIE-STAN290RD-4,8x290MM-RD-0.1	196345
Y832669	CABLE TIE-MEDI200RD-3,6x200MM-RD-0.1	196351
Y571522	CABLE TIE-MAX540B-7,5X540MM-BK-0.1	196301
Y571491	CABLE TIE-MEDI200W-3,5X200MM-NT-0.1	196311
Y544679	CABLE TIE-MINI98B-2,5x98MM-BK-0.1	196281
Y832630	CABLE TIE-STAN390B-4,5x390MM-BK-0.1	196293
Y841455	CABLE TIE-MEDI290B-3,5X290MM-BK-0.1	196284
Y536614	CABLE TIE-MEDI200B-3,5X200MM-BK-0.1	196283
Y822280	CABLE TIE-MAX365B-7,5X365MM-BK-0.1	196299
Y772848	CABLE TIE-STAN200GR-4,5x200MM-GR-0.1	196334
Y832678	CABLE TIE-MEDI140GR-3,6x140MM-GR-0.1	196340
Y772844	CABLE TIE-MEDI140W-3,5X140MM-NT-0.1	196310
Y769721	CABLE TIE-STAN200W-4,5x200MM-NT-0.1	196314
Y140215	R-7950 BLACK 110MMx300M /O	236003
Y5542416	THT-119-427-2.5	622025
Y772790	Krympeflex i æske Sort FX 9,5 / 4,8 5 m	308305
Y528304	STEEL HASPS WITH TABS, 1.5" DIA	105719
Y3079302	TAG-E- DANGER DO NOT.-75X160MM	230781
Y528303	STEEL HASPS WITH TABS, 1" DIA	105718
Y213511	CUSTOM ULTRAGUARD ASSET PLATES	30224
Y830450	FERCSBCTE-RD,1.00MM2,L2=8MM-T.CU,PP-1	308570
Y830448	FERCSBCTE-WH,0.5MM2,L2=8MM-T.CU,PP-1.2	308571
Y830243	FERTWLPTE-GR,2X6.0MM2,L2=12-T.CU,PP-0.1	308068
Y830244	FERTWLPTE-BR,2X10MM2,L2=12-T.CU,PP-0.1	308079
Y830242	FERTWLPTE-OR,2X4.0MM2,L2=12-T.CU,PP-0.1	308052
Y830238	FERTWLPTE-BK,2X1.5MM2,L2=8-T.CU,PP-0.5	308011
Y822279	TVILLING TERM.RØR 0,50/N HVID/5x100 STK.	308405

RoHS Certificate

Y576653	TVILLING TERM.RØR 1,00/HL GUL/ 5x100 STK	312739
Y830234	FERTWLPTE-LB,2X0.75MM2,L2=8-T.CU,PP-0.5	308003
Y576631	TVILLING TERM.RØR 0,75/HL HVID/5x100 STK	308407
Y576655	TVILLING TERM.RØR 1,50/HL RØD 5X100 STK.	308420
Y830240	FERTWLPTE-GY,2X2.50,L2=10-T.CU,PP-0.250	308015
Y830235	FERTWLPTE-LB,2X0.75MM2,L2=10-T.CU,PP-0.5	308002
Y828870	INSHS-DIA 32,0MM X 1,2MTR-FRGL-BK	308403
Y643483	KRYMPERØR FRGL 24/8 TRANSPARENT L=120CM	308729
Y828924	INSHS-DIA 45,0MM X 1,2MTR-FRGM-BK	308410
Y828923	INSHS-DIA 40,0MM X 1,2MTR-FRGM-BK	308364
Y828934	INSHS-DIA 51,0MM X 1,2MTR-FRGT-BK	308426
Y828929	INSHS-DIA 9,0MM X 1,2MTR-FRGT-BK	308343
Y828935	INSHS-DIA 68,0MM X 1,2MTR-FRGT-BK	312732
Y828712	INSHS-DIA 3,0MM X 1,2MTR-TCGL-CL	308248
Y828715	INSHS-DIA 9,0MM X 1,2MTR-TCGL-CL	308274
Y828714	INSHS-DIA 6,0MM X 1,2MTR-TCGL-CL	308265
Y828710	INSHS-DIA 24,0MM X 1,2MTR-TCGL-CL	308358
Y828709	INSHS-DIA 19,0MM X 1,2MTR-TCGL-CL	308351
Y828708	INSHS-DIA 12,0MM X 1,2MTR-TCGL-CL	308306
Y828903	INSHS-DIA 12,0MM X 1,2MTR-FRGL-BK /10 PC	Y828903
Y772708	KRYMPERØR FRGL 19/6 SORT 3:1 1,2 M	308346
Y782436	DRI-SEAL G2 HUN 6,3X0,8 RØD / 100 STK/PK	308452
Y782437	DRI-SEAL G2 HUN 6,3x0,8 BLÅ / 100 STK/PK	308453
Y782438	DRI-SEAL G2 HUN 6,3x0,8 Gul / 100 STK/PK	308459
Y782439	DRI-SEAL G2 HAN 6,3x0,8 RØD / 100 STK/PK	308451
Y782424	DRI-SEAL G2 RING RØD M6 / 100 STK/PK	308445
Y830565	TERHSITR-BL-M5-0.1	308115
Y830572	TERHSITR-YL-M8-0.1	308644
Y830567	TERHSITR-BL-M8-0.1	308121
Y1221696	LT-150x25-7644-0.05	620323
Y1221663	LC-103x15-B7644-0.1	620318
Y828756	INSHS-DIA 9,5MM X 5MTR-FR-YL/GR	312736
Y828757	INSHS-DIA 12,7MM X 5MTR-FR-YL/GR	308381
Y828759	INSHS-DIA 25,4MM X 3MTR-FR-YL/GR	312737
Y828758	INSHS-DIA 19,0MM X 4MTR-FR-YL/GR	308384
Y828754	INSHS-DIA 4,8MM X 8MTR-FR-YL/GR	308390
Y828775	INSHS-DIA 4,8MM X 8MTR-FR-BL	312734
Y828779	INSHS-DIA 19,0MM X 4MTR-FR-BL	308382

RoHS Certificate

Y828778	INSHS-DIA 12,7MM X 5MTR-FR-BL	308378
Y828760	INSHS-DIA 3,2MM X 10MTR-FR-RD	312733
Y828766	INSHS-DIA 25,4MM X 3MTR-FR-RD	308387
Y828763	INSHS-DIA 9,5MM X 5MTR-FR-RD	308398
Y828762	INSHS-DIA 6,4MM X 6MTR-FR-RD	308393
Y828786	INSHS-DIA 19,0MM X 4MTR-FR-CL	312735
Y833335	CABLE EATER SHR-20-PPB-DIA20MM-BK-30MTR	308224
Y772852	TIE TY-RAP®-TY528MXR-4.8x360MM-BK-0.1	308493
Y832759	TIE TY-RAP®-TY523MXR-2.4x92MM-BK-0.1	308223
Y772851	TIE TY-RAP®-TY525MXR-4.8x186MM-BK-0.1	308491
Y773303	TIE TY-RAP®-TY524MXR-3.6x140MM-BK-0.1	308490
Y828798	INSHS-DIA 19,0MM X 4MTR-FX-BK	308297
Y772789	Krympeflex i æske Sort FX 6,4 / 3,2 6 m	308304
Y832665	CABLE TIE-MEGA850W-12,5x850MM-NT-0.05	196332
Y828753	INSHS-DIA 3,2MM X 10MTR-FR-YL/GR	308389
Y828745	INSHS-DIA 12,7MM X 5MTR-FR-BK	308334
Y828746	INSHS-DIA 19,0MM X 4MTR-FR-BK	308335
Y828740	INSHS-DIA 2,4MM X 10MTR-FR-BK	308336
Y828747	INSHS-DIA 25,4MM X 3MTR-FR-BK	308337
Y782778	INSHS-DIA 3,2MM X 10MTR-FR-BK	308338
Y828742	INSHS-DIA 4,8MM X 8MTR-FR-BK	308339
Y828743	INSHS-DIA 6,4MM X 6MTR-FR-BK	308340
Y828744	INSHS-DIA 9,5MM X 5MTR-FR-BK	308341
Y828785	INSHS-DIA 12,7MM X 5MTR-FR-CL	308379
Y782779	KRYMPEFLEX M/LIM FRG 12,0/4,0 SORT /2,5M	308369
Y828748	INSHS-DIA 19,0MM X 2MTR-FRG-BK	308365
Y828749	INSHS-DIA 3,0MM X 5MTR-FRG-BK	308366
Y828750	INSHS-DIA 6,0MM X 3,5MTR-FRG-BK	308367
Y828751	INSHS-DIA 9,0MM X 3MTR-FRG-BK	308368
Y1221670	LC-128X15-B7644-0.1	620319
Y833334	CABLE EATER SHR-15-PPB-DIA15MM-BK-50MTR	308195
Y833336	CABLE EATER SHR-25-PPB-DIA25MM-BK-20MTR	308232
Y832455	STEEL BANDING-GALV-12x0.75MMx10M	308475
Y832634	CABLE TIE-MAX300B-7,5x300MM-BK-0.1	196298
Y832666	CABLE TIE-MEGA1000W-12,5x1000MM-NT-0.05	196329
Y852999	CABLE TIE-STAN160B-4,5x160MM-BK-0.1	196288
Y832658	CABLE TIE-MAX450W-7,5x450MM-NT-0.1	196326
Y832625	CABLE TIE-MEDI370B-3,5x370MM-BK-0.1	196285

RoHS Certificate

Y778182	CABLE TIE-MAX780B-9,0x780MM-BK-0.1	196302
Y832633	CABLE TIE-MAX240B-7,5x240MM-BK-0.1	196297
Y832663	CABLE TIE-MEGA500W-12,5x500MM-NT-0.05	196330
Y832652	CABLE TIE-STAN430W-4,5x430MM-NT-0.1	196321
Y772843	CABLE TIE-MAX750B-7,5x750MM-BK-0.1	196295
Y571518	CABLE TIE-STAN430B-4,5x430MM-BK-0.1	196294
Y571524	CABLE TIE-MEGA1000B-12,5x1000MM-BK-0.05	196303
Y786457	CABLE TIE-MEGA720B-12,5x720MM-BK-0.05	196305
Y832661	CABLE TIE-MAX-780W-9,0x780MM-NT-0.1	196328
Y830449	FERCSBCTE-LB,0.75MM2,L2=8MM-T.CU,PP-1.2	308569
Y830451	FERCSBCTE-BK,1.50MM2,L2=8MM-T.CU,PP-1	308567
Y1221668	LC-65X13-B7644-0.1	620316
Y5558928	LSZH-125-2-YL-4	141220
Y828755	INSHS-DIA 6,4MM X 6MTR-FR-YL/GR	308395
Y828764	INSHS-DIA 12,7MM X 5MTR-FR-RD	308380
Y828765	INSHS-DIA 19,0MM X 4MTR-FR-RD	308383
Y828739	INSHS-DIA 1,6MM X 10MTR-FR-BK	308333
Y772785	KRYMPEFLEX I ÆSKE SORT FX 1,6 / 0,8 10 M	308299
Y772791	Krympeflex i æske Sort FX 12,7 / 6,4 5 m	308300
Y828799	INSHS-DIA 25,4MM X 3MTR-FX-BK	308298
Y828868	INSHS-DIA 16,0MM X 1,2MTR-FRGL-BK	308344
Y828905	INSHS-DIA 24,0MM X 1,2MTR-FRGL-BK	308357
Y828906	INSHS-DIA 39,0MM X 1,2MTR-FRGL-BK	308412
Y828901	INSHS-DIA 6,0MM X 1,2MTR-FRGL-BK	308249
Y828902	INSHS-DIA 9,0MM X 1,2MTR-FRGL-BK	308258
Y828919	INSHS-DIA 12,0MM X 1,2MTR-FRGM-BK	312730
Y828920	INSHS-DIA 20,0MM X 1,2MTR-FRGM-BK	308352
Y828921	INSHS-DIA 30,0MM X 1,2MTR-FRGM-BK	308360
Y828922	INSHS-DIA 34,0MM X 1,2MTR-FRGM-BK	308363
Y828925	INSHS-DIA 54,0MM X 1,2MTR-FRGM-BK	308418
Y828926	INSHS-DIA 70,0MM X 1,2MTR-FRGM-BK	308419
Y828927	INSHS-DIA 90,0MM X 1,2MTR-FRGM-BK	308444
Y833340	CABLEEATER SHR-25-PPW-DIA25MM-WT-20M	320208
Y832644	CABLE TIE-MINI200W-2,6x200MM-NT-0.1	196308
Y772849	CABLE TIE-STAN200BL-4,5x200MM-BL-0.1	196333
Y832646	CABLE TIE-MEDI370W-3,5x370MM-NT-0.1	196313
Y832651	CABLE TIE-STAN390W-4,5x390MM-NT-0.1	196320
Y832643	CABLE TIE-MINI160W-2,6x160MM-NT-0.1	197224

RoHS Certificate

Y853000	CABLE TIE-STAN250W-4,8x250MM-NT-0.1	196317
Y832660	CABLE TIE-MAX-750W-7,5X750MM-NT-0.1	196322
Y832656	CABLE TIE-MAX300W-7,5x300MM-NT-0.1	196324
Y832691	BASE FOR TIES-TM-2-14.6x23MM-WT-0.1	308483
Y830239	FERTWLPTE-BK,2X1.5MM2,L2=12-T.CU,PP-0.5	308014
Y828932	INSHS-DIA 28,0MM X 1,2MTR-FRGT-BK	312731
Y769155	CABELEATER TOOL SF-25-ABS	308231
Y535381	CABLE TIE-STAN290B-4,5X290MM-BK-0.1	196291
Y832690	BASE FOR CABLE TIE-TM-1-15x9.5MM-WT-0.1	320206

Sincerely,

Nancy
Product Compliance Analyst
Brady Worldwide, Inc.

Disclaimer: By accepting delivery of products, the recipient hereof agrees that brady worldwide, inc. or any of its affiliates', subsidiaries' and parent's (individually and collectively, "brady") obligations with respect to its products are governed solely by its standard terms and conditions for sale found at www.bradyid.com/legal/terms-and-conditions, which are hereby incorporated by reference, or by the particular agreements or contracts under which the products are provided. Brady manufactures its products to meet its standard specifications and does not guarantee that its products meet other specifications not previously agreed upon in writing. All information contained herein is provided without any promise, representation, or warranty, express or implied, of any kind, including, without limitation, any warranties of merchantability, fitness for a particular purpose or non-infringement of any intellectual property rights. Any reliance on the information contained herein shall be at your own risk. Under no circumstances shall brady be liable to buyer for any indirect, special, or consequential damages (including lost goodwill, lost sales or profits, and impairment of other assets), whether foreseeable or unforeseeable, and whether arising out of breach of warranty, breach of contract, negligence or otherwise, except in the case of personal injury (including death) or damage to tangible property where such liability is required by applicable law.