
Tubular ring terminals with inspection hole, KORo type

FEATURES & BENEFITS

- ring terminal Cu, standard, with galvanic tin plating and inspection hole
- description of cable cross-section and terminal size on fin surface
- very wide range





MECHANICAL DATA

Material	Cu
Surface	tin-plated

CERTIFICATES & STANDARDS

UL certificate	E475284
Design	standard

NOTE!

Sector-shaped conductors (sm) must be rounded with special dies. UL certificate - visit www.ergom.com

Type	Index Ergom	Cross-section, rm/sm [mm²]	d	D	a	E	W	Screw hole	UL	Socket code no.	Lz/s	Lz/w	Quantity in package [pcs]	Weight [kg]
KORo 0,75/3 (100 PCS)	E11KM-01020199400	0,75	1,3	2,8	5,8	12,0	6,0	M3	√	-	-	1	100	0,06
KORo 0,75/4 (100 PCS)	E11KM-01020199410					13,0	6,5	M4						
KORo 0,75/5 (100 PCS)	E11KM-01020199420					14,0	7,5	M5						
KORo 1,5/3 (100 PCS)	E11KM-01020199480	1,5	1,8	3.3	5,8	12,0	6,5	M3	√	-	-	1	100	0,08
KORo 1,5/4 (100 PCS)	E11KM-01020199580					13,0		M4						0,1
KORo 1,5/5 (100 PCS)	E11KM-01020199590					14,0	7,5	M5						0,09
KORo 1,5/6 (100 PCS)	E11KM-01020199600					16,0	9,0	M6						0,1
KORo 2,5/3 (100 PCS)	E11KM-01020199660	2,5	2,3	4,2	5,8	12,0	7,5	M3	√	-	-	1	100	0,13
KORo 2,5/4 (100 PCS)	E11KM-01020199670					13,0		M4						
KORo 2,5/5 (100 PCS)	E11KM-01020199680					14,0	8,5	M5						0,14
KORo 2,5/6 (100 PCS)	E11KM-01020199690					16,0	9,5	M6						0,16
KORo 2,5/8 (100 PCS)	E11KM-01020199710					20,0	13,0	M8						0,19
KORo 4/4 (100 PCS)	E11KM-01020199760	4	3,0	5,0	7,8	18,0	8,5	M4	√	-	-	1	100	0,22
KORo 4/5 (100 PCS)	E11KM-01020199770						9,0	M5						
KORo 4/6 (100 PCS)	E11KM-01020199780					19,0	10,0	M6						0,26
KORo 4/8 (100 PCS)	E11KM-01020199800					22,0	13,0	M8						0,28
KORo 6/4 (100 PCS)	E11KM-01020199870	6	4,0	6,0	8,7	18,0	9,5	M4	√	4	1	1	100	0,3
KORo 6/5 (100 PCS)	E11KM-01020199880					19,0		M5						0,31
KORo 6/6 (100 PCS)	E11KM-01020199890						10,0	M6						0,35
KORo 6/8 (100 PCS)	E11KM-01020199910					22,0	14,0	M8						0,37
KORo 6/10 (100 PCS)	E11KM-01020199930					25,0	16,0	M10						0,4
KORo 6/12 (100 PCS)	E11KM-01020199950						19,0	M12						

Date of publication: 30/9/2022

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws. Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights. ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.

Type	Index Ergom	Cross-section, rm/sm [mm²]	d	D	a	E	W	Screw hole	UL	Socket code no.	Lz/s	Lz/w	Quantity in package [pcs]	Weight [kg]
KORo 10/5 (100 PCS)	E11KM-01020200100	10	4,5	7,0	10	21,0	12	M5	√	7	1	1	100	0,53
KORo 10/5 (10 PCS)	E11KM-01020200102												10	0,06
KORo 10/6 (100 PCS)	E11KM-01020200200					21,5		M6					100	0,52
KORo 10/6 (10 PCS)	E11KM-01020200202												10	0,06
KORo 10/8 (100 PCS)	E11KM-01020200300					23,5	15	M8					100	0,6
KORo 10/8 (10 PCS)	E11KM-01020200302												10	0,06
KORo 10/10 (100 PCS)	E11KM-01020200400					25,5	17	M10					100	0,65
KORo 10/10 (10 PCS)	E11KM-01020200402												10	0,07
KORo 10/12 (100 PCS)	E11KM-01020200500					26,5	19	M12					100	0,64
KORo 10/12 (10 PCS)	E11KM-01020200502												10	0,07
KORo 16/5 (100 PCS)	E11KM-01020200600	16	5,5	8,5	13	25,0	12	M5	√	8	1	2	100	0,91
KORo 16/5 (10 PCS)	E11KM-01020200602												10	0,1
KORo 16/6 (100 PCS)	E11KM-01020200700					25,5		M6					100	0,9
KORo 16/6 (10 PCS)	E11KM-01020200702												10	0,1
KORo 16/8 (100 PCS)	E11KM-01020200800					27,5	15	M8					100	0,97
KORo 16/8 (10 PCS)	E11KM-01020200802												10	0,1
KORo 16/10 (100 PCS)	E11KM-01020200900					29,5	17	M10					100	1
KORo 16/10 (10 PCS)	E11KM-01020200902												10	0,1
KORo 16/12 (100 PCS)	E11KM-01020201000					30,5	19	M12					100	1,1
KORo 16/12 (10 PCS)	E11KM-01020201002												10	0,12
KORo 25/5 (100 PCS)	E11KM-01020201100	25	7,0	10,0	15	28,0	14	M5	√	10	1	2	100	1,18
KORo 25/5 (10 PCS)	E11KM-01020201102												10	0,12
KORo 25/6 (100 PCS)	E11KM-01020201200					28,5		M6					100	1,22
KORo 25/6 (10 PCS)	E11KM-01020201202												10	0,13
KORo 25/8 (100 PCS)	E11KM-01020201300					30,5	16	M8					100	1,25
KORo 25/8 (10 PCS)	E11KM-01020201302												10	0,13
KORo 25/10 (100 PCS)	E11KM-01020201400					32,5	18	M10					100	1,3
KORo 25/10 (10 PCS)	E11KM-01020201402												10	0,14
KORo 25/12 (100 PCS)	E11KM-01020201500					33,5	19	M12					100	1,3
KORo 25/12 (10 PCS)	E11KM-01020201502												10	0,14
KORo 25/14 (100 PCS)	E11KM-01020201600					35,5	21	M14					100	1,45
KORo 25/14 (10 PCS)	E11KM-01020201602												10	0,15
KORo 35/6 (100 PCS)	E11KM-01020201700	35	8,5	12,0	17	31,5	18	M6	√	12	1	2	100	1,82
KORo 35/6 (10 PCS)	E11KM-01020201702												10	0,2
KORo 35/8 (100 PCS)	E11KM-01020201800					33,5		M8					100	1,94
KORo 35/8 (10 PCS)	E11KM-01020201802												10	0,2
KORo 35/10 (100 PCS)	E11KM-01020201900					35,5		M10					100	2,1
KORo 35/10 (10 PCS)	E11KM-01020201902												10	0,22
KORo 35/12 (100 PCS)	E11KM-01020202000					36,5	20	M12					100	2,05
KORo 35/12 (10 PCS)	E11KM-01020202002												10	0,22
KORo 35/14 (100 PCS)	E11KM-01020202100					38,5	21	M14					100	2,2
KORo 35/14 (10 PCS)	E11KM-01020202102												10	0,23
KORo 35/16 (100 PCS)	E11KM-01020202200					39,5	26	M16					100	2,3
KORo 35/16 (10 PCS)	E11KM-01020202202												10	0,24
KORo 50/6 (100 PCS)	E11KM-01020202300	50	10,0	14,0	19	34,5	20	M6	√	14	1	2	100	2,58
KORo 50/6 (10 PCS)	E11KM-01020202302												10	0,26
KORo 50/8 (100 PCS)	E11KM-01020202400					36,5		M8					100	2,8
KORo 50/8 (10 PCS)	E11KM-01020202402												10	0,29
KORo 50/10 (100 PCS)	E11KM-01020202500					38,5		M10					100	3,05
KORo 50/10 (10 PCS)	E11KM-01020202502												10	0,31
KORo 50/12 (100 PCS)	E11KM-01020202600					39,5	23	M12					100	2,95
KORo 50/12 (10 PCS)	E11KM-01020202602												10	0,31
KORo 50/14 (100 PCS)	E11KM-01020202700					41,5		M14					100	3,2
KORo 50/14 (10 PCS)	E11KM-01020202702												10	0,33
KORo 50/16 (100 PCS)	E11KM-01020202800					42,5	28	M16					100	3,3
KORo 50/16 (10 PCS)	E11KM-01020202802												10	0,34
KORo 50/20 (100 PCS)	E11KM-01020202900					47,0	30	M20					100	3,6
KORo 50/20 (10 PCS)	E11KM-01020202902												10	0,37

Date of publication: 30/9/2022

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws.
Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights.
ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.

Type	Index Ergom	Cross-section, rm/sm [mm²]	d	D	a	E	W	Screw hole	UL	Socket code no.	Lz/s	Lz/w	Quantity in package [pcs]	Weight [kg]
KORo 70/6 (100 PCS)	E11KM-01020203000	70	12,0	16,5	21	40,5	23	M6	√	16	1	2	100	4,25
KORo 70/6 (10 PCS)	E11KM-01020203002												10	0,43
KORo 70/8 (100 PCS)	E11KM-01020203100							M8					100	4,2
KORo 70/8 (10 PCS)	E11KM-01020203102												10	0,43
KORo 70/10 (100 PCS)	E11KM-01020203200					43,5		M10					100	4,6
KORo 70/10 (10 PCS)	E11KM-01020203202												10	0,5
KORo 70/12 (100 PCS)	E11KM-01020203300							M12					100	4,4
KORo 70/12 (10 PCS)	E11KM-01020203302												10	0,5
KORo 70/14 (100 PCS)	E11KM-01020203400					46,5	28	M14					100	4,9
KORo 70/14 (10 PCS)	E11KM-01020203402												10	0,5
KORo 70/16 (100 PCS)	E11KM-01020203500							M16					100	4,7
KORo 70/16 (10 PCS)	E11KM-01020203502												10	0,5
KORo 70/20 (100 PCS)	E11KM-01020203600					51,0	31	M20					100	5
KORo 70/20 (10 PCS)	E11KM-01020203602												10	0,5
KORo 95/8 (50 PCS)	E11KM-01020203700	95	13,5	18,0	24	47,0	26	M8	√	17	1	2	50	2,8
KORo 95/8 (10 PCS)	E11KM-01020203702												10	0,6
KORo 95/10 (50 PCS)	E11KM-01020203800							M10					50	2,72
KORo 95/10 (10 PCS)	E11KM-01020203802												10	0,6
KORo 95/12 (50 PCS)	E11KM-01020203900							M12					50	2,65
KORo 95/12 (10 PCS)	E11KM-01020203902												10	0,6
KORo 95/14 (50 PCS)	E11KM-01020204000					50,0		M14					50	2,85
KORo 95/14 (10 PCS)	E11KM-01020204002												10	0,6
KORo 95/16 (50 PCS)	E11KM-01020204100						29	M16					50	2,85
KORo 95/16 (10 PCS)	E11KM-01020204102												10	0,6
KORo 95/20 (50 PCS)	E11KM-01020204200					54,5	35	M20					50	3,1
KORo 95/20 (10 PCS)	E11KM-01020204202												10	0,7
KORo 120/8 (50 PCS)	E11KM-01020204300	120	15,0	19,5	26	50,0	29	M10	√	19	1	2	50	3,3
KORo 120/8 (10 PCS)	E11KM-01020204302												10	0,7
KORo 120/10 (50 PCS)	E11KM-01020204400												50	3,15
KORo 120/10 (10 PCS)	E11KM-01020204402												10	0,7
KORo 120/12 (50 PCS)	E11KM-01020204500							M12					50	3,17
KORo 120/12 (10 PCS)	E11KM-01020204502												10	0,7
KORo 120/14 (50 PCS)	E11KM-01020204600					53,0		M14					50	3,4
KORo 120/14 (10 PCS)	E11KM-01020204602												10	0,7
KORo 120/16 (50 PCS)	E11KM-01020204700							M16					50	3,4
KORo 120/16 (10 PCS)	E11KM-01020204702												10	0,7
KORo 120/20 (50 PCS)	E11KM-01020204800					57,5	35	M20					50	3,5
KORo 120/20 (10 PCS)	E11KM-01020204802												10	0,8
KORo 150/8 (50 PCS)	E11KM-01020204900	150	16,5	21,0	29	54,0	31	M8	√	20	2	3	50	3,78
KORo 150/8 (10 PCS)	E11KM-01020204902												10	0,8
KORo 150/10 (50 PCS)	E11KM-01020205000							M10					50	3,73
KORo 150/10 (10 PCS)	E11KM-01020205002												10	0,8
KORo 150/12 (50 PCS)	E11KM-01020205100							M12					50	3,55
KORo 150/12 (10 PCS)	E11KM-01020205102												10	0,8
KORo 150/14 (50 PCS)	E11KM-01020205200					57,0		M14					50	3,9
KORo 150/14 (10 PCS)	E11KM-01020205202												10	0,8
KORo 150/16 (50 PCS)	E11KM-01020205300							M16					50	3,88
KORo 150/16 (10 PCS)	E11KM-01020205302												10	0,8
KORo 150/20 (50 PCS)	E11KM-01020205400					61,5	35	M20					50	4,2
KORo 150/20 (10 PCS)	E11KM-01020205402												10	0,9
KORo 185/10 (50 PCS)	E11KM-01020205500	185	19,0	24,0	30	56,5	35	M10	√	23	2	3	50	4,92
KORo 185/10 (10 PCS)	E11KM-01020205502												10	1
KORo 185/12 (50 PCS)	E11KM-01020205600							M12					50	4,82
KORo 185/12 (10 PCS)	E11KM-01020205602												10	1
KORo 185/14 (50 PCS)	E11KM-01020205700					59,5		M14					50	5,35
KORo 185/14 (10 PCS)	E11KM-01020205702												10	1,1
KORo 185/16 (50 PCS)	E11KM-01020205800							M16					50	5,11
KORo 185/16 (10 PCS)	E11KM-01020205802												10	1,1
KORo 185/20 (50 PCS)	E11KM-01020205900					64,0	38	M20					50	5,5
KORo 185/20 (10 PCS)	E11KM-01020205902												10	1,2

Date of publication: 30/9/2022

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws.
Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights.
ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.

Type	Index Ergom	Cross-section, rm/sm [mm²]	d	D	a	E	W	Screw hole	UL	Socket code no.	Lz/s	Lz/w	Quantity in package [pcs]	Weight [kg]
KORo 240/10 (50 PCS)	E11KM-01020206000	240	21,0	26,0	38	73,5	38	M10	√	25	2	4	50	7,3
KORo 240/10 (10 PCS)	E11KM-01020206002												10	1,5
KORo 240/12 (50 PCS)	E11KM-01020206100							M12					50	7,3
KORo 240/12 (10 PCS)	E11KM-01020206102												10	1,5
KORo 240/14 (50 PCS)	E11KM-01020206200							M14					50	7,2
KORo 240/14 (10 PCS)	E11KM-01020206202												10	1,5
KORo 240/16 (50 PCS)	E11KM-01020206300							M16					50	7,1
KORo 240/16 (10 PCS)	E11KM-01020206302												10	1,5
KORo 240/20 (50 PCS)	E11KM-01020206400							M20					50	7
KORo 240/20 (10 PCS)	E11KM-01020206402												10	1,5
KORo 300/10 (25 PCS)	E11KM-01020206500	300	24,0	30,0	45	82,5	43	M10	–	28	2	-	25	5,7
KORo 300/10 (10 PCS)	E11KM-01020206502												10	2,3
KORo 300/12 (25 PCS)	E11KM-01020206600							M12					25	5,5
KORo 300/12 (10 PCS)	E11KM-01020206602												10	2,3
KORo 300/14 (25 PCS)	E11KM-01020206700							M14					25	5,5
KORo 300/14 (10 PCS)	E11KM-01020206702												10	2,3
KORo 300/16 (25 PCS)	E11KM-01020206800							M16					25	5,5
KORo 300/16 (10 PCS)	E11KM-01020206802												10	2,2
KORo 300/20 (25 PCS)	E11KM-01020206900							M20					25	5,2
KORo 300/20 (10 PCS)	E11KM-01020206902												10	2,2
KORo 400/12	E11KM-01020207002	400	27,5	33,5	50	90	49	M12	–	32	2	-	1	0,3
KORo 400/14	E11KM-01020207102							M14						
KORo 400/16	E11KM-01020207202							M16						
KORo 400/20	E11KM-01020207302							M20						
KORo 500/12	E11KM-01020207402	500	31,0	38,0	70	112,5	55	M12	–	36	3	-	1	0,5
KORo 500/16	E11KM-01020207502							M16						
KORo 500/20	E11KM-01020207602							M20						
KORo 625/12	E11KM-01020207702	625	34,0	40,0	70	114,0	60	M12	–	42	3	-	1	0,5
KORo 625/16	E11KM-01020207802							M16						
KORo 625/20	E11KM-01020207902							M20						

Lz/s - Number of crimping - wide, Lz/w - Number of crimping - narrow

Date of publication: 30/9/2022

Graphic project, pictures and all technical data and descriptions in this catalogue are protected by Polish and international copyright laws.
Names and logos used in the content of this catalogue may be trademarks, for which ZAE Ergom Sp. z o.o. has exclusive protection rights.
ZAE ERGOM reserves the right for changes in the assortment and parameters of its products.