

Declaration of Compliance

Identification of Supplier:

Company name	Ahlsell Danmark A/S
Address	Jydekrogen 2A, DK – 2625 Vallensbæk Denmark
E-mail	produktsikkerhed@ahlsell.dk
Website	www.ahlsell.dk
Is registered at The Danish Veterinary and Food Administration: http://www.findsmiley.dk/da-DK/Searching/DetailsView.htm?virk=10957106	

Conformity:

Ahlsell DK hereby declare that the products complies with the European regulations:	
(EC) No 1935/2004:	Materials and articles intended to come into contact with food.
(EU) No 10/2011:	Plastic materials and articles intended to come into contact with food.
(EC) No 2023/2006:	Good manufacturing practice for materials and articles intended to come into contact with food.
(DK) 681/2020:	Regulation 681/2020 for materials and articles intended to come into contact with food.

Products covered by this DoC:

Danish:	Kemislange Supertop
English:	Chem Supertop UPE LL
Please refer to the supplier DoC (next page) for area of application and technical information.	

Date:	Sign:
08.07.2026	
	Head of Product safety Dot Sør



Conformity Declaration (in acc. To ISO/IEC 17050-1)

N°: 831/2026

CUSTOMER: AHLSELL DANMARK A/S

Issued by: IVG COLBACHINI S.p.a.
Address : Via Fossona, 132 - 35030 Cervarese S.Croce (PD)
Declaration object: CHEM SUPERTOP UPE LL 1377670 38,0 x 51,0

As delivered with our Invoice n° 6017 dated 30/04/26, the above hose in accordance with the requirements as per the following documents:

Documents	Title	Issue date
4500358365	Customer Order	20/02/26
2624/2026	IVG Confirmation	24/02/26
62123/2026	IVG Work Order	26/02/26

Additional information:

The product complies with the requirements of EU laws:

- REGULATION (EC) No 1935/2004 of 27 October 2004
- REGULATION (EC) No 2023/2006 of 22 December 2006
- REGULATION (EU) No 10/2011 of 14 January 2011

The hose has been tested according to:

- REGULATION (EU) No 10/2011 of 14 January 2011, for all type of food (simulants A, B and D2) at temperature not exceeding 40° C, for a maximum time of contact equal to 2 hours.

The hose inner layer has been tested according to:

- FDA Title 21, part 170 to 199, Item 177.1520, table (C), §2.1: Polyethylene for use in articles that contact food except for articles used for packing or holding food during cooking.
- BfR Recommendation III, Polyethylene.

Both the overall and the specific migration values are below the imposed limits, (OML) and (SML) respectively, required by the Regulation (EU) No 10/2011 dated January 14 2011. Proper support documentation is at the disposal of the relevant authorities at any time.

The product also complies with the product standards indicated in the field "Standards" of the related catalogue dataset.

The declaration is valid provided the full compliance of the following conditions:

- Recommendation regarding choice, storing, use and maintenance of





Conformity Declaration (in acc. To ISO/IEC 17050-1)

N°: 831/2026

CUSTOMER: AHLSELL DANMARK A/S

Issued by: IVG COLBACHINI S.p.a.
Address : Via Fossona, 132 - 35030 Cervarese S.Croce (PD)
Declaration object: CHEM SUPERTOP UPE LL 1377670 38,0 x 51,0

As delivered with our Invoice n° 6017 dated 30/04/26, the above hose in accordance with the requirements as per the following documents:

Documents	Title	Issue date
4500358365	Customer Order	20/02/26
2624/2026	IVG Confirmation	24/02/26
62123/2026	IVG Work Order	26/02/26

Additional information:

rubber hoses;
- Advice to users on hoses in contact with food;
The above documents can be downloaded in our website at
<https://www.ivgspa.it/it/content/1-raccomandazioni-importanti>

Hazardous substances:
- PHTALATES free according to REACH.
- PAHs free according to ZEK 01.4-08 Cat. 1 and REACH.

Sanitization:
- Steam up to 130°C max 30 min. open end.
- Chemicals: Nitric Acid at 3% max 50°C or 0.1% max 80°C for 30 minutes, Phosphoric Acid at 5% max 80°C for 30 min., Hydrogen Peroxide at 3% max 50°C or 1% max 80°C for 30 min., Peracetic Acid at 0.5% max 50°C or 0.1% max 70°C for 30 min., Sodium Hydroxide at 2% max 80°C or 5% max 50°C for 30 min., Chlorine at 1% max 80°C for 30 min.
- After every sanitization cycle rinse the hose with water.



Signed for and on behalf of:
Cervarese S.Croce 30/04/26
Simone Capetta - Product Manager

Simone Capetta

