

Declaration of Compliance

Identification of Supplier:

Company name	Ahlsell Danmark A/S
Address	Jydekrogen 2A, DK – 2625 Vallensbæk Denmark
E-mail	produktsikkerhed@ahlsell.dk
Website	www.ahlsell.dk
Is registered at The Danish Veterinary and Food Administration: http://www.findsmiley.dk/da-DK/Searching/DetailsView.htm?virk=10957106	

Conformity:

Ahlsell DK hereby declare that the products complies with the European regulations:	
(EC) No 1935/2004:	Materials and articles intended to come into contact with food.
(EC) No 2023/2006:	Good manufacturing practice for materials and articles intended to come into contact with food.
(DK) 681/2020:	Regulation 681/2020 for materials and articles intended to come into contact with food.

Products covered by this DoC:

Danish:	Levnedsmiddelslange Vinoflex Easy
English:	Food Vinoflex Easy
Please refer to the supplier DoC (next page) for area of application and technical information.	

Date:	Sign:
06.05.2026	
	Head of Product safety Dot Sør



Conformity Declaration (in acc. To ISO/IEC 17050-1)

N°: 513/2026

CUSTOMER: AHLSELL DANMARK A/S

Issued by: IVG COLBACHINI S.p.a.
Address : Via Fossana, 132 - 35030 Cervarese S.Croce (PD)
Declaration object: FOOD VINO FLEX EASY 25,0 x 0,0

As delivered with our Invoice n° 5650 dated 19/03/26, the above hose in accordance with the requirements as per the following documents:

Documents	Title	Issue date
4500359802	Customer Order	6/03/26
3376/2026	IVG Confirmation	10/03/26
86780/2026	IVG Work Order	12/03/26
325493/2025	IVG Work Order	8/09/25

Additional information:

The product complies with the requirements of EU laws:

- REGULATION (EC) No 1935/2004 of 27 October 2004
- REGULATION (EC) No 2023/2006 of 22 December 2006

The hose inner layer complies with the following national regulations:

- FDA Title 21, part 170 to 199, Item 177.2600, paragraphs (a), (b), (c), (e) for use with aqueous foods.
- BfR Recommendation XXI, Cat. 2 (simulants 24 hours at 40°C) for food, including Milk.
- D.M. 21.03.73 and subsequent amendments for contact with aqueous, acid, alcoholic 96% food including milk at temperature not exceeding 70°C, for a maximum time of contact equal to 2 hours when in a hose 1 mt long with an I.D. included between 8 and 102 mm convey at least 85 liters of food in 2 hours or when 1 mt of pipe with an I.D. included between 8 and 160 mm convey at least 130 liters of food in 2 hours.

For confidentiality reasons we prefer not to specify substances and associated specific migration limit (SML). Proper support documentation is at the disposal of the relevant authorities at any time.

The declaration is valid provided the full compliance of the following conditions:

- Recommendation regarding choice, storing, use and maintenance of rubber hoses;
- Advice to users on hoses in contact with food;





Conformity Declaration (in acc. To ISO/IEC 17050-1)

N°: 513/2026

CUSTOMER: AHLSELL DANMARK A/S

Issued by: IVG COLBACHINI S.p.a.
Address : Via Fossona, 132 - 35030 Cervarese S.Croce (PD)
Declaration object: FOOD VINO FLEX EASY 25,0 x 0,0

As delivered with our Invoice n° 5650 dated 19/03/26, the above hose in accordance with the requirements as per the following documents:

Documents	Title	Issue date
4500359802	Customer Order	6/03/26
3376/2026	IVG Confirmation	10/03/26
86780/2026	IVG Work Order	12/03/26
325493/2025	IVG Work Order	8/09/25

Additional information:

The above documents can be downloaded in our website at
<https://www.ivgspa.it/it/content/1-raccomandazioni-importanti>

Hazardous substances:

- PHTALATES free according to REACH.
- PAHs free according to ZEK 01.4-08 Cat. 1 and REACH.
- Bisphenol A free (GC-MS method < 0.02 mg/kg).

Sanitization:

- Comply with 3A sanitary standards number 18-03 class II-Low fat.
- Steam up to 130°C max 30 min. open end.
- Chemicals: Nitric Acid at 3% max 30°C or 0.1% max 70°C for 15 minutes, Phosphoric Acid at 5% max 80°C for 15 min., Hydrogen Peroxide at 3% max 30°C or 1% max 70°C for 15 min., Peracetic Acid at 0.5% max 30°C or 0.1% max 50°C for 15 min., Sodium Hydroxide at 2% max 80°C or 5% max 30°C for 15 min., Chlorine at 1% max 80°C for 15 min.
- After every sanitization cycle rinse the hose with water.



Signed for and on behalf of:
Cervarese S.Croce 19/03/26
Simone Capetta - Product Manager

Simone Capetta

