

Declaration of Performance Wash troughs

Reference: DoP-320

1. Unique identification code of the product type: For product number please see attached list - Intra wash troughs
2. Intended use: PH – Personal Hygiene
3. Manufacturer: Intra Mölntorp AB
Säbyvägen 8
SE-734 93 Kolbäck, SWEDEN
4. Authorised representative:
5. System of AVCP: System 4
- 6a. Harmonised standard: EN 14296:2015
- 6b. European Assessment Document:
7. Declared performance:

Essential characteristics	Performance
Cleanability - CA	Pass
Durability - DA	Pass
Load resistance - LR	Pass

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Katarina Andersson
Manager – Product Management
Mölntorp 2017-10-25

Declaration of Performance Wash troughs

Reference: DoP-320

A COMPANY OF THE **TEKA** GROUP

Name	Item number	Type	Group	Performance
P120V	107611465010000	Wash trough	320	EN 14296-CA-LR-DA
P120V02	107611463010000	Wash trough	320	EN 14296-CA-LR-DA
P120V02-BULK2KH	107611463010010	Wash trough	320	EN 14296-CA-LR-DA
P120VBULK	P120VBULK	Wash trough	320	EN 14296-CA-LR-DA
P120V-BULK2KH	107611465010010	Wash trough	320	EN 14296-CA-LR-DA
P120VBULK-T	P120VBULK-T	Wash trough	320	EN 14296-CA-LR-DA
P120VD	1BE611365010010	Wash trough	320	EN 14296-CA-LR-DA
P120V-H	107611465210000	Wash trough	320	EN 14296-CA-LR-DA
P120VOL	107611465010020	Wash trough	320	EN 14296-CA-LR-DA
P120V-T	101611465010000	Wash trough	320	EN 14296-CA-LR-DA
P121	107611365010010	Wash trough	320	EN 14296-CA-LR-DA
P121-H	107611365210000	Wash trough	320	EN 14296-CA-LR-DA
P121OL	107611365010020	Wash trough	320	EN 14296-CA-LR-DA
P121SV	107611365010000	Wash trough	320	EN 14296-CA-LR-DA
P121SV-T	101611365010010	Wash trough	320	EN 14296-CA-LR-DA
P121-T	101611365010000	Wash trough	320	EN 14296-CA-LR-DA
P12-C	1BE611365010001	Wash trough	320	EN 14296-CA-LR-DA
P12D	1BE611365010000	Wash trough	320	EN 14296-CA-LR-DA
P12NF-C	107611362110001	Wash trough	320	EN 14296-CA-LR-DA
P12NFOL	107611362110000	Wash trough	320	EN 14296-CA-LR-DA
P12VP	107611315010000	Wash trough	320	EN 14296-CA-LR-DA
P180V	107611465020000	Wash trough	320	EN 14296-CA-LR-DA
P180VBULK	P180VBULK	Wash trough	320	EN 14296-CA-LR-DA
P180V-BULK3KH	107611465020010	Wash trough	320	EN 14296-CA-LR-DA
P180VD	1BE611465020000	Wash trough	320	EN 14296-CA-LR-DA
P180V-H	107611465220000	Wash trough	320	EN 14296-CA-LR-DA
P180VOL	107611465020020	Wash trough	320	EN 14296-CA-LR-DA
P180V-T	101611465020000	Wash trough	320	EN 14296-CA-LR-DA
P181	107611365020010	Wash trough	320	EN 14296-CA-LR-DA
P181-H	107611365220000	Wash trough	320	EN 14296-CA-LR-DA
P181OL	107611365020020	Wash trough	320	EN 14296-CA-LR-DA
P181SV	107611365020000	Wash trough	320	EN 14296-CA-LR-DA
P181SV-T	101611365020010	Wash trough	320	EN 14296-CA-LR-DA
P181-T	101611365020000	Wash trough	320	EN 14296-CA-LR-DA
P18-C	1BE611365020001	Wash trough	320	EN 14296-CA-LR-DA
P18D	1BE611365020000	Wash trough	320	EN 14296-CA-LR-DA

Declaration of Performance Wash troughs

Intra Mölntorp AB
SE-734 93 Kolbäck
Tlf +46 220 40300
info@intra-teka.com
www.intra-teka.com

Reference: DoP-320

A COMPANY OF THE **TEKA** GROUP

Item number	Product name	Type	Group	Performance
TVB10044R	TVÄTTBÄNK 100x60/44 VÄNDBAR	Tvättbänk	390	EN 13310-CA-DA
TVB100M37R	TVÄTTBÄNK 100x60/M37 VÄNDBAR, BA-YTA	Tvättbänk	390	EN 13310-CA-DA
TVB12044C	TVÄTTBÄNK 120x60/44 VÄNDBAR AVL.Ø 52mm	Tvättbänk	390	EN 13310-CA-DA
TVB12044R	TVÄTTBÄNK 120x60/44 VÄNDBAR AVL.Ø 52mm	Tvättbänk	390	EN 13310-CA-DA
TVB120M37R	TVÄTTBÄNK 120x60/M37 VÄNDBAR, BA-YTA	Tvättbänk	390	EN 13310-CA-DA
TVB180M37R	TVÄTTBÄNK 180x60/M37 avl.52mm	Tvättbänk	390	EN 13310-CA-DA
TVB5044	TVÄTTBÄNK 50x60/44 220 DJUP	Tvättbänk	390	EN 13310-CA-DA
TVB8044R	TVÄTTBÄNK 80x60/44-220, VÄNDBAR	Tvättbänk	390	EN 13310-CA-DA
TVB80M37R	TVÄTTBÄNK 80x60/M37 VÄNDBAR	Tvättbänk	390	EN 13310-CA-DA