



[Home](#) / [Labels](#) / [Labels by Industrial Printer](#) / [BradyPrinter i5100 and IP Printer Labels](#) /

76 mm Core Polypropylene Cable Tags

76 mm Core Polypropylene Cable Tags

[Overview](#) [Specifications](#)



Product Highlights

Dimensions: 76,20 mm (W) x 152,40 mm (H)

Colour: White

Brady Material Type: Polypropylene

Brady Material No.: [B-412 \(View Technical Data Sheet\)](#)

Application(s):

Component and equipment labelling, Data and telecommunications labelling, Electrical labelling, Wire and cable labelling

Finish: Matt

Printer Compatibility: BBP11, BBP12, i5100, IP Series, PR Plus, THT 76 mm Core Printers

☐ Add To Compare

CONTACT CUSTOMER SERVICE

Overview

Printable, polypropylene tags for thermal transfer printers.

- Non-Adhesive Slide-in Strips
- 500 Tag(s) / Roll(s), 2 Roll(s) / Pack

Specifications

Key Characteristics

Article Number	199965
Order Reference	THT-33-412-1-EU
Total Qty per Pack	1000 Tag(s) / Pack
QTY. per Row	1
Application(s) 	Component and equipment labelling, Data and telecommunications labelling, Electrical labelling, Wire and cable labelling
Quantity	500
Brand	Brady®
Qty per Roll	500

Ribbon Series	R4300, R7950
Country of Origin 	BE

Dimensions

Size - Width (mm)	76.20 mm
Size - Height (mm)	152.40 mm
Core - Diameter (mm)	76.20 mm
Hole Diameter (mm)	7.00 mm
Vertical Repeat (mm)	152.40 mm
Web Width (mm)	76.20 mm
Dimensions	76,20 mm (W) x 152,40 mm (H)

Material Characteristics

Brady Material No. 	B-412 (View Technical Data Sheet)
Brady Material Type	Polypropylene
Thickness (mm)	0.201 mm
Colour	White
Max. Service Temp. °C	100 °C
Min. Service Temp. °C	-40 °C
Finish	Matt
Resistance Properties	Chemical-resistant, Corrosion-resistant, Humidity-resistant, Tear-resistant, UV-resistant, Weather-resistant

Product Features

Format (IP)	IP™ Enabled
# of Holes	1
Shape	Rectangle

Hole Shape	Circle
------------	--------

Printing Specifications

Print Technology	Thermal Transfer
Smart Cell	Yes

Compatibility

Printer Compatibility	BBP11, BBP12, i5100, IP Series, PR Plus, THT 76 mm Core Printers
-----------------------	--

Compliance

UNSPSC 	55121503
RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863
REACH SVHC Status	Part does not contain an SVHC
REACH Candidate List Date	16 July 2019
