

Specifications

Eaton 014863



Eaton xEnergy Safety Ci LV systems LV switchgear. Flange, knockout 26x M16, 14x M20, HxWxD=116x329x23mm

General specifications

PRODUCT NAME	Eaton xEnergy Safety Ci flange plate
CATALOG NUMBER	014863
MODEL CODE	FL4-2
EAN	4015080148630
PRODUCT LENGTH/DEPTH	116 mm
PRODUCT HEIGHT	23 mm
PRODUCT WIDTH	330 mm
PRODUCT WEIGHT	0.267 kg
COMPLIANCES	RoHS conform

Additional information

FEATURES	Pre-stamping
SPECIAL FEATURES	• Sponge-rubber, captive gasket • Quick mounting using wedge-lock fasteners (included as standard)
USED WITH	375 mm (enclosure dimensions) Basic enclosure Accessory for basic enclosures xEnergy Safety Ci

Technical data - mechanical

CABLE ENTRY TYPE	14 x M20 26 x M16
DEGREE OF PROTECTION	Other
MATERIAL	Plastic
NUMBER OF CONNECTOR HOLES	0
SHAPE	Straight
SUITABLE FOR NOMINAL THREAD (PG) - MIN	16
SURFACE PROTECTION	Untreated
THICKNESS	4 mm
THREAD TYPE	Metric
UNIT TYPE	Modular system
SUITABLE FOR NOMINAL THREAD (PG) - MAX	20

Delivery programme

ACCESSORY/SPARE PART TYPE	Flanges
MODEL	Cable screw gland
TYPE	• Accessory for basic enclosures • Basic enclosure • xEnergy Safety Ci

Resources

BROCHURES	eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf
CATALOGUES	eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf
DRAWINGS	eaton-enclosures-flanges-xeffect-ci-enclosure-dimensions-003.eps
INSTALLATION INSTRUCTIONS	eaton-xeffect-ci-installation-instruction-awa31-566-z.pdf eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf
MCAD MODEL	fl4_2.stp eaton-enclosure-plates-mcad-drawings-fl4-2.dwg
SYSTEM OVERVIEW	eaton-insulated-boards-flanges-xenergy-safety-ci-flange-plate-explosion-drawing.eps

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

