

# Specifications



## Eaton 019924

Eaton Moeller® series ZFS Clamp with label,  
For use with T0, T3, P1, 48 x 17 mm, Blank,  
can be engraved, Language

### General specifications

|                                 |                                                            |
|---------------------------------|------------------------------------------------------------|
| <b>PRODUCT NAME</b>             | Eaton Moeller® series ZFS<br>Accessory Clamp with<br>label |
| <b>CATALOG NUMBER</b>           | 019924                                                     |
| <b>MODEL CODE</b>               | ZFS60-T0                                                   |
| <b>EAN</b>                      | 4015080199243                                              |
| <b>PRODUCT<br/>LENGTH/DEPTH</b> | 48 mm                                                      |
| <b>PRODUCT HEIGHT</b>           | 3 mm                                                       |
| <b>PRODUCT WIDTH</b>            | 17 mm                                                      |
| <b>PRODUCT WEIGHT</b>           | 0.008 kg                                                   |
| <b>CERTIFICATIONS</b>           | UL/CSA certification not<br>required                       |



Powering Business Worldwide

## Climatic environmental conditions

**AMBIENT OPERATING TEMPERATURE - MAX** 50 °C

**AMBIENT OPERATING TEMPERATURE - MIN** -25 °C

## Design verification

**10.10 TEMPERATURE RISE** Not applicable.

**10.11 SHORT-CIRCUIT RATING** Is the panel builder's responsibility. The specifications for the switchgear must be observed.

**10.12 ELECTROMAGNETIC COMPATIBILITY** Is the panel builder's responsibility. The specifications for the switchgear must be observed.

**10.13 MECHANICAL FUNCTION** The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

**10.2.2 CORROSION RESISTANCE** Meets the product standard's requirements.

**10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES** Meets the product standard's requirements.

**10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT** Meets the product standard's requirements.

**10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS** Meets the product standard's requirements.

**10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION** Meets the product standard's requirements.

**10.2.5 LIFTING** Does not apply, since the entire switchgear needs to be evaluated.

**10.2.6 MECHANICAL IMPACT** Does not apply, since the entire switchgear needs to be evaluated.

**10.2.7 INSCRIPTIONS** Meets the product standard's requirements.

**10.3 DEGREE OF PROTECTION OF ASSEMBLIES** Does not apply, since the entire switchgear needs to be evaluated.

**10.4 CLEARANCES AND CREEPAGE DISTANCES** Meets the product standard's requirements.

**10.5 PROTECTION AGAINST ELECTRIC SHOCK** Does not apply, since the entire switchgear needs to be evaluated.

**10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS** Does not apply, since the entire switchgear needs to be evaluated.

|                                                                      |                                        |
|----------------------------------------------------------------------|----------------------------------------|
| <b>10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS</b>             | Is the panel builder's responsibility. |
| <b>10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS</b>                      | Is the panel builder's responsibility. |
| <b>10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH</b>                      | Is the panel builder's responsibility. |
| <b>10.9.3 IMPULSE WITHSTAND VOLTAGE</b>                              | Is the panel builder's responsibility. |
| <b>10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL</b>      | Is the panel builder's responsibility. |
| <b>EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT PVID</b>            | 0 W                                    |
| <b>HEAT DISSIPATION CAPACITY PDISS</b>                               | 0 W                                    |
| <b>HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT PVID</b>             | 0 W                                    |
| <b>RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)</b> | 0 A                                    |
| <b>STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT PVS</b>            | 0 W                                    |

## Features & functions

|                     |                             |
|---------------------|-----------------------------|
| <b>FITTED WITH:</b> | Label mount<br>Insert label |
| <b>FUNCTIONS</b>    | Add-on front plates         |
| <b>INSCRIPTION</b>  | Blank (can be engraved)     |

## General information

|                                  |                                        |
|----------------------------------|----------------------------------------|
| <b>ACCESSORY/SPARE PART TYPE</b> | Device labeling system                 |
| <b>CONNECTION TYPE</b>           | Plug-in                                |
| <b>TYPE</b>                      | Front plates                           |
| <b>USED WITH</b>                 | For mechanisms with padlocking feature |

## Resources

|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| BROCHURES           | <a href="#">Brochure - T Rotary Cam switch and P Switch-disconnector</a>              |
| CATALOGUES          | <a href="#">P Switch-disconnectors and T Rotary cam switches catalogue CA042001EN</a> |
| DRAWINGS            | <a href="#">eaton-rotary-switches-add-on-zfs-clamp-with-label-3d-drawing.eps</a>      |
| INSTALLATION VIDEOS | <a href="#">Eaton's P Switch-disconnectors used in a factory</a>                      |

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

