

Specifications

Eaton 024355



Eaton xEnergy Safety Ci LV systems LV switchgear. Flange, closed, HxWxD=116x329x23mm

General specifications

PRODUCT NAME	Eaton xEnergy Safety Ci flange plate
CATALOG NUMBER	024355
MODEL CODE	FL4-X
EAN	4015080243557
PRODUCT LENGTH/DEPTH	116 mm
PRODUCT HEIGHT	23 mm
PRODUCT WIDTH	330 mm
PRODUCT WEIGHT	0.284 kg
COMPLIANCES	RoHS conform

Additional information

SPECIAL FEATURES

- Sponge-rubber, captive gasket
- Quick mounting using wedge-lock fasteners (included as standard)

USED WITH

375 mm (enclosure dimensions)
Basic enclosure
Accessory for basic enclosures
xEnergy Safety Ci

Technical data - mechanical

CABLE ENTRY TYPE Drill as required

DEGREE OF PROTECTION Other

MATERIAL Plastic

NUMBER OF CONNECTOR HOLES 0

SHAPE Straight

SUITABLE FOR NOMINAL THREAD (PG) - MIN 16

SURFACE PROTECTION Untreated

THICKNESS 4 mm

THREAD TYPE None

UNIT TYPE Modular system

SUITABLE FOR NOMINAL THREAD (PG) - MAX 50

Delivery programme

ACCESSORY/SPARE PART TYPE Flanges

MODEL Blind

TYPE

- Accessory for basic enclosures
- Basic enclosure
- xEnergy Safety Ci

Resources

BROCHURES [eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf](#)

CATALOGUES [eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf](#)

DRAWINGS [eaton-enclosures-flange-xenergy-safety-ci-flange-plate-dimensions.eps](#)

[eaton-enclosures-flanges-xeffect-ci-enclosure-dimensions-003.eps](#)

INSTALLATION INSTRUCTIONS [eaton-xeffect-ci-installation-instruction-awa31-566-z.pdf](#)
[eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf](#)

[fl4_x.stp](#)

MCAD MODEL [eaton-enclosure-plates-mcad-drawings-fl4-x.dwg](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

