

Specifications



Eaton 036269

Eaton xEnergy Safety Ci LV systems LV switchgear. Cable grommet, for cable D=14-68mm

General specifications

PRODUCT NAME	Eaton xEnergy Safety Ci KST enclosure accessory
CATALOG NUMBER	036269
MODEL CODE	KT4
EAN	4015080362692
PRODUCT LENGTH/DEPTH	120 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	80 mm
PRODUCT WEIGHT	0.106 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FEATURES	Halogen free
RAL-NUMBER	6008
USED WITH	For wall thickness 2 - 3 mm General switchboard accessory Accessory panel building

Technical data - mechanical

DEGREE OF PROTECTION	IP65
FOR OUTER CABLE DIAMETER - MAX	68 mm
FOR OUTER CABLE DIAMETER - MIN	14 mm
FOR WALL THICKNESS - MAX	3 mm
FOR WALL THICKNESS - MIN	2 mm
MATERIAL	PVC Plastic
NOMINAL SIZE (PG)	0
OPENING DIAMETER	75 mm
SURFACE FINISHING	RAL 7035, light gray
NOMINAL DIAMETER	86 mm
SEALING RANGE - MIN	14 mm
SEALING RANGE - MAX	68 mm

Delivery programme

ACCESSORY/SPARE PART TYPE	Cable management
COLOR	Gray Light gray (RAL 7035)
MODEL	Trimable (cut away)
TYPE	- Accessory panel building - General switchboard accessory

Resources

BROCHURES	eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf
CATALOGUES	eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf
DRAWINGS	eaton-insulated-boards-cable-xenergy-safety-ci-cable-grommet-dimensions-002.eps eaton-distribution-boards-cable-xenergy-safety-ci-cable-grommet-3d-drawing.eps
INSTALLATION INSTRUCTIONS	eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf kt4.stp
MCAD MODEL	eaton-grommets-hardware-mcad-drawings-kt4.dwg

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

