

Specifications



Eaton 065366

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, for CI enclosure 375mm, 3x hxd=40x10mm

General specifications

PRODUCT NAME	Eaton xEnergy Safety Ci busbar enclosure accessory
CATALOG NUMBER	065366
MODEL CODE	SH1603/4
EAN	4015080653660
PRODUCT LENGTH/DEPTH	15 mm
PRODUCT HEIGHT	100 mm
PRODUCT WIDTH	375 mm
PRODUCT WEIGHT	0.253 kg
COMPLIANCES	RoHS conform

Additional information

FUNCTIONS	Prepared enclosure For use between two enclosures
SPECIAL FEATURES	• Component mounting possible on busbar • Interval between busbar supports max. 375 mm
SUITABLE FOR	Use between two enclosures
USED WITH	CI44... L1, L2, L3: 3 x 40 x 10 CI45... CI48... Prepared enclosures xEnergy Safety Ci Accessory for busbar enclosures

Technical data - electrical

CURRENT RATING - MAX	1600 A
RATED OPERATION CURRENT (IE)	1600 A

Resources

BROCHURES	eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf
CATALOGUES	eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf
INSTALLATION INSTRUCTIONS	eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf
SYSTEM OVERVIEW	eaton-insulated-boards-busbar-xenergy-safety-ci-busbar-support-explosion-drawing-004.eps

Delivery programme

ACCESSORY/SPARE PART TYPE	Busbar support
NUMBER OF POLES	Three-pole
TYPE	• Accessory for busbar enclosures • Prepared enclosures • xEnergy Safety Ci

Technical data - mechanical

BUSBAR DISTANCE	50 mm
DISTANCE BETWEEN BUSBAR CENTERS	50 mm

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

