

Specifications



Eaton 067739

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, N, PE, for CI enclosure, hxD=20x5(10, 15)mm

General specifications

PRODUCT NAME	Eaton xEnergy Safety Ci busbar enclosure accessory
CATALOG NUMBER	067739
MODEL CODE	SH0632
EAN	4015080677390
PRODUCT LENGTH/DEPTH	15 mm
PRODUCT HEIGHT	100 mm
PRODUCT WIDTH	250 mm
PRODUCT WEIGHT	0.035 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FUNCTIONS

Prepared enclosure
For relocating PE/N bars
from the busbar enclosure
to the terminal
compartment (from floor
standing distribution
boards)

SUITABLE FOR

Relocating PE/N bars from
the busbar enclosure to
the terminal compartment
(from floor standing
distribution boards)

Technical data - electrical

CURRENT RATING - MAX 630 A

**RATED OPERATION
CURRENT (IE)** 400 A
630 A
250 A

Resources

BROCHURES

[eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf](#)

CATALOGUES

[eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf](#)

DRAWINGS

[eaton-insulated-boards-xenergy-safety-ci-busbar-support-3d-drawing.eps](#)

INSTALLATION INSTRUCTIONS

[eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf](#)
[IL0751](#)

Delivery programme

ACCESSORY/SPARE PART TYPE

PE/N busbar supports

NUMBER OF POLES

Two-pole

TYPE

- Modular busbar system
- Prepared enclosures
- xEnergy Safety Ci

Technical data - mechanical

BUSBAR DISTANCE 50 mm

UNIT TYPE

Modular system

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

