

Specifications



Eaton 106408

Eaton Moeller® series EASY Programming cable, easy800/MFD-CP8/CP10/EC4P, USB, 2m

General specifications

PRODUCT NAME	Eaton Moeller® series EASY Accessory Programming cable
CATALOG NUMBER	106408
MODEL CODE	EASY800-USB-CAB
EAN	4015081061785
PRODUCT LENGTH/DEPTH	2000 mm
PRODUCT HEIGHT	4 mm
PRODUCT WIDTH	4 mm
PRODUCT WEIGHT	0.067 kg
COMPLIANCES	CE

Design verification

10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Meets the product standard's requirements.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.

Features & functions

FUNCTIONS

For downloading the user program from PC to device

10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	Is the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	Is the panel builder's responsibility.
10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH	Is the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	Is the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	Is the panel builder's responsibility.

Resources

CATALOGUES [eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

DECLARATIONS OF CONFORMITY [eaton-accessory-declaration-of-conformity-uk250933en.pdf](#)
[eaton-accessory-declaration-of-conformity-eu250450en.pdf](#)

DRAWINGS [eaton-general-approval-m22-symbol.eps](#)
[eaton-cables-plugs-usb-easy-accessory-3d-drawing-002.eps](#)

ECAD MODEL [DA-CE-ETN.EASY800-USB-CAB](#)

INSTALLATION VIDEOS [Video easy E4 control relay](#)
[Control relay easyE4: The new generation](#)

MCAD MODEL [eaton-accessories-mcad-drawings-easy800-usb-cab.dwg](#)

[DA-CS-easy800_usb_cab](#)

[How to connect the Remote Touch Display EASY-RTD to the easyE4?](#)

[How to process SmartWire-DT modules using the EASY-COM-SWD-C1 module connected to an easyE4?](#)

[How to process ModbusRTU devices with the EASY-COM-RTU-M1 module on an easyE4?](#)

MULTIMEDIA

[easyE4 SmartWire-DT module with Remote Touch Display and RMQ multi color indicator](#)

[How to connect the easyE4 to the touch panel XV-102 for easy? - 5 Steps](#)

[Handling of the data logger as a ring buffer with the easyE4 using the ST programming language.](#)

SALES NOTES

[eaton-control-relay-
easye4-flyer-fl050007en-
en-us.pdf](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

