

Specifications

Eaton 107174



Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. Busbar shroud section, 12-30x10, B=1m

General specifications

PRODUCT NAME	Eaton xEffect SASY 60i cover
CATALOG NUMBER	107174
MODEL CODE	BBC-FL10
EAN	4015081069378
PRODUCT LENGTH/DEPTH	1000 mm
PRODUCT HEIGHT	10 mm
PRODUCT WIDTH	40 mm
PRODUCT WEIGHT	0.163 kg
COMPLIANCES	UL CSA09 (refer to approbation report) IEC 60439-1 CE marking UL508A CSA-C22.2 No. 14 RoHS conform
CERTIFICATIONS	North America (UL listed, CSA certified) CSA (Class No. 3211-37) CSA (File No. 236217) UL (Category Control Number NMTR, NMTR7) UL (File No. E300273)



Powering Business Worldwide

Additional information

FEATURES

Self-extinguishing acc. UL 94

FUNCTIONS

Accessory
Bar cover
Current limiting circuit breaker, refer to approbation report

USED WITH

20 x 10 mm
30 x 10 mm
25 x 10 mm
Feeder circuits
All 10 mm thick flat busbars
15 x 10 mm
12 x 10 mm
System for flat busbar
185 mm system
Compact system
60 mm system

Design verification to IEC/EN 61439 - technical data

TEMPERATURE RESISTANCE

Up to 110 °C

Technical data - mechanical

DEGREE OF PROTECTION

Feeder circuits

MATERIAL

Silicon free, chlorine free

Delivery programme

ACCESSORY/SPARE PART TYPE

Contact protection rail
Accessory
Spare part

TYPE

- 185 mm system
- 60 mm system
- Compact system
- System for flat busbar

Technical data - electrical

VOLTAGE RATING (UL CSA 13)

Max. 600 V AC

Resources

BROCHURES

[eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf](#)

CATALOGUES

[Product Range Catalog Switching and protecting motors](#)

CERTIFICATION REPORTS

[eaton-xeffect-sasy-60i-declaration-of-conformity.pdf](#)

DRAWINGS

[eaton-control-panels-xeffect-sasy-cover-3d-drawing-002.eps](#)

TECHNICAL DATA SHEETS

[eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

