

Specifications



Photo is representative

Eaton 107181

Eaton xEffect SASy 60i Enclosures Switch- & Controlgear Enclosure. Shroud section for top and bottom, B=1100mm, for 3p

General specifications

PRODUCT NAME	Eaton xEffect SASy 60i cover
CATALOG NUMBER	107181
MODEL CODE	BBC-CS2-T/B
EAN	4015081069446
PRODUCT LENGTH/DEPTH	1100 mm
PRODUCT HEIGHT	3 mm
PRODUCT WIDTH	118 mm
PRODUCT WEIGHT	0.15 kg
COMPLIANCES	CE marking UL508A UL CSA09 (refer to approbation report) CSA-C22.2 No. 14 IEC 60439-1 RoHS conform
CERTIFICATIONS	UL (Category Control Number NMTR, NMTR7) CSA (File No. 236217) North America (UL listed, CSA certified) CSA (Class No. 3211-37) UL (File No. E300273)



Powering Business Worldwide

Additional information

FEATURES	Self-extinguishing acc. UL 94
FUNCTIONS	Accessory System cover, modular Current limiting circuit breaker, refer to approbation report
SPECIAL FEATURES	Shroud profile, top/bottom
SUITABLE FOR	Three-pole
USED WITH	Feeder circuits System covers 60 mm system

Design verification to IEC/EN 61439 - technical data

TEMPERATURE RESISTANCE	Up to 120 °C
-------------------------------	--------------

Technical data - mechanical

DEGREE OF PROTECTION	Feeder circuits
MATERIAL	Silicon free, chlorine free

Delivery programme

ACCESSORY/SPARE PART TYPE	Contact protection rail Accessory Spare part
TYPE	• 60 mm system • System covers

Technical data - electrical

VOLTAGE RATING (UL CSA 13)	Max. 600 V AC
-----------------------------------	---------------

Resources

BROCHURES	eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf
CERTIFICATION REPORTS	eaton-xeffect-sasy-60i-declaration-of-conformity.pdf
DRAWINGS	eaton-control-panels-xeffect-sasy-cover-dimensions-005.eps eaton-control-panels-xeffect-sasy-cover-3d-drawing-009.eps
TECHNICAL DATA SHEETS	eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

