

Specifications

Eaton 120703



Eaton xEnergy Basic LV systems Low voltage switchgear. Mounting set IEC Busbar support SASY for MSW application 2 poles WxH=1200x200mm

General specifications

PRODUCT NAME	Eaton xEnergy Basic other accessory
CATALOG NUMBER	120703
MODEL CODE	BPZ-BR/SASY/MSW/H-2/1200
EAN	4015081185337
PRODUCT LENGTH/DEPTH	90 mm
PRODUCT HEIGHT	200 mm
PRODUCT WIDTH	1120 mm
PRODUCT WEIGHT	2.6 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FITTED WITH:	Cover
FUNCTIONS	Additional equipment
SUITABLE FOR	For single mounting
USED WITH	SASY

Technical data - electrical

CURRENT RATING - MAX	400 A
-----------------------------	-------

Resources

BROCHURES	eaton-xenergy-basic-light-brochure-br014024-en-us.pdf
CATALOGUES	eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf
FLYERS	eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf
SALES NOTES	eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Delivery programme

APPLICATION	• IEC busbar support • Mounting side wall assembly configuration
--------------------	--

COLOR	Light gray (RAL 7035)
NUMBER OF POLES	Two-pole

Technical data - mechanical

BUSBAR DISTANCE	60 mm
BUSBAR HEIGHT	30 mm
BUSBAR POSITION	Center central
BUSBAR THICKNESS - MAX	5 mm
MOUNTING METHOD	Floor standing distribution board Surface mounting Flush mounting
MOUNTING POSITION	Horizontal Vertical
SUITABLE FOR WIDTH	1200 mm

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

