

Specifications



Eaton 152627

Eaton Moeller® series M22 Fireman's switch, PV, 1N/O+1N/C, FW switch, red, IP65_x

General specifications

PRODUCT NAME	Eaton Moeller® series M22 fireman's switch
CATALOG NUMBER	152627
MODEL CODE	M22-SOL-PVLPL11-230Q
EAN	4015081493654
PRODUCT LENGTH/DEPTH	110 mm
PRODUCT HEIGHT	80 mm
PRODUCT WIDTH	72 mm
PRODUCT WEIGHT	0.273 kg
COMPLIANCES	CE

Actuator

ACTUATOR COLOR	Red
ACTUATOR TYPE	Turn button
NUMBER OF SWITCH POSITIONS	2

Electrical rating

SUPPLY VOLTAGE - MAX	230 V
----------------------	-------

General information

DEGREE OF PROTECTION	IP65 NEMA 4X
OPENING DIAMETER	22.5 mm
SUITABLE FOR	Illumination

Contacts

NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	1
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	1

Features & functions

BEZEL COLOR	Other
BEZEL MATERIAL	Plastic
ELECTRIC CONNECTION TYPE	Screw connection
FITTED WITH:	Light source

Resources

BROCHURES	eaton-xstorage-home-range-brochure-for-installers-en-gb.pdf
CATALOGUES	eaton-pushbuttons-signal-towers-sensors-assortment-overview-catalog-ca047003en-en-us.pdf
CHARACTERISTIC CURVE	eaton-operating-m22-fireman's-switch-3d-drawing-002.eps eaton-operating-m22-fireman's-switch-dimensions-002.eps
DECLARATIONS OF CONFORMITY	eaton-emergency-stop-emergency-switching-off-pushbutton-declaration-of-conformity-uk251132en.pdf eaton-emergency-stop-emergency-switching-off-pushbutton-declaration-of-conformity-eu251534en.pdf
ECAD MODEL	DA-CE-ETN.M22-SOL-PVLPL11-230Q
INSTALLATION INSTRUCTIONS	IL04716002Z

MCAD MODEL	eaton-switches-mcad-drawings-m22-sol-pvlpl.dwg DA-CS-m22_sol_pvlpl
WIRING DIAGRAMS	eaton-operating-led-m22-fireman's-switch-wiring-diagram.eps

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
 30 Pembroke Road
 Dublin 4, Ireland
 Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

