

Specifications



Eaton 152838

Eaton xEnergy Basic LV systems Low voltage switchgear. SASY IEC busbar support mounting kit for MSW configuration, 1 pole, W x H = 600 x 100 mm

General specifications

PRODUCT NAME	Eaton xEnergy Basic other accessory
CATALOG NUMBER	152838
MODEL CODE	BPZ-BR/SASY/MSW/H-1/600
EAN	4015081496181
PRODUCT LENGTH/DEPTH	105 mm
PRODUCT HEIGHT	100 mm
PRODUCT WIDTH	520 mm
PRODUCT WEIGHT	0.75 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FITTED WITH:	Cover
FUNCTIONS	Additional equipment
SUITABLE FOR	For single mounting
USED WITH	SASY

Technical data - electrical

CURRENT RATING - MAX	400 A
-----------------------------	-------

Resources

BROCHURES	eaton-xenergy-basic-light-brochure-br014024-en-us.pdf
CATALOGUES	eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf
FLYERS	eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf
SALES NOTES	eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Delivery programme

APPLICATION	• IEC busbar support • Mounting side wall assembly configuration
--------------------	--

COLOR	Light gray (RAL 7035)
NUMBER OF POLES	Single-pole

Technical data - mechanical

BUSBAR DISTANCE	60 mm
BUSBAR HEIGHT	30 mm
BUSBAR POSITION	Center central
BUSBAR THICKNESS - MAX	5 mm
MOUNTING METHOD	Flush mounting Floor standing distribution board Surface mounting
MOUNTING POSITION	Vertical Horizontal
SUITABLE FOR WIDTH	600 mm

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

