

# Specifications



Photo is representative

## Eaton 183950

Eaton Moeller series IZMX/INX - ACB.  
Cassette 3200A, IZMX403 m. control cable connection, 1

### General specifications

|                             |                                        |
|-----------------------------|----------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Moeller series IZMX/INX cassette |
| <b>CATALOG NUMBER</b>       | 183950                                 |
| <b>MODEL CODE</b>           | IZMX-CAS403-3200-SEC-1                 |
| <b>EAN</b>                  | 4015081782758                          |
| <b>PRODUCT LENGTH/DEPTH</b> | 584 mm                                 |
| <b>PRODUCT HEIGHT</b>       | 597 mm                                 |
| <b>PRODUCT WIDTH</b>        | 521 mm                                 |
| <b>PRODUCT WEIGHT</b>       | 29 kg                                  |
| <b>COMPLIANCES</b>          | RoHS conform                           |

## Additional information

|                                  |                    |
|----------------------------------|--------------------|
| <b>ACCESSORY/SPARE PART TYPE</b> | Withdrawable units |
|----------------------------------|--------------------|

## Design verification to IEC/EN 61439 - technical data

|                                            |       |
|--------------------------------------------|-------|
| <b>AMBIENT OPERATING TEMPERATURE - MAX</b> | 70 °C |
|--------------------------------------------|-------|

|                                            |        |
|--------------------------------------------|--------|
| <b>AMBIENT OPERATING TEMPERATURE - MIN</b> | -25 °C |
|--------------------------------------------|--------|

## Technical data - mechanical

|                        |              |
|------------------------|--------------|
| <b>MOUNTING METHOD</b> | Withdrawable |
|------------------------|--------------|

## Delivery programme

|                        |                            |
|------------------------|----------------------------|
| <b>AMPERAGE RATING</b> | 3200 A                     |
| <b>FEATURES</b>        | Version as built-in device |
| <b>NOMINAL CURRENT</b> | 3200 A                     |
| <b>NUMBER OF POLES</b> | Three-pole                 |

### SPECIAL FEATURES

- Control circuit terminal
- Equipment supplied: arcing chamber cover, terminal blocks fully populated
- With arcing chamber cover
- With control conductor terminals fully fitted.

|             |           |
|-------------|-----------|
| <b>TYPE</b> | Accessory |
|-------------|-----------|

|                  |                                                 |
|------------------|-------------------------------------------------|
| <b>USED WITH</b> | INX40...3-...W<br>IZMX40...3-...W<br>Three-pole |
|------------------|-------------------------------------------------|

## Technical data - electrical

|                                                   |                 |
|---------------------------------------------------|-----------------|
| <b>ELECTRICAL CONNECTION TYPE OF MAIN CIRCUIT</b> | Rail connection |
|---------------------------------------------------|-----------------|

## Resources

|                         |                                                                                                                                                      |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| CATALOGUES              | <a href="#">eaton-acb-izm63-catalog-ca0135003en-en-us.pdf</a>                                                                                        |
| DRAWINGS                | <a href="#">eaton-circuit-breaker-izmx-inx-mccb-dimensions-014.eps</a><br><a href="#">eaton-circuit-breaker-izmx-inx-cassette-3d-drawing-002.eps</a> |
| ECAD MODEL              | <a href="#">DA-CE-ETN.IZMX-CAS403-3200-SEC-1</a>                                                                                                     |
| INSTALLATION VIDEOS     | <a href="#">Air Circuit Breakers Series IZMX</a>                                                                                                     |
| MANUALS AND USER GUIDES | <a href="#">MN013002_EN</a>                                                                                                                          |

MCAD MODEL

[eaton-acb-accessories-  
mcad-drawings-izmx40-  
cas.dwg](#)

[DA-CS-izmx40\\_cas](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

