

Specifications




Photo is representative

Eaton 183952

Eaton Moeller series IZMX/INX - ACB. Accessories, Cassettes, arcing chamber cover, withdrawable, 4000 A, Pole 3, For IZMX40...3-...W, INX40...3-...W

General specifications

PRODUCT NAME	Eaton Moeller series IZMX/INX cassette
CATALOG NUMBER	183952
MODEL CODE	IZMX-CAS403-4000-1
EAN	4015081782765
PRODUCT LENGTH/DEPTH	584 mm
PRODUCT HEIGHT	597 mm
PRODUCT WIDTH	521 mm
PRODUCT WEIGHT	29 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

ACCESSORY/SPARE PART TYPE	Withdrawable units
----------------------------------	--------------------

Design verification to IEC/EN 61439 - technical data

AMBIENT OPERATING TEMPERATURE - MAX	70 °C
--	-------

AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
--	--------

Technical data - mechanical

MOUNTING METHOD	Withdrawable
------------------------	--------------

Delivery programme

AMPERAGE RATING	4000 A
FEATURES	Version as built-in device
NOMINAL CURRENT	4000 A
NUMBER OF POLES	Three-pole

SPECIAL FEATURES

- Equipment supplied: arcing chamber cover
- With arcing chamber cover
- Without terminal blocks for the control circuit terminals.
- Please order the required quantity separately.

TYPE	Accessory
USED WITH	Three-pole IZMX40...3-...W INX40...3-...W

Technical data - electrical

ELECTRICAL CONNECTION TYPE OF MAIN CIRCUIT	Rail connection
---	-----------------

Resources

CATALOGUES	eaton-acb-izm63-catalog-ca0135003en-en-us.pdf
DRAWINGS	eaton-circuit-breaker-izm-x-inx-mccb-dimensions-014.eps eaton-circuit-breaker-izm-x-inx-cassette-3d-drawing-002.eps
ECAD MODEL	DA-CE-ETN.IZMX-CAS403-4000-1
INSTALLATION VIDEOS	Air Circuit Breakers Series IZMX
MANUALS AND USER GUIDES	MN013002_EN
MCAD MODEL	eaton-acb-accessories-mcad-drawings-izm-x40-cas.dwg

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

