

Powering Business Worldwide



PRODUCT NAME	Eaton Moeller series IZMX/INX auxiliary contact block
CATALOG NUMBER	184106
MODEL CODE	IZMX-LCS-SR-1
EAN	4015081783137
PRODUCT LENGTH/DEPTH	100 mm
PRODUCT HEIGHT	100 mm
PRODUCT WIDTH	100 mm
PRODUCT WEIGHT	0.023 kg
COMPLIANCES	RoHS conform

Additional information

ACCESSORY/SPARE PART TYPE	Auxiliary contact
----------------------------------	-------------------

Delivery programme

MODEL	Integrable
SPECIAL FEATURES	• 1 changeover contact • Automatic closing after readiness for operation. • Can only be used together with a closing release • Can be used with IZMX16(40)-SR... closing release for automatic closing upon availability
TYPE	Accessory
USED WITH	INX16..., INX40... IZMX16..., IZMX40...

Design verification to IEC/EN 61439 - technical data

AMBIENT OPERATING TEMPERATURE - MAX	70 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C

Technical data - electrical

ELECTRIC CONNECTION TYPE	Flat plug-in connection
RATED BREAKING CAPACITY (INDUCTIVE LOAD)	10 A (250 V AC) 0.25 A (250 V DC) 0.5 A (125 V DC)
RATED OPERATIONAL CURRENT (IE) AT AC-15, 220 V, 230 V, 240 V	10 A

Technical data - mechanical

LAMP HOLDER	None
MOUNTING METHOD	Other
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	1
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	0
NUMBER OF SWITCHES (FAULT SIGNAL)	0

Resources

CATALOGUES	eaton-acb-izm63-catalog-ca0135003en-en-us.pdf
DRAWINGS	eaton-circuit-breaker-izmx-inx-auxiliary-switch-3d-drawing-003.eps
ECAD MODEL	DA-CE-ETN.IZMX-LCS-SR-1
INSTALLATION INSTRUCTIONS	eaton-izmx16-40-spring-release-latch-check-il0131088en-us.pdf
INSTALLATION VIDEOS	Air Circuit Breakers Series IZMX

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

