

# Specifications



## Eaton 184223

Eaton Moeller series IZMX/INX - ACB.  
Locking device ON-OFF, plastic, 1, 16

### General specifications

|                             |                                               |
|-----------------------------|-----------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Moeller series IZMX/INX other accessory |
| <b>CATALOG NUMBER</b>       | 184223                                        |
| <b>MODEL CODE</b>           | IZMX-PLPC16-P-1                               |
| <b>EAN</b>                  | 4015081783885                                 |
| <b>PRODUCT LENGTH/DEPTH</b> | 100 mm                                        |
| <b>PRODUCT HEIGHT</b>       | 100 mm                                        |
| <b>PRODUCT WIDTH</b>        | 100 mm                                        |
| <b>PRODUCT WEIGHT</b>       | 0.05 kg                                       |
| <b>COMPLIANCES</b>          | RoHS conform                                  |

## Additional information

|                                      |                    |
|--------------------------------------|--------------------|
| <b>ACCESSORY/SPARE PART<br/>TYPE</b> | Interlocks         |
|                                      | Mechanical locking |
|                                      | Spare part         |
|                                      | Accessory          |

## Delivery programme

- ON-OFF
- Plastic
- The circuit-breaker's ON/OFF buttons can be locked together by using the interlock. It is also possible to lock only the ON or the OFF button by using a padlock.
- This means that it will no longer be possible to actuate the circuit-breaker locally.
- The optional remote switching mechanism that uses an ON/OFF coil will not be interlocked
- P = Insulated material

### SPECIAL FEATURES

|                  |                       |
|------------------|-----------------------|
| <b>TYPE</b>      | Accessory             |
| <b>USED WITH</b> | INX16...<br>IZMX16... |

## Design verification to IEC/EN 61439 - technical data

|                                                |        |
|------------------------------------------------|--------|
| <b>AMBIENT OPERATING<br/>TEMPERATURE - MAX</b> | 70 °C  |
| <b>AMBIENT OPERATING<br/>TEMPERATURE - MIN</b> | -25 °C |

## Technical data - mechanical

|                         |         |
|-------------------------|---------|
| <b>HOUSING MATERIAL</b> | Plastic |
|-------------------------|---------|

## Resources

|                              |                                                                          |
|------------------------------|--------------------------------------------------------------------------|
| CATALOGUES                   | <a href="#">eaton-acb-izm63-catalog-ca0135003en-en-us.pdf</a>            |
| DRAWINGS                     | <a href="#">eaton-circuit-breaker-izmx-inx-interlock-3d-drawing.eps</a>  |
| ECAD MODEL                   | <a href="#">DA-CE-ETN.IZMX-PLPC16-P-1</a>                                |
| INSTALLATION<br>INSTRUCTIONS | <a href="#">eaton-izmx16-izm91-push-button-cover-kit-il01301041e.pdf</a> |
| INSTALLATION VIDEOS          | <a href="#">Air Circuit Breakers Series IZMX</a>                         |

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

