


Specifications



Eaton 184260

Eaton Moeller series IZMX/INX - ACB. Motor operator 60 VDC, 40

General specifications

PRODUCT NAME	Eaton Moeller series IZMX/INX motor operator
CATALOG NUMBER	184260
MODEL CODE	IZMX-M40-60DC-1
EAN	4015081784158
PRODUCT LENGTH/DEPTH	200 mm
PRODUCT HEIGHT	100 mm
PRODUCT WIDTH	150 mm
PRODUCT WEIGHT	1.25 kg
COMPLIANCES	RoHS conform

Additional information

ACCESSORY/SPARE PART TYPE

Remote switching

Delivery programme

SPECIAL FEATURES

- Signalling switch for "Spring-operated stored energy mechanism tensioned" message is included as standard.
- Switching frequency = 60/h
- The motor automatically tensions the spring force storage mechanism for remote or local actuation.
- Retrofitting kit
- The retrofit kit includes the required SEC control cable terminals.

TYPE	Accessory
USED WITH	INX40... IZMX40...

Design verification to IEC/EN 61439 - technical data

AMBIENT OPERATING
TEMPERATURE - MAX 70 °C

AMBIENT OPERATING
TEMPERATURE - MIN -25 °C

Technical data - electrical

CONTROL VOLTAGE 60 V DC
OPERATING RANGE 0.85 - 1.1 x Us

NECESSARY TIME FOR
CHARGING SPRING-
OPERATED STORED
ENERGY MECHANISM AT
1 X US 6 s DC

POWER CONSUMPTION 175 W DC

RATED CONTROL SUPPLY
VOLTAGE (US) AT DC -
MAX 60 V

RATED CONTROL SUPPLY
VOLTAGE (US) AT DC -
MIN 60 V

RATED OPERATIONAL
CURRENT 3 A DC

STARTING CURRENT
RATING 12 A DC

VOLTAGE TYPE DC

Technical data - mechanical

**NUMBER OF ACTUATION
PER MINUTE - MAX**

3

SWITCH DRIVE TYPE

Motor drive

Resources

CATALOGUES

[eaton-acb-izm63-catalog-
ca0135003en-en-us.pdf](#)

DRAWINGS

[eaton-circuit-breaker-
izm-x-inx-motor-operator-
3d-drawing-002.eps](#)

ECAD MODEL

[DA-CE-ETN.IZMX-M40-
60DC-1](#)

INSTALLATION
INSTRUCTIONS

[eaton-izm16-40-spring-
release-latch-check-
il0131088en-us.pdf](#)

INSTALLATION VIDEOS

[Air Circuit Breakers Series
IZMX](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

