

Specifications



Photo is representative



Eaton 195168

Eaton Moeller series xComfort - Actuators.
Switching Plug 12A, R/L/C/LED, EMS, Schuko,
F5

General specifications

PRODUCT NAME	Eaton Moeller series xComfort switching actuator
CATALOG NUMBER	195168
MODEL CODE	CSAP-01/F5-12E
EAN	9010238075504
PRODUCT LENGTH/DEPTH	100.3 mm
PRODUCT HEIGHT	76 mm
PRODUCT WIDTH	52 mm
PRODUCT WEIGHT	0.167 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Product specifications

FEATURES	Radio frequent bidirectional Local operation/hand operation
BUS SYSTEM OPERATING TYPE	Other
ACTUATION FUNCTION	Switching
BUS SYSTEM PRODUCT TYPE	Actuator
NUMBER OF INPUTS (BINARY)	0
NUMBER OF SWITCHING CONTACTS - MAX	1
RATED OPERATING VOLTAGE (UE) - MAX	253 V
RATED OPERATING VOLTAGE (UE) - MIN	196 V
AMPERAGE RATING	12 A
FITTED WITH:	LED indication Bus connection
SWITCHING CURRENT - MAX	16 A
SWITCHING POWER - MAX	2760 W
WIDTH IN NUMBER OF MODULAR SPACINGS	0
OUTPUT POWER	2760 W
POWER SUPPLY	Mains
COLOR	Traffic white (RAL 9016)
DEGREE OF PROTECTION	IP20
MOUNTING METHOD	Plugged-in Surface mounted (plaster)
SUITABLE FOR	C-load
POWER CONSUMPTION	0.2 W
NUMBER OF LINKABLE DEVICES	32

Resources

CHARACTERISTIC CURVE	eaton-dimensions-mas_plugin.jpg eaton-characteristic-curve-derating_csap_01_x5_12e.jpg
DECLARATIONS OF CONFORMITY	eaton-switching-actuator-declaration-of-conformity-eu250173en.pdf
INSTALLATION INSTRUCTIONS	IL019208ZU IL019146ZU
INSTALLATION VIDEOS	xComfort - Pairing one switch with multiple actuators EN xComfort - Pairing a double switch with two actuators EN xComfort - Pairing multiple switches with multiple actuators EN xComfort - Un-pairing a switch from an actuator EN Pairing one switch to one actuator xComfort Sensors and Actuators Video EN-US Pairing two or more switches to one actuator

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

