

Specifications



Eaton 196850

Eaton Distribution board accessory, Digital Astronomical Timeswitch, DIN rail 2 TE, weekly program, 1 channel, changeover contact, push terminals

General specifications

PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	196850
MODEL CODE	TSDW1COA-1
EAN	9008790990465
PRODUCT LENGTH/DEPTH	69.2 mm
PRODUCT HEIGHT	90.1 mm
PRODUCT WIDTH	35.8 mm
PRODUCT WEIGHT	0.107 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Product specifications

MOUNTING METHOD	DIN rail
FEATURES	Text guidance in display
NUMBER OF CHANNELS	1
ACCURACY PER DAY	1 s
AUTONOMY IN HOURS	0 hour
AUTONOMY IN YEARS	10 year
FREQUENCY SUPPLY VOLTAGE - MAX	60 Hz
FREQUENCY SUPPLY VOLTAGE - MIN	50 Hz
HEAT DISSIPATION CAPACITY	1.5 W
NOMINAL SWITCHING CURRENT AT 250 V AC	16 A
CONTACT TYPE	Change-over contact (NO/NC)
DEGREE OF PROTECTION	IP20
FUNCTIONS	Automatic switching summer-/winter time Manual operation Quartz controlled External programming 24 h program Weekly program Holiday program Astro program Switching preselection Potential free switch contact
VOLTAGE TYPE	AC
SHORTEST SWITCHING TIME AT CHANNEL 1	1 min
SHORTEST SWITCHING TIME AT CHANNEL 2	0 min
NUMBER OF MEMORY LOCATIONS	56
SWITCHING POWER LED - MAX	600 W
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0.4 W
SUPPLY VOLTAGE - MAX	240 V
SUPPLY VOLTAGE - MIN	230 V
WIDTH IN NUMBER OF MODULAR SPACINGS	2
NUMBER OF CONTACTS	1
OUTPUT SIGNAL	Other
EXTERNAL	Manufacturer specific

Resources

DECLARATIONS OF CONFORMITY	eaton-time-switch-declaration-of-conformity-eu250240en.pdf
DRAWINGS	eaton-dimensions-mas-tdsw.jpg eaton-3d-drawing-tdsw1coa-anschl.jpg
MATERIAL SAFETY DATA SHEET (MSDS)	MSDS Varta Primary Lithium Cylindrical (Series CR).pdf
TEST REPORT	UN38.3 Varta CR1 2 AA.pdf

PROGRAMMING VIA

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

