

Specifications



Eaton 199536

Eaton PV Main switch, P1, 25 A, surface mounting, 3 pole + N, STOP function, Lockable in the 0 (Off) position PV-25A-4P-AC-I2/SVB-SW/N

General specifications

PRODUCT NAME	Eaton PV maintenance switch
CATALOG NUMBER	199536
MODEL CODE	PV-25A-4P-AC-I2/SVB-SW/N
EAN	5027590552165
PRODUCT LENGTH/DEPTH	113.4 mm
PRODUCT HEIGHT	180.3 mm
PRODUCT WIDTH	111.4 mm
PRODUCT WEIGHT	274 g
COMPLIANCES	CE



Powering Business Worldwide

Actuator

ACTUATOR COLOR

Black

ACTUATOR TYPE

Door coupling rotary drive

Contacts

**NUMBER OF AUXILIARY
CONTACTS (CHANGE-
OVER CONTACTS)**

0

**NUMBER OF AUXILIARY
CONTACTS (NORMALLY
CLOSED CONTACTS)**

0

**NUMBER OF AUXILIARY
CONTACTS (NORMALLY
OPEN CONTACTS)**

0

Design verification

10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	UV resistance only in connection with protective shield.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION	Does not apply, since the

Electrical rating

RATED OPERATIONAL POWER AT AC-23A, 400 V, 50 HZ 13 kW

RATED OPERATIONAL POWER AT AC-3, 380/400 V, 50 HZ 7.5 kW

RATED UNINTERRUPTED CURRENT (IU) 25 A

AGAINST ELECTRIC SHOCK	entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	Is the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	Is the panel builder's responsibility.
10.9.2 POWER-FREQUENCY ELECTRIC STRENGTH	Is the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	Is the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	Is the panel builder's responsibility.

Features & functions

FEATURES	Version as main switch Version as maintenance-/service switch
FUNCTIONS	Interlockable
NUMBER OF POLES	Four-pole

Short-circuit rating

RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	80 kA
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0.64 kA

General information

DEGREE OF PROTECTION	NEMA Other
DEGREE OF PROTECTION (FRONT SIDE)	IP20
SUITABLE FOR	Ground mounting

Resources

BROCHURES	Brochure - PV maintenance switch for safe maintenance of PV inverters
CATALOGUES	Datasheet - Technical Data - PV maintenance switch
DECLARATIONS OF CONFORMITY	eaton-maintenance-switch-declaration-of-conformity-uk251108en.pdf eaton-maintenance-switch-declaration-of-conformity-eu250625en.pdf
DRAWINGS	eaton-rotary-switches-pv-main-switch-dimensions-002.eps
INSTALLATION INSTRUCTIONS	eaton-switch-disconnector-pv-25a-pv-32a-insulated-enclosures-instruction-leaflet-il008061zu.pdf

INSTALLATION VIDEOS	PV Maintenance switch for safe maintenance of PV inverters Video PV Maintenance switch
MULTIMEDIA	Unboxing Video-Y7-199536

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

