

Specifications



Eaton 248433

Eaton Distribution board accessory,
Auxiliary contact, 1N/O+1N/C, 4A, 250V AC

General specifications

PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	248433
MODEL CODE	Z-AHK
EAN	4015082484330
PRODUCT LENGTH/DEPTH	80 mm
PRODUCT HEIGHT	75 mm
PRODUCT WIDTH	8.8 mm
PRODUCT WEIGHT	0.038 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	EN45545-2 IEC 61373

Product specifications

USED WITH	Auxiliary contacts
	Accessory for combined residual current/power circuit breaker
	Accessory for miniature circuit breaker
	Accessory for residual current circuit breaker
ACCESSORY/SPARE PART TYPE	Auxiliary contacts
MOUNTING METHOD	For fitting on left to: LS, FI/LS
ADDITIONAL EQUIPMENT REQUIRED	Auxiliary switch
AMBIENT OPERATING TEMPERATURE - MAX	55 °C
AMBIENT OPERATING TEMPERATURE - MIN	-5 °C
ASSEMBLY WIDTH	0.5
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	1
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	1
NUMBER OF POLES AT MAIN CONTACT UNIT - MAX	2
NUMBER OF SWITCHES (FAULT SIGNAL)	0
VOLTAGE TYPE	AC
FUNCTIONS	Auxiliary switch
DEVICE FITTING	Universal
TYPE	• Accessory • Accessory for combined residual current/power circuit breaker • Accessory for miniature circuit breaker • Accessory for residual current circuit breaker
APPLICATION	Switchgear for industrial and advanced commercial

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250436en.pdf
DRAWINGS	eaton-dimensions-mas-ahk.jpg
ECAD MODEL	ETN.Z-AHK.edz
INSTALLATION INSTRUCTIONS	MA150501253
	z_ahk.stp
MCAD MODEL	eaton-auxiliary-switches-mcad-drawings-z-kam-ahk.dwg
WIRING DIAGRAMS	AHK

	applications
RATED OPERATIONAL VOLTAGE (UE) - MAX	230 V
RATED SWITCH CURRENT	3 A
SUITABLE FOR CURRENT OF MAIN CONTACT UNIT - MAX	4 A

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

