

Specifications



Eaton 248849

Eaton Z-SCH Installation contactor,
230VAC/50Hz, 2N/O+2N/C, 25A, 2HP

General specifications

PRODUCT NAME	Eaton Z-SCH contactor
CATALOG NUMBER	248849
MODEL CODE	Z-SCH230/25-22
EAN	4015082488499
PRODUCT LENGTH/DEPTH	85 mm
PRODUCT HEIGHT	60 mm
PRODUCT WIDTH	35 mm
PRODUCT WEIGHT	0.22 kg
COMPLIANCES	RoHS conform

Additional information

FEATURES

Additional equipment possible

Design verification to IEC/EN 61439 - technical data

AMBIENT OPERATING TEMPERATURE - MIN -40 °C

EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT 6 W

HEAT DISSIPATION CAPACITY 0 W

HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT 0 W

RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN) 25 A

STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT 0 W

Technical data - mechanical

BUILT-IN DEPTH 60 mm

DEGREE OF PROTECTION IP40

NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS) 2

NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS) 2

NUMBER OF MODULAR SPACINGS 2

UTILITY CATEGORY 1

UTILIZATION CATEGORY (ACCORDING TO EN IEC 60947-4-1) AC-1

Delivery programme

AMPERAGE RATING 25 A

Technical data - electrical

INCANDESCENT LAMP LOAD - MAX 3000 W

LOAD FLUORESCENT LAMP - MAX 1160 VA

LOAD FLUORESCENT LAMP (DUO CIRCUIT) - MAX 2552 VA

LOAD FLUORESCENT LAMP (PARALLEL COMPENSATED) - MAX 1044 VA

RATED OPERATING VOLTAGE (UE) - MAX 440 V

RATED OPERATING VOLTAGE (UE) - MIN 440 V

VOLTAGE RATING (EXCITATION) - MAX 253 V

VOLTAGE RATING (EXCITATION) - MIN 195.5 V

VOLTAGE TYPE AC

Resources

DECLARATIONS OF CONFORMITY [eaton-contactor-declaration-of-conformity-eu250188en.pdf](#)

DRAWINGS [eaton-wiring-diagram-z-sch-klem-bez4.jpg](#)

[eaton-3d-drawing-z-r-sch-einbau.jpg](#)

[eaton-3d-drawing-sch-pack.jpg](#)

[eaton-dimensions-ma-sch40.jpg](#)

[1221168](#)

[eaton-mcb-dimensions-122x144.eps](#)

[eaton-installation-contactor-mcad-drawings-z-r25-2mu.dwg](#)

MCAD MODEL

[eaton-installation-contactor-mcad-3d-models-z-r25-2mu.stp](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

