

Specifications



Eaton 272483

Eaton Distribution board accessory,
Transformer 230V, 4/8/12V, 2/2/1, 5A, 2HP

General specifications

PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	272483
MODEL CODE	TR-G3/18
EAN	4015082724832
PRODUCT LENGTH/DEPTH	55 mm
PRODUCT HEIGHT	90 mm
PRODUCT WIDTH	36 mm
PRODUCT WEIGHT	0.358 kg
COMPLIANCES	RoHS conform

Product specifications

FEATURES	Modular version Short-circuit protected Temperature protection
TRANSFORMER TYPE	Standard bell ringing transformer
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	0 A
SECONDARY RATED CURRENT 1	2 A
SECONDARY RATED CURRENT 2	2 A
SECONDARY RATED CURRENT 3	1.5 A
SECONDARY VOLTAGE RATING 1	4 V
SECONDARY VOLTAGE RATING 2	8 V
SECONDARY VOLTAGE RATING 3	12 V
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
WIDTH IN NUMBER OF MODULAR SPACINGS	2
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	7.02 W
SUITABLE FOR	Surface mounting
OUTPUT CURRENT - MAX	0 A
PRIMARY VOLTAGE	230 V

Resources

DECLARATIONS OF CONFORMITY

[eaton-distribution-parts-declaration-of-conformity-eu250246en.pdf](#)

WIRING DIAGRAMS

[eaton-bell-transformer-wiring-diagram-mas-tr.jpg](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

