

Specifications



Eaton 272485

TR-G2/63-SF. Transformer, 230V, 12-24V, 5.2-2.6A

General specifications

PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	272485
MODEL CODE	TR-G2/63-SF
EAN	4015082724856
PRODUCT LENGTH/DEPTH	90 mm
PRODUCT HEIGHT	60 mm
PRODUCT WIDTH	90 mm
PRODUCT WEIGHT	1.316 kg
COMPLIANCES	RoHS conform

Product specifications

FEATURES	Modular version Short-circuit protected Temperature protection
TRANSFORMER TYPE	Safety transformer
AMBIENT OPERATING TEMPERATURE - MAX	25 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	0 A
SECONDARY RATED CURRENT 1	5.2 A
SECONDARY RATED CURRENT 2	2.6 A
SECONDARY VOLTAGE RATING 1	12 V
SECONDARY VOLTAGE RATING 2	24 V
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
WIDTH IN NUMBER OF MODULAR SPACINGS	5
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	15.12 W
SUITABLE FOR	Surface mounting
OUTPUT CURRENT - MAX	0 A
PRIMARY VOLTAGE	230 V

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250247en.pdf
DRAWINGS	eaton-dimensions-tr-g2-63-sf.jpg
WIRING DIAGRAMS	Mas TR SF

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

