

Specifications



Eaton 286701

Eaton xEnergy Basic LV systems Low voltage switchgear. Top/Bottom-panel for Surface-Mounting Installation distribution board, with cut-out for cable entry, WxD=600x249mm

General specifications

PRODUCT NAME	Eaton xEnergy Basic other accessory
CATALOG NUMBER	286701
MODEL CODE	BP-TBP-600-CE
EAN	4015082867010
PRODUCT LENGTH/DEPTH	250 mm
PRODUCT HEIGHT	55 mm
PRODUCT WIDTH	600 mm
PRODUCT WEIGHT	2.56 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FITTED WITH:	Cable entry
RAL-NUMBER	7035
SPECIAL FEATURES	• Pair (for top and bottom), incl. screws • With aperture for cable entry • With opening for cable entry
SUITABLE FOR	Bottom planking Roof planking
USED WITH	Service distribution board IVS Accessory consideration Accessory Wall-mounting distribution system

Technical data - mechanical

CABLE ENTRY TYPE	Open
HOUSING MATERIAL	Sheet steel
MATERIAL	Steel
MOUNTING METHOD	Surface mounting
SUITABLE FOR ENCLOSURE BUILDING LENGTH/DEPTH	249 mm
SUITABLE FOR ENCLOSURE BUILDING WIDTH	600 mm
SUITABLE FOR LENGTH/DEPTH	249 mm
SUITABLE FOR WIDTH	600 mm
SURFACE FINISHING	With powder coating Powder coating
UNIT TYPE	Modular system
DEGREE OF PROTECTION	IP30

Delivery programme

ACCESSORY/SPARE PART TYPE	Bottom plate Roof plates
COLOR	Light gray (RAL 7035) Gray
TYPE	Additional equipment for wall-mounted service distribution board IVS

Resources

BROCHURES	eaton-xenergy-basic-light-brochure-br014024-en-us.pdf
CATALOGUES	eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf
FLYERS	eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf
SALES NOTES	eaton-f3a-flange-flyer-fl019005en-en-us.pdf

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

