

Specifications



Eaton 286720

Eaton xEnergy Basic LV systems Low voltage switchgear. Sheet steel door with rotary door handle HxW=1000x600mm

General specifications

PRODUCT NAME	Eaton xEnergy Basic door
CATALOG NUMBER	286720
MODEL CODE	BP-DS-600/10
EAN	4015082867201
PRODUCT LENGTH/DEPTH	38 mm
PRODUCT HEIGHT	1000 mm
PRODUCT WIDTH	600 mm
PRODUCT WEIGHT	5.6 kg
COMPLIANCES	RoHS conform



Powering Business Worldwide

Additional information

FUNCTIONS

Wall-mounting distribution system
Additional equipment

SPECIAL FEATURES

- Closed
- Mounting from front, fast mounting, hinges on left or right possible
- Door opening angle 167°
- 1-point long with three-point turn-lock

USED WITH

Accessory consideration
Service distribution board IVS
Wall-mounting distribution system
Accessory

Technical data - mechanical

COVER/DOOR TYPE Three-point turn-lock

HOUSING MATERIAL Sheet steel

MATERIAL Steel
Sheet steel

MOUNTING METHOD Surface mounting

SUITABLE FOR HEIGHT 1060 mm

SUITABLE FOR WIDTH 600 mm

SURFACE FINISHING Powder coating
With powder coating

UNIT TYPE Modular system

DEGREE OF PROTECTION IP30
NEMA Other

Delivery programme

ACCESSORY/SPARE PART TYPE Doors

COLOR Gray
Light gray (RAL 7035)

MODEL Stop door

TYPE Additional equipment for wall-mounted service distribution board IVS

Resources

BROCHURES [eaton-xenergy-basic-light-brochure-br014024-en-us.pdf](#)

CATALOGUES [eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf](#)

FLYERS [eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf](#)

SALES NOTES [eaton-f3a-flange-flyer-fl019005en-en-us.pdf](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

