

Specifications



Eaton 289864

Eaton xEnergy Basic LV systems Low voltage switchgear. Rail with thread M6, 15/5/2000

General specifications

PRODUCT NAME	Eaton xEnergy Basic other accessory
CATALOG NUMBER	289864
MODEL CODE	BPZ-BB/T-15/5/2000
EAN	4015082898649
PRODUCT LENGTH/DEPTH	5 mm
PRODUCT HEIGHT	15 mm
PRODUCT WIDTH	2000 mm
PRODUCT WEIGHT	1.19 kg
COMPLIANCES	RoHS conform

Additional information

FUNCTIONS	Additional equipment
SPECIAL FEATURES	With M6 thread

Technical data - electrical

RATED OPERATION CURRENT (IE)	218 A
---	-------

Resources

BROCHURES	eaton-xenergy-basic-light-brochure-br014024-en-us.pdf
CATALOGUES	eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf
DRAWINGS	eaton-control-panels-xenergy-basic-busbar-3d-drawing.eps
FLYERS	eaton-xenergy-basic-profisnap-flyer-fl019008en-en-us.pdf
SALES NOTES	eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Delivery programme

ACCESSORY/SPARE PART TYPE	Flat copper busbars, predrilled Flat copper bars
AMPERAGE RATING	218 A
MODEL	Flat
NOMINAL CURRENT	218 A
TYPE	General switchboard accessory

Technical data - mechanical

MATERIAL	Copper
MOUNTING METHOD	Floor standing distribution board Surface mounting Flush mounting
SURFACE PROTECTION	Untreated
THREAD TYPE	M6

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

