


drylin® R liner E7UMO-01

E7UMO-01-60



drylin® R liner E7UMO-01

- Material: iglidur® E7
- Version: long, open design

Part number	E7UMO-01-60
Ø d1	60 mm
Ø d2	65 mm
r	8 mm
t	2.5 mm
Ø z	6.5 mm
B	125 mm
W	27.2 mm
r1	8 mm
t1	2.5 mm
f1	3 mm
Ø Z1	6.5 mm

Product description

Introducing the drylin R liner E7UMO-01, a premium product from the renowned brand igus. Crafted from high-quality iglidur E7 material, this long, open design liner ensures durability and smooth operation. Available in various sizes, it is perfect for a range of applications. Experience the reliability and efficiency that the drylin R liner series offers, making it an essential component for your projects. Choose the E7UMO-01 for superior performance and longevity.

Requirements

Mould-resistant according to DIN EN ISO 846 Procedure A	No
---	----

Physical properties

Max. long-term application temperature	90 °C
Lower application temperature	-50 °C



Manufacturing and installation tolerances

di tolerance	H7
B tolerance	h10
r1 tolerance	0.05
t1 tolerance	0.1
f1 tolerance	0.5

Dimensions

Ø d1	60 mm
Ø d2	65 mm
b1	124 mm
r	8 mm
t	2.5 mm
Ø z	6.5 mm
Ø di	65 mm
B	125 mm
t1	2.5 mm
f1	3 mm
Ø Z1	6.5 mm

Certificates and standards



Additional information and diagrams

