


drylin® R pillow block OJUM-06-LL

OJUM-06-16-LL



drylin® R pillow block OJUM-06-LL

- Design: open design floating pillow block
- Material sliding element: iglidur® J
- Housing material: anodised aluminium

|        |         |
|--------|---------|
| α      | 90 °    |
| A2     | 15 mm   |
| H1     | 30.5 mm |
| E1     | 40 mm   |
| E2     | 26 mm   |
| W      | 11.6 mm |
| Ø d1   | 16 mm   |
| A1     | 26 mm   |
| L      | 36 mm   |
| H Bolt | 22 mm   |
| H3     | 11 mm   |
| A      | 53 mm   |
| H2     | 7 mm    |

Product description

Introducing the drylin R pillow block OJUM-06-LL, a versatile solution for your applications. This open design floating pillow block features a sliding element made from durable iglidur J material, ensuring smooth operation. Crafted from anodised aluminium, the housing offers excellent resistance and longevity. Enhance your projects with this reliable and efficient component from the trusted drylin family.



Dimensions

|        |         |
|--------|---------|
| Ø d1   | 16 mm   |
| H Bolt | 22 mm   |
| H1     | 30.5 mm |
| H2     | 7 mm    |
| H3     | 11 mm   |
| S1     | M6      |
| Length | 36 mm   |
| E1     | 40 mm   |
| E2     | 26 mm   |
| A      | 53 mm   |
| A1     | 26 mm   |
| A2     | 15 mm   |
| L      | 36 mm   |

General properties

|                          |                    |
|--------------------------|--------------------|
| Sliding element material | iglidur® J         |
| Housing material         | anodised aluminium |

Certificates and standards



## Additional information and diagrams

