



16 Gallon Portable Self-Contained Hughes Eyewash Station, Gravity-Fed - 16GFEW

Product Images



Short Description

HUGHES



Justrite Safety Group

- Provides a controlled 1.5 liters per minute (0.4 gallons per minute) flow of water for 15 minutes
- Portable design makes it easy to move and relocate
- Can be wall mounted or used on a bench or tabletop
- Meets ANSI and EN15154 standards, supports OSHA requirements

Description

The Hughes portable, self-contained 16-gallon gravity-fed eyewash station is suitable wherever continuous water isn't available—no plumbing needed. The gravity-fed eyewash supplies a continuous, controlled flow that exceeds the ANSI Z358.1 standard of 1.5 LPM (0.4 GPM) for 15 minutes, providing a reliable safety solution no matter where you are located. Carrying handles and concealed mounting bracket make moving and relocating easy. High-visibility color is easy to identify in emergency situations. Simple to use with pull-down activation handle. Easy to maintain—wide fill opening enables quick inspection, cleaning and filling.

Specifications

Model No	16GFEW
Color	Green
UPC	805042001493
Brand	Justrite
Capacity	16 gallon
Liter Capacity	60.5
Net Weight, lbs	19.8
Net Weight, kg	9
Filled Weight, lbs	141.7
Filled Weight, kg	64.3
Dimensions, Exterior	25.12" H x 21.26" W x 11.3" L
Dimensions, Exterior	638mm H x 540mm W x 287mm L
Water Flow Eye/Face Liters/min	2
Water Flow Eye/Face US Gal/min	0.55
Material Specifications	PVC
Activation Method	Pull Handle
Operation Duration, min	15

Prop 65

 **WARNING:.**