

4' x 6' Sound Barrier Panel, QuietSite™ Premium - 26462

Product Images



Combine panels and frames together to create custom barriers to fit any need.



Heavy-duty grommets for **fast mounting** to frames, fencing, walls, and more



Unique acoustic core **absorbs noise** and vinyl outer layer reflects noise



Foldable design for **easy transportation** and storage

QuietSite™ Premium Panels



Premium panels **include hook and loop fasteners and internal magnets** for a seamless, secure link between panels.

Professional Appearance



QuietSite™ barriers **reinforce your commitment to safety, environmental care, and community responsibility.**

Justrite®





Justrite QuietSite™ Noise Barriers **reduce noise at the source** to help businesses comply with ordinances, protect workers, and minimize disruption to surrounding communities.



Exceptional Acoustic Performance

Tested to ASTM E90 for sound transmission loss and ASTM C423 for sound absorption



Fire Resistant

Complies with NFPA 701 Method 1 for flame resistance providing peace of mind in any environment



Built to Last

Constructed with UV and water-resistant materials to withstand rugged conditions and harsh weather



Short Description

Key Benefits

- Integral magnets and hook and loop fasteners on panels offer multiple attachment options for quick and easy installation by one person
- Unique acoustic core absorbs noise and vinyl outer layer reflects noise—helps reduce perceived noise by half
- Foldable design for easy portable transportation and storage
- Fire-resistant: Meets NFPA 701 Method 1

Description

The QuietSite Premium 4' x 6' Sound Barrier Panel model 26462 provides high-performance noise reduction for construction, industrial, and infrastructure applications where sound control and professional presentation are critical. Each panel combines an acoustic-absorbing inner core with a durable, sound-reflecting exterior to reduce overall noise levels and create safer, more compliant job sites.

Tested to ASTM E90 for sound transmission loss and ASTM C423 for sound absorption, QuietSite barriers can reduce perceived noise levels by up to half. This reduction is equivalent to changing the sound of a 90-pound jackhammer to that of a typical household blender, making them a dependable solution for managing occupational and environmental noise.

The Premium model panel includes integrated hook and loop fasteners and embedded magnets along the panel edges, which eliminate gaps where panels overlap. This ensures a continuous, secure seal that enhances acoustic performance and provides a clean, uniform appearance. Despite their rugged design, the panels are lightweight and foldable for easy transport and installation by a single person.

Built to endure demanding environments, the QuietSite Premium panel resists UV exposure, moisture, and mold while maintaining consistent acoustic performance. It is ideal for both temporary and long-term applications where durable, professional-grade sound control is required.

Specifications

Model No	26462
UPC	697941270046
Brand	Justrite
Color	Gray
Material Specifications	PVC Coated Polyester
Temperature range of the material	-40 – 180 F
Chemical Resistance	Impervious to Water, resists most Acids, resists most Solvents, resists dust, resists grease
Net Dimensions (W x D x H)	72" W x 1" D x 60" H
	1828.8mm W x 25.4mm D x 1524mm H
Includes	(1) 4' x 6' Panel
OSHA Compliance	Helps comply with OSHA recommendations for noise reduction within work environments

Prop 65

⚠️WARNING: This product can expose you to chemicals including diisononyl phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.