

Wall Mount, 1 In-Line Nozzle, Hughes Handheld Drench Hose Eyewash Station - OPT100

Product Images



Short Description

HUGHES



Justrite Safety Group

- Fitted with pop-off dust cover, a non-return valve and flow regulator
- Complete with 4.9-feet (1.5-m) of reinforced hose, particularly useful for treating disabled personnel
- Lock-on actuating button for ease of use

Description

Wall mounted handheld drench hose features an in-line single nozzle for hazardous environments where there is a risk of small spillages of chemicals or dangerous substances. Includes an inspection record tag for recording test and service history.

Specifications

Model No	OPT100
Color	Multicolor
UPC	805042000137
Brand	Justrite
Net Weight, lbs	2.2
Net Weight, kg	1
Dimensions, Exterior	10.8" H x 2.7" W x 2.7" D
Dimensions, Exterior	274mm H x 69mm W x 69mm D
Water Inlet Size NPT	1/2 in (F) - Hose
Minimum Operating Pressure	1.5 bar g, 22 PSI
Maximum Operating Pressure	6 bar g, 87 PSI
Water Flow Eye/Face Liters/min	8
Water Flow Eye/Face US Gal/min	2.11
Operating Valve Material	Non-return
Mounting Type	Wall
Activation Method	Squeeze grip operated with lock-on actuating button
Minimum Ambient Temperature, °F	41
Minimum Ambient Temperature, °C	5
Maximum Ambient Temperature, °F	95
Maximum Ambient Temperature, °C	35