

SVS VALVE PLUG FORM A 18MM FIELD-WIREABLE

0...230V M16x1.5

Art.No.: 7000-29401-0000000

Weight: 0.040 kg

Country of origin: CN

Model designation: MSVS-EB5K-M16

Form A (18 mm) for pressure switch

0...230 V AC/DC

without components




metric

Plastic housings with good resistance against chemicals and oils.

The resistance to aggressive media should be individually tested for your application. Further details on request.

[Link to Product](#)

Illustration





Product may differ from Image



Side 1	
Family construction form	Valve connector form A
Mounting method	pluggable, screwed
Degree of protection (EN IEC 60529)	IP65
Commercial data	
URL Webshop	https://shop.murrelektronik.com/7000-29401-0000000
EU-Customs tariff number	85366990
US-Customs tariff number	8536694020
ETIM-9.0	EC002635
ETIM-10.0	EC002635
customs tariff number	85366990
EAN	4048879187442
Packaging unit	1
Electrical data Supply	
Operating voltage AC max.	230 V
Operating voltage DC max.	230 V
Current operating per contact max.	10 A
Installation	
Connection cross section max.	1,5 mm²
Installation Connection	
Tightening torque	0,4 Nm
Mounting set	M16 x 1.5
Installation Pin assignment	
No. of poles	3 + PE
Device protection Electrical	
Additional condition protection degree	inserted, screwed
Mechanical data Mounting data	
Fastening screw	M3x31
Clamping range min.	5 mm
Clamping range max.	10 mm
Environmental characteristics Climatic	

Operating temperature min.	-20 °C
Operating temperature max.	60 °C
Important installation notes	
Note on bending radius	Attention: Observe the permissible bending radii when laying cables, as the IP protection class can be endangered by excessive bending forces.
Note on strain relief	Protect the connectors by suitable measures from mechanical loads, e.g. by the usage of cable ties.