

DIN 127 — Spring Lock Washer



Catalogue data sheet · 212 sizes · category Washers / Spring Lock Washers · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
127021	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.1 x 4.4 x 0.5	Steel 420-490 HV	2.1 x 4.4 x 0.5 mm	Plain (no plating)				4.4 mm
1270211	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.1 x 4.4 x 0.5	Steel 420-490 HV	2.1 x 4.4 x 0.5 mm	Zinc Bright Passivation Fe/Zn P1				4.4 mm
1270241	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.4 x 4.9 x 0.6	Steel 420-490 HV	2.4 x 4.9 x 0.6 mm	Zinc Bright Passivation Fe/Zn P1				4.9 mm
1270251	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.6 x 5.1 x 0.6	Steel 420-490 HV	2.6 x 5.1 x 0.6 mm	Zinc Bright Passivation Fe/Zn P1				5.2 mm
127026	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.6 x 5.1 x 0.6	Steel 420-490 HV	2.6 x 5.1 x 0.6 mm	Plain (no plating)				5.2 mm
1270261	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.6 x 5.1 x 0.6	Steel 420-490 HV	2.6 x 5.1 x 0.6 mm	Zinc Bright Passivation Fe/Zn P1				5.2 mm
127027	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.7 x 5.2 x 0.6	Steel 420-490 HV	2.7 x 5.2 x 0.6 mm	Plain (no plating)				5.2 mm
1270271	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 2.7 x 5.2 x 0.6	Steel 420-490 HV	2.7 x 5.2 x 0.6 mm	Zinc Bright Passivation Fe/Zn P1				5.2 mm
127031	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 3.1 x 6.2 x 0.8	Steel 420-490 HV	3.1 x 6.2 x 0.8 mm	Plain (no plating)				6.2 mm
1270311	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 3.1 x 6.2 x 0.8	Steel 420-490 HV	3.1 x 6.2 x 0.8 mm	Zinc Bright Passivation Fe/Zn P1				6.2 mm
1270361	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 3.6 x 6.7 x 0.8	Steel 420-490 HV	3.6 x 6.7 x 0.8 mm	Zinc Bright Passivation Fe/Zn P1				6.7 mm
127041	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 4.1 x 7.6 x 0.9	Steel 420-490 HV	4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
1270411	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 4.1 x 7.6 x 0.9	Steel 420-490 HV	4.1 x 7.6 x 0.9 mm	Zinc Bright Passivation Fe/Zn P1				7.6 mm
127051	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 5.1 x 9.2 x 1.2	Steel 420-490 HV	5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm
1270511	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 5.1 x 9.2 x 1.2	Steel 420-490 HV	5.1 x 9.2 x 1.2 mm	Zinc Bright Passivation Fe/Zn P1				9.2 mm
127051GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 5.1 x 9.2 x 1.2	Steel 420-490 HV	5.1 x 9.2 x 1.2 mm	GEOMET 500B				9.2 mm
127061	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
1270611	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				11.8 mm
1270612	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	Hot Dip Galvanizing				11.8 mm
127061GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	GEOMET 500B				11.8 mm
1270651	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 6.5 x 12.2 x 1.6	Steel 420-490 HV	6.5 x 12.2 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				12.2 mm
1270711	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 7.1 x 12.8 x 1.6	Steel 420-490 HV	7.1 x 12.8 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				12.8 mm
127071ZNF105	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 7.1 x 12.8 x 1.6	Steel 420-490 HV	7.1 x 12.8 x 1.6 mm	Zinc-Nickel Fe/Zn-Ni				12.8 mm
127081	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2	Steel 420-490 HV	8.1 x 14.8 x 2 mm	TRANSPARENT				14.8 mm
1270811	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
1270811SST072	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Zinc Bright Passivation Fe/Zn P1				14.8 mm

14.8 x 2 m

Steel 420-490 HV

8.1 x 14.8 x 2 mm

Zinc Bright Passivation Fe/Zn P1

14.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1270812	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Hot Dip Galvanizing				14.8 mm
127081GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	GEOMET 500B				14.8 mm
127081ZNF105	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Zinc-Nickel Fe/Zn-Ni				14.8 mm
127097	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 9.7 x 16.7 x 2.2 mm	Steel 420-490 HV	9.7 x 16.7 x 2.2 mm	TRANSPARENT Plain (no plating)				16.7 mm
1270971	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 9.7 x 16.7 x 2.2 mm	Steel 420-490 HV	9.7 x 16.7 x 2.2 mm	Zinc Bright Passivation Fe/Zn P1				16.7 mm
127097GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 9.7 x 16.7 x 2.2 mm	Steel 420-490 HV	9.7 x 16.7 x 2.2 mm	GEOMET 500B				16.7 mm
127102	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Plain (no plating)				18.1 mm
1271021	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Zinc Bright Passivation Fe/Zn P1				18.1 mm
1271021A	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Zinc Bright Passivation Fe/Zn P1				18.1 mm
1271021SST096	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Zinc Bright Passivation Fe/Zn P1				18.1 mm
1271022	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Hot Dip Galvanizing				18.1 mm
127102GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	GEOMET 500B				18.1 mm
127102PH	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Phosphating				18.1 mm
127102ZNF105	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Zinc-Nickel Fe/Zn-Ni				18.1 mm
127122	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	TRANSPARENT Plain (no plating)				21.1 mm
1271221	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Zinc Bright Passivation Fe/Zn P1				21.1 mm
1271222	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Hot Dip Galvanizing				21.1 mm
127122GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	GEOMET 500B				21.1 mm
127122GEO5A	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	GEOMET 500A				21.1 mm
127130	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 13 x 21 x 2.5 mm	Steel 420-490 HV	13 x 21 x 2.5 mm	Plain (no plating)				21 mm
1271301	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 13 x 21 x 2.5 mm	Steel 420-490 HV	13 x 21 x 2.5 mm	Zinc Bright Passivation Fe/Zn P1				21 mm
1271302	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 13 x 21 x 2.5 mm	Steel 420-490 HV	13 x 21 x 2.5 mm	Hot Dip Galvanizing				21 mm
127142	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 14.2 x 24.1 x 3 mm	Steel 420-490 HV	14.2 x 24.1 x 3 mm	Plain (no plating)				24.1 mm
1271421	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 14.2 x 24.1 x 3 mm	Steel 420-490 HV	14.2 x 24.1 x 3 mm	Zinc Bright Passivation Fe/Zn P1				24.1 mm
1271422	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 14.2 x 24.1 x 3 mm	Steel 420-490 HV	14.2 x 24.1 x 3 mm	Hot Dip Galvanizing				24.1 mm
127142ZNF105	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 14.2 x 24.1 x 3 mm	Steel 420-490 HV	14.2 x 24.1 x 3 mm	Zinc-Nickel Fe/Zn-Ni				24.1 mm
127162	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	TRANSPARENT Plain (no plating)				27.4 mm
1271621	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				27.4 mm
12716218	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				27.4 mm
1271621SST096	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				27.4 mm
1271622	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Hot Dip Galvanizing				27.4 mm
127162GEO500B	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	GEOMET 500B				27.4 mm
127162ZNF105	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5 mm	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc-Nickel Fe/Zn-Ni				27.4 mm
127182	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 18.2 x 29.4 x 3.5 mm	Steel 420-490 HV	18.2 x 28.2 x 3.5 mm	TRANSPARENT Plain (no plating)				29.4 mm
1271821	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 18.2 x 29.4 x 3.5 mm	Steel 420-490 HV	18.2 x 29.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				29.4 mm
1271822	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 18.2 x 29.4 x 3.5 mm	Steel 420-490 HV	18.2 x 29.4 x 3.5 mm	Hot Dip Galvanizing				29.4 mm
1271931	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 19.3 x 31.3 x 4 mm	Steel 420-490 HV	19.3 x 31.3 x 4 mm	Zinc Bright Passivation Fe/Zn P1				31.3 mm
127202	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Plain (no plating)				33.6 mm
1272021	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
1272021S50	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
1272021SST096	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
1272022	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Hot Dip Galvanizing				33.6 mm
127225	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 22.5 x 35.9 x 4 mm	Steel 420-490 HV	22.5 x 35.9 x 4 mm	Plain (no plating)				35.9 mm
1272251	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 22.5 x 35.9 x 4 mm	Steel 420-490 HV	22.5 x 35.9 x 4 mm	Zinc Bright Passivation Fe/Zn P1				35.9 mm
1272252	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 22.5 x 35.9 x 4 mm	Steel 420-490 HV	22.5 x 35.9 x 4 mm	Hot Dip Galvanizing				35.9 mm
127245	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 24.5 x							

40 x 5 mm

Steel 420-490 HV

24.5 x 40 x 5 mm

Plain (no plating)

40 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1272451	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 24.5 x 40 x 5 mm	Steel 420-490 HV	24.5 x 40 x 5 mm	Zinc Bright Passivation Fe/Zn P1				40 mm
1272451S50	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 24.5 x 40 x 5 mm	Steel 420-490 HV	24.5 x 40 x 5 mm	Zinc Bright Passivation Fe/Zn P1				40 mm
1272452	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 24.5 x 40 x 5 mm	Steel 420-490 HV	24.5 x 40 x 5 mm	Hot Dip Galvanizing				40 mm
1272452NF105	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 24.5 x 40 x 5 mm	Steel 420-490 HV	24.5 x 40 x 5 mm	Zinc-Nickel Fe/Zn-Ni				40 mm
1272581	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 25.8 x 39.8 x 5 mm	Steel 420-490 HV	25.8 x 39.8 x 5 mm	TRANSPARENT				39.8 mm
1272751	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 27.5 x 43 x 5 mm	Steel 420-490 HV	27.5 x 43 x 5 mm	Zinc Bright Passivation Fe/Zn P1				43 mm
1272752	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 27.5 x 43 x 5 mm	Steel 420-490 HV	27.5 x 43 x 5 mm	Hot Dip Galvanizing				43 mm
127305	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 30.5 x 48.2 x 6 mm	Steel 420-490 HV	30.5 x 48.2 x 6 mm	Plain (no plating)				48.2 mm
1273051	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 30.5 x 48.2 x 6 mm	Steel 420-490 HV	30.5 x 48.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				48.2 mm
1273052	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 30.5 x 48.2 x 6 mm	Steel 420-490 HV	30.5 x 48.2 x 6 mm	Hot Dip Galvanizing				48.2 mm
1273231	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 32.3 x 48.3 x 6 mm	Steel 420-490 HV	32.3 x 48.3 x 6 mm	Zinc Bright Passivation Fe/Zn P1				48.3 mm
1273351	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 33.5 x 55.2 x 6 mm	Steel 420-490 HV	33.5 x 55.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				55.2 mm
1273352	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 33.5 x 55.2 x 6 mm	Steel 420-490 HV	33.5 x 55.2 x 6 mm	Hot Dip Galvanizing				55.2 mm
127365	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 36.5 x 58.2 x 6 mm	Steel 420-490 HV	36.5 x 58.2 x 6 mm	Plain (no plating)				58.2 mm
1273651	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 36.5 x 58.2 x 6 mm	Steel 420-490 HV	36.5 x 58.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				58.2 mm
1273652	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 36.5 x 58.2 x 6 mm	Steel 420-490 HV	36.5 x 58.2 x 6 mm	Hot Dip Galvanizing				58.2 mm
127395	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 39.5 x 61.2 x 6 mm	Steel 420-490 HV	39.5 x 61.2 x 6 mm	Plain (no plating)				61.2 mm
1273951	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 39.5 x 61.2 x 6 mm	Steel 420-490 HV	39.5 x 61.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				61.2 mm
1273952	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 39.5 x 61.2 x 6 mm	Steel 420-490 HV	39.5 x 61.2 x 6 mm	Hot Dip Galvanizing				61.2 mm
127425	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 42.5 x 68.2 x 7 mm	Steel 420-490 HV	42.5 x 68.2 x 7 mm	Plain (no plating)				68.2 mm
1274251	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 42.5 x 68.2 x 7 mm	Steel 420-490 HV	42.5 x 68.2 x 7 mm	Zinc Bright Passivation Fe/Zn P1				68.2 mm
127490	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 49 x 75 mm	Steel 420-490 HV	49 x 75 x 7 mm	Plain (no plating)				75 mm
1274901	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 49 x 75 mm	Steel 420-490 HV	49 x 75 x 7 mm	Zinc Bright Passivation Fe/Zn P1				75 mm
1275301	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 53 x 83 mm	Steel 420-490 HV	53 x 83 x 8 mm	Zinc Bright Passivation Fe/Zn P1				83 mm
127650	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 65 x 95 mm	Steel 420-490 HV	65 x 95 x 8 mm	Plain (no plating)				95 mm
127651	DIN 127-B Spring Lock Washer, Steel 420-490 HV, 65 x 95 mm	Steel 420-490 HV	65 x 95 x 14 mm	Zinc Bright Passivation Fe/Zn P1				95 mm
127A02021	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4 mm	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
127A026	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 2.6 x 5.1 x 0.6 mm	Steel 420-490 HV	2.6 x 5.1 x 0.6 mm	Plain (no plating)				5.2 mm
127A0311	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 3.1 x 6.2 x 0.8 mm	Steel 420-490 HV	3.1 x 6.2 x 0.8 mm	Zinc Bright Passivation Fe/Zn P1				6.2 mm
127A032	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 3.1 x 6.2 x 0.8 mm	Steel 420-490 HV	3.1 x 6.2 x 0.8 mm	Plain (no plating)				6.2 mm
127A041	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 4.1 x 7.6 x 0.9 mm	Steel 420-490 HV	4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127A0411	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 4.1 x 7.6 x 0.9 mm	Steel 420-490 HV	4.1 x 7.6 x 0.9 mm	Zinc Bright Passivation Fe/Zn P1				7.6 mm
127A051	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 5.1 x 9.2 x 1.2 mm	Steel 420-490 HV	5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm
127A0511	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 5.1 x 9.2 x 1.2 mm	Steel 420-490 HV	5.1 x 9.2 x 1.2 mm	Zinc Bright Passivation Fe/Zn P1				9.2 mm
127A06	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6 mm	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A0611	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 6.1 x 11.8 x 1.6 mm	Steel 420-490 HV	6.1 x 11.8 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				11.8 mm
127A08	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A0811	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Zinc Bright Passivation Fe/Zn P1				14.8 mm
127A0811S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 8.1 x 14.8 x 2 mm	Steel 420-490 HV	8.1 x 14.8 x 2 mm	Zinc Bright Passivation Fe/Zn P1				14.8 mm
127A102	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Plain (no plating)				18.1 mm
127A1021S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 10.2 x 18.1 x 2.2 mm	Steel 420-490 HV	10.2 x 18.1 x 2.2 mm	Zinc Bright Passivation Fe/Zn P1				18.1 mm
127A122	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A1221	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Zinc Bright Passivation Fe/Zn P1				21.1 mm
127A1221S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Zinc Bright Passivation Fe/Zn P1				21.1 mm
127A122S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 12.2 x 21.1 x 2.5 mm	Steel 420-490 HV	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A1421	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 14.2 x							

24.1 x 3

Steel 420-490 HV

14.2 x 24.1 x 3 mm

Zinc Bright Passivation Fe/Zn P1

24.1 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
127A162	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Plain (no plating)				27.4 mm
127A1621	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				27.4 mm
127A1621S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				27.4 mm
127A162S100	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 16.2 x 27.4 x 3.5	Steel 420-490 HV	16.2 x 27.4 x 3.5 mm	Plain (no plating)				27.4 mm
127A1821	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 18.2 x 29.4 x 3.5	Steel 420-490 HV	18.2 x 29.4 x 3.5 mm	Zinc Bright Passivation Fe/Zn P1				29.4 mm
127A2011	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
127A202	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Plain (no plating)				33.6 mm
127A2021	DIN 127-B Spring Lock Washer, Stainless A2, 2.1 x 4.4 x 0.5	Stainless A2	2.1 x 4.4 x 0.5 mm	Plain (no plating)				4.4 mm
127A2022	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Hot Dip Galvanizing				33.6 mm
127A2025	DIN 127-B Spring Lock Washer, Stainless A2, 2.6 x 5.2 x 0.6	Stainless A2	2.6 x 5.2 x 0.6 mm	Plain (no plating)				5.2 mm
127A2026	DIN 127-B Spring Lock Washer, Stainless A2, 2.6 x 5.2 x 0.6	Stainless A2	2.6 x 5.2 x 0.6 mm	Plain (no plating)				5.2 mm
127A2027	DIN 127-A Spring Lock Washer, Stainless A2, 2.7 x 5.2 x 0.6	Stainless A2	2.7 x 5.2 x 0.6 mm	Plain (no plating)				5.2 mm
127A2031	DIN 127-B Spring Lock Washer, Stainless A2, 3.1 x 6.2 x 0.6	Stainless A2	3.1 x 6.2 x 0.8 mm	Plain (no plating)				6.2 mm
127A2035	DIN 127-B Spring Lock Washer, Stainless A2, 3.6 x 6.7 x 0.8	Stainless A2	3.6 x 6.7 x 0.8 mm	Plain (no plating)				6.7 mm
127A2036	DIN 127-A Spring Lock Washer, Stainless A2, 3.6 x 6.7 x 0.8	Stainless A2	3.6 x 6.7 x 0.8 mm	Plain (no plating)				6.7 mm
127A2041	DIN 127-B Spring Lock Washer, Stainless A2, 4.1 x 7.6 x 0.8	Stainless A2	4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127A2051	DIN 127-B Spring Lock Washer, Stainless A2, 5.1 x 9.2 x 1.2	Stainless A2	5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm
127A2061	DIN 127-B Spring Lock Washer, Stainless A2, 6.1 x 11.8 x 1.6	Stainless A2	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A2065	DIN 127-B Spring Lock Washer, Stainless A2, 6.1 x 11.8 x 1.6	Stainless A2	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A2071	DIN 127-B Spring Lock Washer, Stainless A2, 7.1 x 12.8 x 1.6	Stainless A2	7.1 x 12.8 x 1.6 mm	Plain (no plating)				12.8 mm
127A2081	DIN 127-B Spring Lock Washer, Stainless A2, 8.1 x 14.8 x 1.6	Stainless A2	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A2082	DIN 127-B Spring Lock Washer, Stainless A2, 8.1 x 14.8 x 1.6	Stainless A2	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A2102	DIN 127-B Spring Lock Washer, Stainless A2, 10.2 x 18.1 x 2.2	Stainless A2	10.2 x 18.1 x 2.2 mm	Plain (no plating)				18.1 mm
127A2122	DIN 127-B Spring Lock Washer, Stainless A2, 12.2 x 21.1 x 2.5	Stainless A2	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A2142	DIN 127-B Spring Lock Washer, Stainless A2, 14.2 x 24.1 x 2.5	Stainless A2	14.2 x 24.1 x 3 mm	Plain (no plating)				24.1 mm
127A2162	DIN 127-B Spring Lock Washer, Stainless A2, 16.2 x 27.4 x 3.5	Stainless A2	16.2 x 27.4 x 3.5 mm	Plain (no plating)				27.4 mm
127A2182	DIN 127-B Spring Lock Washer, Stainless A2, 18.2 x 29.4 x 3.5	Stainless A2	18.2 x 29.4 x 3.5 mm	Plain (no plating)				29.4 mm
127A2202	DIN 127-B Spring Lock Washer, Stainless A2, 20.2 x 33.6 x 3.5	Stainless A2	20.2 x 33.6 x 4 mm	Plain (no plating)				33.6 mm
127A22021	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 20.2 x 33.6 x 4	Steel 420-490 HV	20.2 x 33.6 x 4 mm	Zinc Bright Passivation Fe/Zn P1				33.6 mm
127A2225	DIN 127-B Spring Lock Washer, Stainless A2, 22.5 x 35.9 x 4	Stainless A2	22.5 x 35.9 x 4 mm	Plain (no plating)				35.9 mm
127A2245	DIN 127-B Spring Lock Washer, Stainless A2, 24.5 x 40 x 5	Stainless A2	24.5 x 40 x 5 mm	Plain (no plating)				40 mm
127A2275	DIN 127-B Spring Lock Washer, Stainless A2, 27.5 x 43 x 5	Stainless A2	27.5 x 43 x 5 mm	Plain (no plating)				43 mm
127A2305	DIN 127-B Spring Lock Washer, Stainless A2, 30.5 x 48.2 x 6	Stainless A2	30.5 x 48.2 x 6 mm	Plain (no plating)				48.2 mm
127A2335	DIN 127-A Spring Lock Washer, Stainless A2, 33.5 x 55.2 x 6	Stainless A2	33.5 x 55.2 x 6 mm	Plain (no plating)				55.2 mm
127A2365	DIN 127-B Spring Lock Washer, Stainless A2, 36.5 x 58.2 x 6	Stainless A2	36.5 x 58.2 x 6 mm	Plain (no plating)				58.2 mm
127A2395	DIN 127-A Spring Lock Washer, Stainless A2, 39.5 x 61.2 x 6	Stainless A2	39.5 x 61.2 x 6 mm	Plain (no plating)				61.2 mm
127A2425	DIN 127-B Spring Lock Washer, Stainless A2, 42.5 x 68.2 x 7	Stainless A2	42.5 x 68.2 x 7 mm	Plain (no plating)				68.2 mm
127A2451	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 24.5 x 40 x 5	Steel 420-490 HV	24.5 x 40 x 5 mm	Zinc Bright Passivation Fe/Zn P1				40 mm
127A2490	DIN 127-B Spring Lock Washer, Stainless A2, 49 x 75 x 7	Stainless A2	49 x 75 x 7 mm	Plain (no plating)				75 mm
127A2B041	DIN 127-B Spring Lock Washer, Stainless A2, 4.1 x 7.6 x 0.9	Stainless A2	4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127A2B061	DIN 127-B Spring Lock Washer, Stainless A2, 6.1 x 11.8 x 1.6	Stainless A2	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A3051	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 30.5 x 48.2 x 6	Steel 420-490 HV	30.5 x 48.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				48.2 mm
127A3172	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 31.7 x 48.2 x 6	Steel 420-490 HV	31.7 x 48.2 x 6 mm	Hot Dip Galvanizing				48.2 mm
127A377	DIN 127-A Spring Lock Washer, Steel 420-490 HV, 37.7 x 58.2 x 6	Steel 420-490 HV	37.7 x 58.2 x 6 mm	Plain (no plating)				58.2 mm
127A4021	DIN 127-B Spring Lock Washer, Stainless A4, 2.1 x 4.4 x 0.5	Stainless A4	2.1 x 4.4 x 0.5 mm	Plain (no plating)				4.4 mm
127A4024	DIN 127-A Spring Lock Washer, Stainless A4, 2.4 x 4.9 x 0.5							

0.6 mm

Stainless A4

2.4 x 4.9 x 0.6 mm

Plain (no plating)

4.9 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
127A4025	DIN 127-B Spring Lock Washer, Stainless A4, 2.6 x 5.1 x 0.6 mm	Stainless A4	2.6 x 5.1 x 0.6 mm	Plain (no plating)				5.2 mm
127A4026	DIN 127-B Spring Lock Washer, Stainless A4, 2.6 x 5.1 x 0.6 mm	Stainless A4	2.6 x 5.1 x 0.6 mm	Plain (no plating)				5.2 mm
127A4027	DIN 127-B Spring Lock Washer, Stainless A4, 2.6 x 5.1 x 0.6 mm	Stainless A4	2.6 x 5.1 x 0.6 mm	Plain (no plating)				5.2 mm
127A4031	DIN 127-B Spring Lock Washer, Stainless A4, 3.1 x 6.2 x 0.8 mm	Stainless A4	3.1 x 6.2 x 0.8 mm	Plain (no plating)				6.2 mm
127A4036	DIN 127-B Spring Lock Washer, Stainless A4, 3.6 x 6.7 x 0.8 mm	Stainless A4	3.6 x 6.7 x 0.8 mm	Plain (no plating)				6.7 mm
127A4041	DIN 127-B Spring Lock Washer, Stainless A4, 4.1 x 7.6 x 0.8 mm	Stainless A4	4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127A4051	DIN 127-B Spring Lock Washer, Stainless A4, 5.1 x 9.2 x 1.2 mm	Stainless A4	5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm
127A4051-SCH	DIN 127-B Spring Lock Washer, Stainless A4, 5.1 x 9.2 x 1.2 mm	Stainless A4	5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm
127A4061	DIN 127-B Spring Lock Washer, Stainless A4, 6.1 x 11.8 x 1.6 mm	Stainless A4	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A4061-SCH	DIN 127-B Spring Lock Washer, Stainless A4, 6.1 x 11.8 x 1.6 mm	Stainless A4	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A4065	DIN 127-B Spring Lock Washer, Stainless A4, 6.1 x 11.8 x 1.6 mm	Stainless A4	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127A4081	DIN 127-B Spring Lock Washer, Stainless A4, 8.1 x 14.8 x 2 mm	Stainless A4	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A4081-SCH	DIN 127-B Spring Lock Washer, Stainless A4, 8.1 x 14.8 x 2 mm	Stainless A4	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A4082	DIN 127-B Spring Lock Washer, Stainless A4, 8.1 x 14.8 x 2 mm	Stainless A4	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127A4102	DIN 127-B Spring Lock Washer, Stainless A4, 10.2 x 18.1 x 2.2 mm	Stainless A4	10.2 x 18.1 x 2.2 mm	Plain (no plating)				18.1 mm
127A4102-SCH	DIN 127-B Spring Lock Washer, Stainless A4, 10.2 x 18.1 x 2.2 mm	Stainless A4	10.2 x 18.1 x 2.2 mm	Plain (no plating)				18.1 mm
127A4113	DIN 127-B Spring Lock Washer, Stainless A4, 11.3 x 18.3 x 2.2 mm	Stainless A4	11.3 x 18.3 x 2.2 mm	Plain (no plating)				18.3 mm
127A4122	DIN 127-B Spring Lock Washer, Stainless A4, 12.2 x 21.1 x 2.5 mm	Stainless A4	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A4122-SCH	DIN 127-B Spring Lock Washer, Stainless A4, 12.2 x 21.1 x 2.5 mm	Stainless A4	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A4122S50	DIN 127-B Spring Lock Washer, Stainless A4, 12.2 x 21.1 x 2.5 mm	Stainless A4	12.2 x 21.1 x 2.5 mm	Plain (no plating)				21.1 mm
127A4130	DIN 127-B Spring Lock Washer, Stainless A4, 13 x 21 x 2.5 mm	Stainless A4	13 x 21 x 2.5 mm	Plain (no plating)				21 mm
127A4142	DIN 127-B Spring Lock Washer, Stainless A4, 14.2 x 24.1 x 3 mm	Stainless A4	14.2 x 24.1 x 3 mm	Plain (no plating)				24.1 mm
127A4162	DIN 127-B Spring Lock Washer, Stainless A4, 16.2 x 27.4 x 3.5 mm	Stainless A4	16.2 x 27.4 x 3.5 mm	Plain (no plating)				27.4 mm
127A4162S50	DIN 127-B Spring Lock Washer, Stainless A4, 16.2 x 27.4 x 3.5 mm	Stainless A4	16.2 x 27.4 x 3.5 mm	Plain (no plating)				27.4 mm
127A4182	DIN 127-B Spring Lock Washer, Stainless A4, 18.2 x 29.4 x 3.5 mm	Stainless A4	18.2 x 29.4 x 3.5 mm	Plain (no plating)				29.4 mm
127A4193	DIN 127-B Spring Lock Washer, Stainless A4, 19.3 x 31.3 x 4 mm	Stainless A4	19.3 x 31.3 x 4 mm	Plain (no plating)				31.3 mm
127A4202	DIN 127-B Spring Lock Washer, Stainless A4, 20.2 x 33.6 x 4 mm	Stainless A4	20.2 x 33.6 x 4 mm	Plain (no plating)				33.6 mm
127A4202S50	DIN 127-B Spring Lock Washer, Stainless A4, 20.2 x 33.6 x 4 mm	Stainless A4	20.2 x 33.6 x 4 mm	Plain (no plating)				33.6 mm
127A4225	DIN 127-B Spring Lock Washer, Stainless A4, 22.5 x 35.9 x 4 mm	Stainless A4	22.5 x 35.9 x 4 mm	Plain (no plating)				35.9 mm
127A4245	DIN 127-B Spring Lock Washer, Stainless A4, 24.5 x 40 x 5 mm	Stainless A4	24.5 x 40 x 5 mm	Plain (no plating)				40 mm
127A4275	DIN 127-B Spring Lock Washer, Stainless A4, 27.5 x 43 x 5 mm	Stainless A4	27.5 x 43 x 5 mm	Plain (no plating)				43 mm
127A4305	DIN 127-B Spring Lock Washer, Stainless A4, 30.5 x 48.2 x 6 mm	Stainless A4	30.5 x 48.2 x 6 mm	Plain (no plating)				48.2 mm
127A4335	DIN 127-A Spring Lock Washer, Stainless A4, 33.5 x 55.2 x 6 mm	Stainless A4	33.5 x 55.2 x 6 mm	Plain (no plating)				55.2 mm
127A4365	DIN 127-B Spring Lock Washer, Stainless A4, 36.5 x 58.2 x 6 mm	Stainless A4	36.5 x 58.2 x 6 mm	Plain (no plating)				58.2 mm
127A4395	DIN 127-B Spring Lock Washer, Stainless A4, 39.5 x 61.2 x 6 mm	Stainless A4	39.5 x 61.2 x 6 mm	Plain (no plating)				61.2 mm
127A4425	DIN 127-A Spring Lock Washer, Stainless A4, 42.5 x 68.2 x 7 mm	Stainless A4	42.5 x 68.2 x 7 mm	Plain (no plating)				68.2 mm
127A481	DIN 127-B Spring Lock Washer, Stainless A4, 8.1 x 14.8 x 2 mm	Stainless A4	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127BA2084	DIN 127-B Spring Lock Washer, Stainless A2, 8.1 x 14.8 x 2 mm	Stainless A2	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127BA402	DIN 127-B Spring Lock Washer, Stainless A4, 2.1 x 4.4 x 0.5 mm	Stainless A4	2.1 x 4.4 x 0.5 mm	Plain (no plating)				4.4 mm
127BA4031	DIN 127-B Spring Lock Washer, Stainless A4, 3.1 x 6.2 x 0.8 mm	Stainless A4	3.1 x 6.2 x 0.8 mm	Plain (no plating)				6.2 mm
127BA4425	DIN 127-B Spring Lock Washer, Stainless A4, 42.5 x 68.5 x 7 mm	Stainless A4	42.5 x 68.5 x 7 mm	Plain (no plating)				68.2 mm
127BB040	DIN 127-B Spring Lock Washer, 4.1 x 7.6 x 0.9 mm, Plain		4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127BD6081	DIN 127-B Spring Lock Washer, Duplex stainless D6 (1.4462) 8.1	Duplex stainless D6 (1.4462)	8.1 x 14.8 x 2 mm	Plain (no plating)				14.8 mm
127BSD061	DIN 127-B Spring Lock Washer, Stainless D8, 6.1 x 11.8 x 1.6 mm	Stainless D8	6.1 x 11.8 x 1.6 mm	Plain (no plating)				11.8 mm
127BT02	DIN 127-B Spring Lock Washer, 2.1 x 4.4 x 0.5 mm, Titanium Plai		2.1 x 4.4 x 0.5 mm	Plain (no plating)				4.4 mm
127BT06	DIN 127-B Spring Lock Washer, 6.1 x 11.8 x 1.6 mm, Titan,							

Plain

6.1 x 11.8 x 1.6 mm

Plain (no plating)

11.8 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
127PB041	DIN 127-B Spring Lock Washer, 4.1 x 7.6 x 0.9 mm, Plain		4.1 x 7.6 x 0.9 mm	Plain (no plating)				7.6 mm
127PB051	DIN 127-B Spring Lock Washer, 5.1 x 9.2 x 1.2 mm, Plain		5.1 x 9.2 x 1.2 mm	Plain (no plating)				9.2 mm

