


DIN 128 — Spring Lock Washer



Catalogue data sheet · 80 sizes · category Washers / Spring Lock Washers · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
128A-1.4310-010	DIN 128-A Spring Lock Washer, Stainless EN 1.4310, 10.2 x 18.1 x 1.8 mm	Stainless EN 1.4310	10.2 x 18.1 x 1.8 mm	Plain (no plating)				17.2 mm
128A0261	DIN 128-A Spring Lock Washer, Steel, 2.6 x 5.1 x 0.6 mm, Zinc Pl	Steel	2.6 x 5.1 x 0.6 mm	Zinc Bright Passivation Fe/Zn P1				4.6 mm
128A031	DIN 128-A Spring Lock Washer, Steel, 3.1 x 6.2 x 0.7 mm, Plain	Steel	3.1 x 6.2 x 0.7 mm	Plain (no plating)				5.7 mm
128A0311	DIN 128-A Spring Lock Washer, Steel, 3.1 x 6.2 x 0.7 mm, Zinc Pl	Steel	3.1 x 6.2 x 0.7 mm	Zinc Bright Passivation Fe/Zn P1				5.7 mm
128A041	DIN 128-A Spring Lock Washer, Steel, 4.1 x 7.6 x 0.8 mm, Zinc Pl	Steel	4.1 x 7.6 x 0.8 mm	Plain (no plating)				7.1 mm
128A0411	DIN 128-A Spring Lock Washer, Steel, 4.1 x 7.6 x 0.8 mm, Zinc Pl	Steel	4.1 x 7.6 x 0.8 mm	Zinc Bright Passivation Fe/Zn P1				7.1 mm
128A051	DIN 128-A Spring Lock Washer, Steel, 5.1 x 9.2 x 1 mm, Plain	Steel	5.1 x 9.2 x 1 mm	Plain (no plating)				8.7 mm
128A0511	DIN 128-A Spring Lock Washer, Steel, 5.1 x 9.2 x 1 mm, Zinc Pl	Steel	5.1 x 9.2 x 1 mm	Zinc Bright Passivation Fe/Zn P1				8.7 mm
128A061	DIN 128-A Spring Lock Washer, Steel, 6.1 x 11.8 x 1.3 mm, Plain	Steel	6.1 x 11.8 x 1.3 mm	Plain (no plating)				11.1 mm
128A0611	DIN 128-A Spring Lock Washer, Steel, 6.1 x 11.8 x 1.3 mm, Zinc Pl	Steel	6.1 x 11.8 x 1.3 mm	Zinc Bright Passivation Fe/Zn P1				11.1 mm
128A061PH	DIN 128-A Spring Lock Washer, Steel, 6.1 x 11.8 x 1.3 mm, Zinc P	Steel	6.1 x 11.8 x 1.3 mm	Phosphating				11.1 mm
128A0651	DIN 128-A Spring Lock Washer, Steel 420-490 HV, 6.5 x 11.1 x 1.3 mm, Zinc Pl	Steel 420-490 HV	6.5 x 11.1 x 1.3 mm	Zinc Bright Passivation Fe/Zn P1				11.1 mm
128A0811	DIN 128-A Spring Lock Washer, Steel, 8.1 x 14.8 x 1.6 mm, Zinc Pl	Steel	8.1 x 14.8 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				14.1 mm
128A082	DIN 128-A Spring Lock Washer, Steel 420-490 HV, 8.2 x 14.1 x 1.6 mm, Plain	Steel 420-490 HV	8.2 x 14.1 x 1.6 mm	Plain (no plating)				14.1 mm
128A0821	DIN 128-A Spring Lock Washer, Steel 420-490 HV, 8.2 x 14.1 x 1.6 mm, Zinc Pl	Steel 420-490 HV	8.2 x 14.1 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				14.1 mm
128A102	DIN 128-A Spring Lock Washer, Steel, 10.2 x 18.1 x 1.8 mm, Plain	Steel	10.2 x 18.1 x 1.8 mm	Plain (no plating)				17.2 mm
128A1021	DIN 128-A Spring Lock Washer, Steel, 10.2 x 18.1 x 1.8 mm, Zinc Pl	Steel	10.2 x 18.1 x 1.8 mm	Zinc Bright Passivation Fe/Zn P1				17.2 mm
128A1022	DIN 128-A Spring Lock Washer, Steel, 10.2 x 18.1 x 1.8 mm, Hot Dip Galvanizing	Steel	10.2 x 18.1 x 1.8 mm	Hot Dip Galvanizing				17.2 mm
128A122	DIN 128-A Spring Lock Washer, Steel, 12.2 x 21.1 x 2.1 mm, Plain	Steel	12.2 x 21.1 x 2.1 mm	Plain (no plating)				20.2 mm
128A1221	DIN 128-A Spring Lock Washer, Steel, 12.2 x 21.1 x 2.1 mm, Zinc Pl	Steel	12.2 x 21.1 x 2.1 mm	Zinc Bright Passivation Fe/Zn P1				20.2 mm
128A1222	DIN 128-A Spring Lock Washer, Steel, 12.2 x 21.1 x 2.1 mm, Hot Dip Galvanizing	Steel	12.2 x 21.1 x 2.1 mm	Hot Dip Galvanizing				20.2 mm
128A142	DIN 128-A Spring Lock Washer, Steel, 14.2 x 24.1 x 2.4 mm, Plain	Steel	14.2 x 24.1 x 2.4 mm	Plain (no plating)				23.2 mm
128A1421	DIN 128-A Spring Lock Washer, Steel, 14.2 x 24.1 x 2.4 mm, Zinc Pl	Steel	14.2 x 24.1 x 2.4 mm	Zinc Bright Passivation Fe/Zn P1				23.2 mm
128A162	DIN 128-A Spring Lock Washer, Steel, 16.2 x 27.4 x 2.8 mm, Plain	Steel	16.2 x 27.4 x 2.8 mm	Plain (no plating)				26.2 mm
128A1621	DIN 128-A Spring Lock Washer, Steel, 16.2 x 27.4 x 2.8 mm, Zinc Pl	Steel	16.2 x 27.4 x 2.8 mm	Zinc Bright Passivation Fe/Zn P1				26.2 mm
128A1622	DIN 128-A Spring Lock Washer, Steel, 16.2 x 27.4 x 2.8 mm, Hot Dip Galvanizing	Steel	16.2 x 27.4 x 2.8 mm	Hot Dip Galvanizing				26.2 mm

mm, Hot-D

Steel

16.2 x 27.4 x 2.8 mm

Hot Dip Galvanizing

26.2 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
128A1821	DIN 128-A Spring Lock Washer, Steel, 18.2 x 29.4 x 2.8	Steel	18.2 x 29.4 x 2.8 mm	Zinc Bright Passivation Fe/Zn P1				28.2 mm
128A202	DIN 128-A Spring Lock Washer, Steel, 20.2 x 33.6 x 3.2	Steel	20.2 x 33.6 x 3.2 mm	Plain (no plating)				32.2 mm
128A2021	DIN 128-A Spring Lock Washer, Steel, 20.2 x 33.6 x 3.2	Steel	20.2 x 33.6 x 3.2 mm	Zinc Bright Passivation Fe/Zn P1				32.2 mm
128A2022	DIN 128-A Spring Lock Washer, Steel, 20.2 x 33.6 x 3.2	Steel	20.2 x 33.6 x 3.2 mm	Hot Dip Galvanizing				32.2 mm
128A2251	DIN 128-A Spring Lock Washer, Steel, 22.5 x 35.9 x 3.2	Steel	22.5 x 35.9 x 3.2 mm	Zinc Bright Passivation Fe/Zn P1				34.5 mm
128A2251-AWT	DIN 128-A Spring Lock Washer, Steel, 22.5 x 35.9 x 3.2	Steel	22.5 x 35.9 x 3.2 mm	Zinc Bright Passivation Fe/Zn P1				34.5 mm
128A245	DIN 128-A Spring Lock Washer, Steel, 24.5 x 40 x 4 mm,	Steel	24.5 x 40 x 4 mm	Plain (no plating)				38.5 mm
128A2451	DIN 128-A Spring Lock Washer, Steel, 24.5 x 40 x 4 mm,	Steel	24.5 x 40 x 4 mm	Zinc Bright Passivation Fe/Zn P1				38.5 mm
128A3051	DIN 128-A Spring Lock Washer, Steel, 30.5 x 48.2 x 6 mm,	Steel	30.5 x 48.2 x 6 mm	Zinc Bright Passivation Fe/Zn P1				46.5 mm
128A365	DIN 128-A Spring Lock Washer, Steel, 36.5 x 58.2 x 6 mm,	Steel	36.5 x 58.2 x 6 mm	Plain (no plating)				56.5 mm
128A4041	DIN 128-A Spring Lock Washer, Stainless A4, 4.1 x 7.6 x	Stainless A4	4.1 x 7.6 x 0.8 mm	Plain (no plating)				7.1 mm
128A4051	DIN 128-A Spring Lock Washer, Stainless A4, 5.1 x 9.2 x 1	Stainless A4	5.1 x 9.2 x 1 mm	Plain (no plating)				8.7 mm
128A4082	DIN 128-A Spring Lock Washer, Stainless A4, 8.1 x 14.8 x	Stainless A4	8.1 x 14.8 x 1.6 mm	Plain (no plating)				14.1 mm
128AA2021	DIN 128-A Spring Lock Washer, Stainless A2, 2.1 x 3.9 x	Stainless A2	2.1 x 3.9 x 0.5 mm	Plain (no plating)				3.9 mm
128AA2026	DIN 128-A Spring Lock Washer, Stainless A2, 2.6 x 4.6 x	Stainless A2	2.6 x 4.6 x 0.6 mm	Plain (no plating)				4.6 mm
128AA2031	DIN 128-A Spring Lock Washer, Stainless A2, 3.1 x 5.7 x	Stainless A2	3.1 x 5.7 x 0.7 mm	Plain (no plating)				5.7 mm
128AA2041	DIN 128-A Spring Lock Washer, Stainless A2, 4.1 x 7.1 x	Stainless A2	4.1 x 7.1 x 0.8 mm	Plain (no plating)				7.1 mm
128AA2051	DIN 128-A Spring Lock Washer, Stainless A2, 5.1 x 8.7 x 1	Stainless A2	5.1 x 8.7 x 1 mm	Plain (no plating)				8.7 mm
128AA2061	DIN 128-A Spring Lock Washer, Stainless A2, 6.1 x 11.1 x	Stainless A2	6.1 x 11.1 x 1.3 mm	Plain (no plating)				11.1 mm
128AA2082	DIN 128-A Spring Lock Washer, Stainless A2, 8.1 x 14.1 x	Stainless A2	8.1 x 14.1 x 1.6 mm	Plain (no plating)				14.1 mm
128AA2102	DIN 128-A Spring Lock Washer, Stainless A2, 10.2 x 17.2 x	Stainless A2	10.2 x 17.2 x 1.8 mm	Plain (no plating)				17.2 mm
128AA2102-F	DIN 128-A Spring Lock Washer, Stainless A2, 10.2 x 17.2 x	Stainless A2	10.2 x 17.2 x 1.8 mm	Plain (no plating)				17.2 mm
128AA2122	DIN 128-A Spring Lock Washer, Stainless A2, 12.2 x 20.2 x	Stainless A2	12.2 x 20.2 x 2.1 mm	Plain (no plating)				20.2 mm
128AA2142	DIN 128-A Spring Lock Washer, Stainless A2, 14.2 x 23.2 x	Stainless A2	14.2 x 23.2 x 2.4 mm	Plain (no plating)				23.2 mm
128AA2162	DIN 128-A Spring Lock Washer, Stainless A2, 16.2 x 26.2 x	Stainless A2	16.2 x 26.2 x 2.8 mm	Plain (no plating)				26.2 mm
128AA2182	DIN 128-A Spring Lock Washer, Stainless A2, 18.2 x 28.2 x	Stainless A2	18.2 x 28.2 x 2.8 mm	Plain (no plating)				28.2 mm
128AA2202	DIN 128-A Spring Lock Washer, Stainless A2, 20.2 x 32.2 x	Stainless A2	20.2 x 32.2 x 3.2 mm	Plain (no plating)				32.2 mm
128AA2225	DIN 128-A Spring Lock Washer, Stainless A2, 22.5 x 34.5 x	Stainless A2	22.5 x 34.5 x 3.2 mm	Plain (no plating)				34.5 mm
128AA2245	DIN 128-A Spring Lock Washer, Stainless A2, 24.5 x 38.5 x	Stainless A2	24.5 x 38.5 x 4 mm	Plain (no plating)				38.5 mm
128AA4021	DIN 128-A Spring Lock Washer, Stainless A4, 2.1 x 4.4 x	Stainless A4	2.1 x 4.4 x 0.5 mm	Plain (no plating)				3.9 mm
128AA4026	DIN 128-A Spring Lock Washer, Stainless A4, 2.6 x 5.1 x	Stainless A4	2.6 x 5.1 x 0.6 mm	Plain (no plating)				4.6 mm
128AA4031	DIN 128-A Spring Lock Washer, Stainless A4, 3.1 x 6.2 x	Stainless A4	3.1 x 6.2 x 0.7 mm	Plain (no plating)				5.7 mm
128AA4036	DIN 128-A Spring Lock Washer, Stainless A4, 3.6 x 6.7 x	Stainless A4	3.6 x 6.7 x 0.7 mm	Plain (no plating)				6.2 mm
128AA4041	DIN 128-A Spring Lock Washer, Stainless A4, 4.1 x 7.6 x	Stainless A4	4.1 x 7.6 x 0.8 mm	Plain (no plating)				7.1 mm
128AA4051	DIN 128-A Spring Lock Washer, Stainless A4, 5.1 x 9.2 x 1	Stainless A4	5.1 x 9.2 x 1 mm	Plain (no plating)				8.7 mm
128AA4061	DIN 128-A Spring Lock Washer, Stainless A4, 6.1 x 11.8 x	Stainless A4	6.1 x 11.8 x 1.3 mm	Plain (no plating)				11.1 mm
128AA4081	DIN 128-A Spring Lock Washer, Stainless A4, 8.1 x 14.8 x	Stainless A4	8.1 x 14.8 x 1.6 mm	Plain (no plating)				14.1 mm
128AA4082	DIN 128-A Spring Lock Washer, Stainless A4, 8.1 x 14.8 x	Stainless A4	8.1 x 14.8 x 1.6 mm	Plain (no plating)				14.1 mm
128AA4102	DIN 128-A Spring Lock Washer, Stainless A4, 10.2 x 18.1 x	Stainless A4	10.2 x 18.1 x 1.8 mm	Plain (no plating)				17.2 mm
128AA4122	DIN 128-A Spring Lock Washer, Stainless A4, 12.2 x 21.1 x	Stainless A4	12.2 x 21.1 x 2.1 mm	Plain (no plating)				20.2 mm
128AA4162	DIN 128-A Spring Lock Washer, Stainless A4, 16.2 x 27.4 x	Stainless A4	16.2 x 27.4 x 2.8 mm	Plain (no plating)				26.2 mm
128AA4182	DIN 128-A Spring Lock Washer, Stainless A4, 18.2 x 29.4 x	Stainless A4	18.2 x 29.4 x 2.8 mm	Plain (no plating)				28.2 mm
128AA4202	DIN 128-A Spring Lock Washer, Stainless A4, 20.2 x 33.6 x	Stainless A4	20.2 x 33.6 x 3.2 mm	Plain (no plating)				32.2 mm
128AA4245	DIN 128-A Spring Lock Washer, Stainless A4, 24.5 x 40 x 4	Stainless A4	24.5 x 40 x 4 mm	Plain (no plating)				38.5 mm
128APB31	DIN 128-A Spring Lock Washer, 3.1 x 6.2 x 0.7 mm, Plain		3.1 x 6.2 x 0.7 mm	Plain (no plating)				5.7 mm
128APB41	DIN 128-A Spring Lock Washer, 4.1 x 7.6 x 0.8 mm, Plain		4.1 x 7.6 x 0.8 mm	Plain (no plating)				7.1 mm

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
128B0351	DIN 128-B Spring Lock Washer, Steel, 3.6 x 6.7 x 0.7 mm, Zinc Pl	Steel	3.6 x 6.7 x 0.7 mm	Zinc Bright Passivation Fe/Zn P1				6.2 mm
128B0411	DIN 128-B Spring Lock Washer, Steel, 4.1 x 7.6 x 0.8 mm, Zinc Pl	Steel	4.1 x 7.6 x 0.8 mm	Zinc Bright Passivation Fe/Zn P1				7.1 mm
128B0611	DIN 128-B Spring Lock Washer, Steel, 6.1 x 11.8 x 1.3 mm, Zinc Pl	Steel	6.1 x 11.8 x 1.3 mm	Zinc Bright Passivation Fe/Zn P1				11.1 mm
128B0821	DIN 128-B Spring Lock Washer, Steel, 8.1 x 14.8 x 1.6 mm, Zinc Pl	Steel	8.1 x 14.8 x 1.6 mm	Zinc Bright Passivation Fe/Zn P1				14.1 mm
128B1621	DIN 128-B Spring Lock Washer, Steel, 16.2 x 27.4 x 2.8 mm, Zinc Pl	Steel	16.2 x 27.4 x 2.8 mm	Zinc Bright Passivation Fe/Zn P1				26.2 mm
128B225	DIN 128-B Spring Lock Washer, Steel, 22.5 x 35.9 x 3.2 mm, Zinc Pl	Steel	22.5 x 35.9 x 3.2 mm	Plain (no plating)				34.5 mm
128B2451	DIN 128-B Spring Lock Washer, Steel, 24.5 x 40 x 4 mm, Zinc Pl	Steel	24.5 x 40 x 4 mm	Zinc Bright Passivation Fe/Zn P1				38.5 mm
128B275	DIN 128-B Spring Lock Washer, Steel, 27.5 x 43 x 4 mm, Plain	Steel	27.5 x 43 x 4 mm	Plain (no plating)				41.5 mm

