


DIN 1587 — Cap Nut



Catalogue data sheet · 165 sizes · category Nuts / Hexagon Domed Cap Nuts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15.
Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
158703	DIN 1587 Cap Nut, Steel class 6, M3, Plain	Steel class 6	M3	Plain (no plating)	3 mm	3.8 mm	5.5 mm	
1587031	DIN 1587 Cap Nut, Steel class 6, M3, Zinc Plated	Steel class 6	M3	Zinc Bright Passivation Fe/Zn P1	3 mm	3.8 mm	5.5 mm	
158704	DIN 1587 Cap Nut, Steel class 6, M4, Plain	Steel class 6	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587041	DIN 1587 Cap Nut, Steel class 6, M4, Zinc Plated	Steel class 6	M4	Zinc Bright Passivation Fe/Zn P1	4 mm	5.5 mm	7 mm	
1587041SST072	DIN 1587 Cap Nut, Steel class 6, M4, SST 72 h, Zinc Plated	Steel class 6	M4	Zinc Bright Passivation Fe/Zn P1	4 mm	5.5 mm	7 mm	
1587045	DIN 1587 Cap Nut, Steel class 6, M4, Chrome Plated	Steel class 6	M4	Chrome Plating	4 mm	5.5 mm	7 mm	
158704SK	DIN 1587 Cap Nut, Steel class 6, M4, Zinc Plated, Black Passivation	Steel class 6	M4	Zinc Black Passivation Fe/Zn P4	4 mm	5.5 mm	7 mm	
158704ZNB	DIN 1587 Cap Nut, Steel class 6, M4, Zinc-Nickel, Black Passivation	Steel class 6	M4	Zn-Ni BLACK, SEALED WITH LUBRICANT	4 mm	5.5 mm	7 mm	
158705	DIN 1587 Cap Nut, Steel class 6, M5, Plain	Steel class 6	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587051	DIN 1587 Cap Nut, Steel class 6, M5, Zinc Plated	Steel class 6	M5	Zinc Bright Passivation Fe/Zn P1	5 mm	7.5 mm	8 mm	
1587051GHP	DIN 1587 Cap Nut, Steel class 6, M5, Zinc Plated	Steel class 6	M5	Zinc Bright Passivation Fe/Zn P1	5 mm	7.5 mm	8 mm	
1587054	DIN 1587 Cap Nut, Steel class 6, M5, Nickel Plated	Steel class 6	M5	Nickel Plating	5 mm	7.5 mm	8 mm	
1587055	DIN 1587 Cap Nut, Steel class 6, M5, Chrome Plated	Steel class 6	M5	Chrome Plating	5 mm	7.5 mm	8 mm	
158705SK	DIN 1587 Cap Nut, Steel class 6, M5, Zinc Plated, Black Passivation	Steel class 6	M5	Zinc Black Passivation Fe/Zn P4	5 mm	7.5 mm	8 mm	
158705ZNBSS720	DIN 1587 Cap Nut, Steel class 6, M5, SST 720 h, Zinc-Nickel, Black Passivation	Steel class 6	M5	Zn-Ni BLACK, SEALED WITH LUBRICANT	5 mm	7.5 mm	8 mm	
158706	DIN 1587 Cap Nut, Steel class 6, M6, Plain	Steel class 6	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587061	DIN 1587 Cap Nut, Steel class 6, M6, Zinc Plated	Steel class 6	M6	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	10 mm	
1587061GHP	DIN 1587 Cap Nut, Steel class 8, M6, Zinc Plated	Steel class 8	M6	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	10 mm	
1587061SST072	DIN 1587 Cap Nut, Steel class 6, M6, SST 72 h, Zinc Plated	Steel class 6	M6	Zinc Bright Passivation Fe/Zn P1	6 mm	8 mm	10 mm	
1587064	DIN 1587 Cap Nut, Steel class 6, M6, Nickel Plated	Steel class 6	M6	Nickel Plating	6 mm	8 mm	10 mm	
158706SK	DIN 1587 Cap Nut, Steel class 6, M6, Zinc Plated, Black Passivation	Steel class 6	M6	Zinc Black Passivation Fe/Zn P4	6 mm	8 mm	10 mm	
158706ZB	DIN 1587 Cap Nut, Steel class 6, M6, Zinc Plated, Black Passivation	Steel class 6	M6	Zinc Black Passivation Fe/Zn P4	6 mm	8 mm	10 mm	
158706ZNB	DIN 1587 Cap Nut, Steel class 6, M6, Zinc-Nickel, Black Passivation	Steel class 6	M6	Zn-Ni BLACK, SEALED WITH LUBRICANT	6 mm	8 mm	10 mm	
158708	DIN 1587 Cap Nut, Steel class 6, M8, Plain	Steel class 6	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587081	DIN 1587 Cap Nut, Steel class 6, M8, Zinc Plated	Steel class 6	M8	Zinc Bright Passivation Fe/Zn P1	8 mm	11 mm	13 mm	
158708100	DIN 1587 Cap Nut, Steel class 6, M8 x 1, Plain	Steel class 6	M8 x 1	Plain (no plating)	8 mm	11 mm	13 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1587081S421	DIN 1587 Cap Nut, Steel class 6, M8, Zinc Plated	Steel class 6	M8	Zinc Bright Passivation Fe/Zn P1	8 mm	11 mm	13 mm	
1587082	DIN 1587 Cap Nut, Steel class 6, M8, Hot-Dip Galvanised	Steel class 6	M8	HOT DIP GALVANIZED ISO FIT	8 mm	11 mm	13 mm	
1587084	DIN 1587 Cap Nut, Steel class 6, M8, Nickel Plated	Steel class 6	M8	Nickel Plating	8 mm	11 mm	13 mm	
1587085	DIN 1587 Cap Nut, Steel class 6, M8, Turned, Dome, Chrome Plated	Steel class 6	M8	Chrome Plating	8 mm	11 mm	13 mm	
158708NI	DIN 1587 Cap Nut, Steel class 6, M8, Nickel Plated	Steel class 6	M8	Nickel Plating	8 mm	11 mm	13 mm	
158708NICKEL	DIN 1587 Cap Nut, Steel class 6, M8, Nickel Plated	Steel class 6	M8	Nickel Plating	8 mm	11 mm	13 mm	
158708SK	DIN 1587 Cap Nut, Steel class 6, M8, Zinc Plated, Black	Steel class 6	M8	Zinc Black Passivation Fe/Zn P4	8 mm	11 mm	13 mm	
158710	DIN 1587 Cap Nut, Steel class 6, M10, Plain	Steel class 6	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587101	DIN 1587 Cap Nut, Steel class 6, M10, Zinc Plated	Steel class 6	M10	Zinc Bright Passivation Fe/Zn P1	10 mm	13 mm	17 mm	
15871010	DIN 1587 Cap Nut, Steel class 6, M10 x 1, Plain	Steel class 6	M10 x 1	Plain (no plating)	10 mm	13 mm	17 mm	
1587101001	DIN 1587 Cap Nut, Steel class 6, M10 x 1, Zinc Plated	Steel class 6	M10 x 1	Zinc Bright Passivation Fe/Zn P1	10 mm	13 mm	17 mm	
1587102	DIN 1587 Cap Nut, Steel class 6, M10, Hot-Dip Galvanised	Steel class 6	M10	HOT DIP GALVANIZED ISO FIT	10 mm	13 mm	17 mm	
1587102B	DIN 1587 Cap Nut, Steel class 6, M10, Zinc Plated, Black	Steel class 6	M10	Zinc Black Passivation Fe/Zn P4	10 mm	13 mm	17 mm	
158712	DIN 1587 Cap Nut, Steel class 6, M12, Turned, Dome, Plain	Steel class 6	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587121	DIN 1587 Cap Nut, Steel class 6, M12, Zinc Plated	Steel class 6	M12	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	19 mm	
158712151	DIN 1587 Cap Nut, Steel class 6, M12 x 1.5, Zinc Plated	Steel class 6	M12 x 1.5	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	19 mm	
1587122	DIN 1587 Cap Nut, Steel class 6, M12, Hot-Dip Galvanised	Steel class 6	M12	HOT DIP GALVANIZED ISO FIT	12 mm	16 mm	19 mm	
158712I	DIN 1587 Cap Nut, Steel class 6, M12, Plain	Steel class 6	M12	Plain (no plating)	12 mm	16 mm	19 mm	
158712WAF19	DIN 1587 Cap Nut, Steel class 6, M12, Plain	Steel class 6	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587141	DIN 1587 Cap Nut, Steel class 6, M14, Zinc Plated	Steel class 6	M14	Zinc Bright Passivation Fe/Zn P1	14 mm	18 mm	22 mm	
158714150	DIN 1587 Cap Nut, Steel class 6, M14 x 1.5, Plain	Steel class 6	M14 x 1.5	Plain (no plating)	14 mm	18 mm	22 mm	
158716	DIN 1587 Cap Nut, Steel class 6, M16, Plain	Steel class 6	M16	Plain (no plating)	16 mm	21 mm	24 mm	
1587161	DIN 1587 Cap Nut, Steel class 6, M16, Zinc Plated	Steel class 6	M16	Zinc Bright Passivation Fe/Zn P1	16 mm	21 mm	24 mm	
158716151	DIN 1587 Cap Nut, Steel class 6, M16 x 1.5, Zinc Plated	Steel class 6	M16 x 1.5	Zinc Bright Passivation Fe/Zn P1	16 mm	21 mm	24 mm	
1587162	DIN 1587 Cap Nut, Steel class 6, M16, Hot-Dip Galvanised	Steel class 6	M16	HOT DIP GALVANIZED ISO FIT	16 mm	21 mm	24 mm	
158716TDG	DIN 1587 Cap Nut, Steel class 6, M16, Thermodiffuzion	Steel class 6	M16	THERMODIFFUZION	16 mm	21 mm	24 mm	
1587181	DIN 1587 Cap Nut, Steel class 6, M18, Zinc Plated	Steel class 6	M18	Zinc Bright Passivation Fe/Zn P1	18 mm	25 mm	27 mm	
158720	DIN 1587 Cap Nut, Steel class 6, M20, Plain	Steel class 6	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587201	DIN 1587 Cap Nut, Steel class 6, M20, Zinc Plated	Steel class 6	M20	Zinc Bright Passivation Fe/Zn P1	20 mm	26 mm	30 mm	
1587202	DIN 1587 Cap Nut, Steel class 6, M20, Hot-Dip Galvanised	Steel class 6	M20	HOT DIP GALVANIZED ISO FIT	20 mm	26 mm	30 mm	
158722	DIN 1587 Cap Nut, Steel class 6, M22, Plain	Steel class 6	M22	Plain (no plating)	22 mm	29 mm	32 mm	
1587221	DIN 1587 Cap Nut, Steel class 6, M22, Zinc Plated	Steel class 6	M22	Zinc Bright Passivation Fe/Zn P1	22 mm	29 mm	32 mm	
158724	DIN 1587 Cap Nut, Steel class 6, M24, Plain	Steel class 6	M24	Plain (no plating)	24 mm	31 mm	36 mm	
1587241	DIN 1587 Cap Nut, Steel class 6, M24, Zinc Plated	Steel class 6	M24	Zinc Bright Passivation Fe/Zn P1	24 mm	31 mm	36 mm	
158727	DIN 1587 Cap Nut, Steel class 6, M27, Plain	Steel class 6	M27	Plain (no plating)	27 mm	35 mm	41 mm	
1587271	DIN 1587 Cap Nut, Steel class 6, M27, Zinc Plated	Steel class 6	M27	Zinc Bright Passivation Fe/Zn P1	27 mm	35 mm	41 mm	
1587301	DIN 1587 Cap Nut, Steel class 6, M30, Zinc Plated	Steel class 6	M30	Zinc Bright Passivation Fe/Zn P1	30 mm	39 mm	46 mm	
1587361	DIN 1587 Cap Nut, Steel class 6, M36, Zinc Plated	Steel class 6	M36	Zinc Bright Passivation Fe/Zn P1	36 mm	47 mm	55 mm	
158736TDG	DIN 1587 Cap Nut, Steel class 6, M36, Thermodiffuzion	Steel class 6	M36	THERMODIFFUZION	36 mm	47 mm	55 mm	
1587624150	DIN 1587 Cap Nut, Steel class 6, M24 x 1.5, Plain	Steel class 6	M24 x 1.5	Plain (no plating)	24 mm	31 mm	36 mm	
15876241501	DIN 1587 Cap Nut, Steel class 6, M24 x 1.5, Zinc Plated	Steel class 6	M24 x 1.5	Zinc Bright Passivation Fe/Zn P1	24 mm	31 mm	36 mm	
15878101	DIN 1587 Cap Nut, Steel class 8, M10, Zinc Plated	Steel class 8	M10	Zinc Bright Passivation Fe/Zn P1	10 mm	13 mm	17 mm	
1587A203	DIN 1587 Cap Nut, Stainless A2-50, M3	Stainless A2-50	M3	Plain (no plating)	3 mm	3.8 mm	5.5 mm	
1587A204	DIN 1587 Cap Nut, Stainless A2-50, M4	Stainless A2-50	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587A205	DIN 1587 Cap Nut, Stainless A2-50, M5	Stainless A2-50	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587A205-CN	DIN 1587 Cap Nut, Stainless A2-50, M5 (1587A205-CN)	Stainless A2-50	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1587A205SB	DIN 1587 Cap Nut, Stainless A2-50, M5, Stayblack	Stainless A2-50	M5	STAYBLACK	5 mm	7.5 mm	8 mm	
1587A206	DIN 1587 Cap Nut, Stainless A2-50, M6	Stainless A2-50	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587A2060SB	DIN 1587 Cap Nut, Stainless A2-50, M6, Stayblack	Stainless A2-50	M6	STAYBLACK	6 mm	8 mm	10 mm	
1587A208	DIN 1587 Cap Nut, Stainless A2-50, M8	Stainless A2-50	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A2081	DIN 1587 Cap Nut, Stainless A2-50, M8, Zinc Plated	Stainless A2-50	M8	Zinc Bright Passivation Fe/Zn P1	8 mm	11 mm	13 mm	
1587A210	DIN 1587 Cap Nut, Stainless A2-50, M10	Stainless A2-50	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587A212	DIN 1587 Cap Nut, Stainless A2-50, M12	Stainless A2-50	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A21215	DIN 1587 Cap Nut, Stainless A2-50, M12 x 1.5	Stainless A2-50	M12 x 1.5	Plain (no plating)	12 mm	16 mm	19 mm	
1587A214	DIN 1587 Cap Nut, Stainless A2-50, M14	Stainless A2-50	M14	Plain (no plating)	14 mm	18 mm	22 mm	
1587A214150	DIN 1587 Cap Nut, Stainless A2-50, M14 x 1.5	Stainless A2-50	M14 x 1.5	Plain (no plating)	14 mm	18 mm	22 mm	
1587A216	DIN 1587 Cap Nut, Stainless A2-50, M16	Stainless A2-50	M16	Plain (no plating)	16 mm	21 mm	24 mm	
1587A218	DIN 1587 Cap Nut, Stainless A2-50, M18	Stainless A2-50	M18	Plain (no plating)	18 mm	25 mm	27 mm	
1587A220	DIN 1587 Cap Nut, Stainless A2-50, M20	Stainless A2-50	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587A222	DIN 1587 Cap Nut, Stainless A2-50, M22	Stainless A2-50	M22	Plain (no plating)	22 mm	29 mm	32 mm	
1587A224	DIN 1587 Cap Nut, Stainless A2-50, M24	Stainless A2-50	M24	Plain (no plating)	24 mm	31 mm	36 mm	
1587A227	DIN 1587 Cap Nut, Stainless A2-50, M27	Stainless A2-50	M27	Plain (no plating)	27 mm	35 mm	41 mm	
1587A230	DIN 1587 Cap Nut, Stainless A2-50, M30	Stainless A2-50	M30	Plain (no plating)	30 mm	39 mm	46 mm	
1587A236	DIN 1587 Cap Nut, Stainless A2-50, M36	Stainless A2-50	M36	Plain (no plating)	36 mm	47 mm	55 mm	
1587A4008070	DIN 1587 Cap Nut, A4-50-1.4436, M8, Plain	A4-50-1.4436	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A4010050	DIN 1587 Cap Nut, A4-50-1.4436, M10, Plain	A4-50-1.4436	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587A4012050	DIN 1587 Cap Nut, A4-50-1.4436, M12, Plain	A4-50-1.4436	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A4016050	DIN 1587 Cap Nut, A4-50-1.4436, M16, Plain	A4-50-1.4436	M16	Plain (no plating)	16 mm	21 mm	24 mm	
1587A4020080C	DIN 1587 Cap Nut, Stainless A4-80, M20, EN 10204 3.1	Stainless A4-80	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587A403	DIN 1587 Cap Nut, Stainless A4-50, M3	Stainless A4-50	M3	Plain (no plating)	3 mm	3.8 mm	5.5 mm	
1587A404	DIN 1587 Cap Nut, Stainless A4-50, M4	Stainless A4-50	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587A405	DIN 1587 Cap Nut, Stainless A4-50, M5	Stainless A4-50	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587A4050	DIN 1587 Cap Nut, Stainless A4-50, M5	Stainless A4-50	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587A406	DIN 1587 Cap Nut, Stainless A4, M6	Stainless A4	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587A406C	DIN 1587 Cap Nut, Stainless A4, M6, EN 10204 2.2	Stainless A4	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587A408	DIN 1587 Cap Nut, Stainless A4-50, M8	Stainless A4-50	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A4080	DIN 1587 Cap Nut, Stainless A4-50, M8	Stainless A4-50	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A408C	DIN 1587 Cap Nut, Stainless A4-70, M8, EN 10204 2.2	Stainless A4-70	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A408C3.1	DIN 1587 Cap Nut, Stainless A4, M8, EN 10204 3.1	Stainless A4	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587A410	DIN 1587 Cap Nut, Stainless A4-50, M10	Stainless A4-50	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587A4100	DIN 1587 Cap Nut, Stainless A4-50, M10	Stainless A4-50	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587A410C	DIN 1587 Cap Nut, Stainless A4-80, M10, EN 10204 2.2	Stainless A4-80	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587A412	DIN 1587 Cap Nut, Stainless A4-50, M12	Stainless A4-50	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A4120	DIN 1587 Cap Nut, Stainless A4-50, M12	Stainless A4-50	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A41270	DIN 1587 Cap Nut, Stainless A4-70, M12	Stainless A4-70	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A41280	DIN 1587 Cap Nut, Stainless A4-80, M12	Stainless A4-80	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A412C	DIN 1587 Cap Nut, Stainless A4, M12, EN 10204 2.2	Stainless A4	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587A414	DIN 1587 Cap Nut, Stainless A4-50, M14	Stainless A4-50	M14	Plain (no plating)	14 mm	18 mm	22 mm	
1587A4140	DIN 1587 Cap Nut, Stainless A4-50, M14	Stainless A4-50	M14	Plain (no plating)	14 mm	18 mm	22 mm	
1587A416	DIN 1587 Cap Nut, Stainless A4-50, M16	Stainless A4-50	M16	Plain (no plating)	16 mm	21 mm	24 mm	
1587A4160	DIN 1587 Cap Nut, Stainless A4-50, M16	Stainless A4-50	M16	Plain (no plating)	16 mm	21 mm	24 mm	
1587A416080	DIN 1587 Cap Nut, Stainless A4-80, M16	Stainless A4-80	M16	Plain (no plating)	16 mm	21 mm	24 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1587A418	DIN 1587 Cap Nut, Stainless A4-50, M18	Stainless A4-50	M18	Plain (no plating)	18 mm	25 mm	27 mm	
1587A420	DIN 1587 Cap Nut, Stainless A4-50, M20	Stainless A4-50	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587A4200	DIN 1587 Cap Nut, Stainless A4-50, M20	Stainless A4-50	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587A422	DIN 1587 Cap Nut, Stainless A4-50, M22	Stainless A4-50	M22	Plain (no plating)	22 mm	29 mm	32 mm	
1587A424	DIN 1587 Cap Nut, Stainless A4-50, M24	Stainless A4-50	M24	Plain (no plating)	24 mm	31 mm	36 mm	
1587A424080	DIN 1587 Cap Nut, Stainless A4-80, M24	Stainless A4-80	M24	Plain (no plating)	24 mm	31 mm	36 mm	
1587A427	DIN 1587 Cap Nut, Stainless A4-50, M27	Stainless A4-50	M27	Plain (no plating)	27 mm	35 mm	41 mm	
1587A430	DIN 1587 Cap Nut, Stainless A4-50, M30	Stainless A4-50	M30	Plain (no plating)	30 mm	39 mm	46 mm	
1587A433	DIN 1587 Cap Nut, Stainless A4-50, M33	Stainless A4-50	M33	Plain (no plating)	33 mm	43 mm	50 mm	
1587A436	DIN 1587 Cap Nut, Stainless A4-50, M36	Stainless A4-50	M36	Plain (no plating)	36 mm	47 mm	55 mm	
1587A436DP	DIN 1587 Cap Nut, Stainless A4-70, M36, Zinc Flake, Silver	Stainless A4-70	M36	DELTA SEAL + GZ	36 mm	47 mm	55 mm	
1587B03	DIN 1587 Cap Nut, Brass, M3, Plain	Brass	M3	Plain (no plating)	3 mm	3.8 mm	5.5 mm	
1587B034	DIN 1587 Cap Nut, M3, Nickel Plated		M3	Nickel Plating	3 mm	3.8 mm	5.5 mm	
1587B035	DIN 1587 Cap Nut, Brass, M4, Chrome Plated	Brass	M4	Chrome Plating	4 mm	5.5 mm	7 mm	
1587B04	DIN 1587 Cap Nut, Brass, M4, Plain	Brass	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587B044	DIN 1587 Cap Nut, Brass, M4, Nickel Plated	Brass	M4	Nickel Plating	4 mm	5.5 mm	7 mm	
1587B045	DIN 1587 Cap Nut, Brass, M4, Chrome Plated	Brass	M4	Chrome Plating	4 mm	5.5 mm	7 mm	
1587B054	DIN 1587 Cap Nut, Brass, M5, Nickel Plated	Brass	M5	Nickel Plating	5 mm	7.5 mm	8 mm	
1587B06	DIN 1587 Cap Nut, Brass, M6, Plain	Brass	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587B064	DIN 1587 Cap Nut, Brass, M6, Nickel Plated	Brass	M6	Nickel Plating	6 mm	8 mm	10 mm	
1587B065	DIN 1587 Cap Nut, Brass, M6, Chrome Plated	Brass	M6	Chrome Plating	6 mm	8 mm	10 mm	
1587B08	DIN 1587 Cap Nut, Brass, M8, Plain	Brass	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587B084	DIN 1587 Cap Nut, Brass, M8, Nickel Plated	Brass	M8	Nickel Plating	8 mm	11 mm	13 mm	
1587B105	DIN 1587 Cap Nut, Brass, M10, Chrome Plated	Brass	M10	Chrome Plating	10 mm	13 mm	17 mm	
1587B12	DIN 1587 Cap Nut, Brass, M12, Plain	Brass	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587B124	DIN 1587 Cap Nut, Brass, M12, Nickel Plated	Brass	M12	Nickel Plating	12 mm	16 mm	19 mm	
1587B20	DIN 1587 Cap Nut, Brass, M20, Plain	Brass	M20	Plain (no plating)	20 mm	26 mm	30 mm	
1587C412	DIN 1587 Cap Nut, HASTELLOY C4, M12, Plain	HASTELLOY C4	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587C414	DIN 1587 Cap Nut, HASTELLOY C4, M14, Plain	HASTELLOY C4	M14	Plain (no plating)	14 mm	18 mm	22 mm	
1587P03	DIN 1587 Cap Nut, Polyamide, M3, Plain	Polyamide	M3	Plain (no plating)	3 mm	3.8 mm	5.5 mm	
1587P04	DIN 1587 Cap Nut, Polyamide, M4, Plain	Polyamide	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587P04B	DIN 1587 Cap Nut, POLYAMIDE BLACK, M4, Plain	POLYAMIDE BLACK	M4	Plain (no plating)	4 mm	5.5 mm	7 mm	
1587P05	DIN 1587 Cap Nut, Polyamide, M5, Plain	Polyamide	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587P05B	DIN 1587 Cap Nut, POLYAMIDE BLACK, M5, Plain	POLYAMIDE BLACK	M5	Plain (no plating)	5 mm	7.5 mm	8 mm	
1587P06	DIN 1587 Cap Nut, Polyamide, M6, Plain	Polyamide	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587P06B	DIN 1587 Cap Nut, POLYAMIDE BLACK, M6, Plain	POLYAMIDE BLACK	M6	Plain (no plating)	6 mm	8 mm	10 mm	
1587P08	DIN 1587 Cap Nut, Polyamide, M8, Plain	Polyamide	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587P08BLACK	DIN 1587 Cap Nut, POLYAMIDE BLACK, M8, Plain	POLYAMIDE BLACK	M8	Plain (no plating)	8 mm	11 mm	13 mm	
1587P10	DIN 1587 Cap Nut, Polyamide, M10, Plain	Polyamide	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587P10B	DIN 1587 Cap Nut, POLYAMIDE BLACK, M10, Plain	POLYAMIDE BLACK	M10	Plain (no plating)	10 mm	13 mm	17 mm	
1587P12	DIN 1587 Cap Nut, Polyamide, M12, Plain	Polyamide	M12	Plain (no plating)	12 mm	16 mm	19 mm	
1587S051	DIN 1587 Cap Nut, Steel class 6, M5, Turned, Dome, Zinc Plated	Steel class 6	M5	Zinc Bright Passivation Fe/Zn P1	5 mm	7.5 mm	8 mm	
1587S081	DIN 1587 Cap Nut, Steel class 6, M8, Turned, Dome, Zinc Plated	Steel class 6	M8	Zinc Bright Passivation Fe/Zn P1	8 mm	11 mm	13 mm	
1587S121	DIN 1587 Cap Nut, Steel class 6, M12, Turned, Dome, Zinc Plated	Steel class 6	M12	Zinc Bright Passivation Fe/Zn P1	12 mm	16 mm	19 mm	
1587S161	DIN 1587 Cap Nut, Steel class 6, M16, Turned, Dome, Zinc Plated	Steel class 6	M16	Zinc Bright Passivation Fe/Zn P1	16 mm	21 mm	24 mm	
1587S201	DIN 1587 Cap Nut, CL 6, M20, Turned, Dome, Zinc Plated	CL 6	M20	Zinc Bright Passivation Fe/Zn P1	20 mm	26 mm	30 mm	

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
1587S241	DIN 1587 Cap Nut, CL 6, M24, Turned, Dome, Zinc Plated	CL 6	M24	Zinc Bright Passivation Fe/Zn P1	24 mm	31 mm	36 mm	

