


DIN 580 — Lifting Eye Bolt



Catalogue data sheet · 28 sizes · category Bolts and Screws / Lifting Eye Bolts · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
580006E	DIN 580 Lifting Eye Bolt, Steel C15E, M6, CE-Marked, Plain	Steel C15E	M6	Plain (no plating)	6 mm	13 mm		
580008E	DIN 580 Lifting Eye Bolt, Steel C15E, M8, CE-Marked, Plain	Steel C15E	M8	Plain (no plating)	8 mm	13 mm		
580010E	DIN 580 Lifting Eye Bolt, Steel C15E, M10, CE-Marked, Plain	Steel C15E	M10	Plain (no plating)	10 mm	17 mm		
580012E	DIN 580 Lifting Eye Bolt, Steel C15E, M12, CE-Marked, Plain	Steel C15E	M12	Plain (no plating)	12 mm	20.5 mm		
580014E	DIN 580 Lifting Eye Bolt, Steel C15E, M14, CE-Marked, Plain	Steel C15E	M14	Plain (no plating)	14 mm	27 mm		
580016E	DIN 580 Lifting Eye Bolt, Steel C15E, M16, CE-Marked, Plain	Steel C15E	M16	Plain (no plating)	16 mm	27 mm		
580020E	DIN 580 Lifting Eye Bolt, Steel C15E, M20, CE-Marked, Plain	Steel C15E	M20	Plain (no plating)	20 mm	30 mm		
580024E	DIN 580 Lifting Eye Bolt, Steel C15E, M24, CE-Marked, Plain	Steel C15E	M24	Plain (no plating)	24 mm	36 mm		
580030E	DIN 580 Lifting Eye Bolt, Steel C15E, M30, CE-Marked, Plain	Steel C15E	M30	Plain (no plating)	30 mm	45 mm		
580042E	DIN 580 Lifting Eye Bolt, Steel C15E, M42, CE-Marked, Plain	Steel C15E	M42	Plain (no plating)	42 mm	63 mm		
580048E	DIN 580 Lifting Eye Bolt, Steel C15E, M48, CE-Marked, Plain	Steel C15E	M48	Plain (no plating)	48 mm	68 mm		
580056E	DIN 580 Lifting Eye Bolt, Steel C15E, M56, CE-Marked, Plain	Steel C15E	M56	Plain (no plating)	56 mm	78 mm		
580072E	DIN 580 Lifting Eye Bolt, Steel C15E, M72, CE-Marked, Plain	Steel C15E	M72	Plain (no plating)	72 mm	100 mm		
580A2006	DIN 580 Lifting Eye Bolt, Stainless A2, M6, CE-Marked	Stainless A2	M6	Plain (no plating)	6 mm	13 mm		
580A2008	DIN 580 Lifting Eye Bolt, Stainless A2, M8, CE-Marked	Stainless A2	M8	Plain (no plating)	8 mm	13 mm		
580A2010	DIN 580 Lifting Eye Bolt, Stainless A2, M10, CE-Marked	Stainless A2	M10	Plain (no plating)	10 mm	17 mm		
580A2012	DIN 580 Lifting Eye Bolt, Stainless A2, M12, CE-Marked	Stainless A2	M12	Plain (no plating)	12 mm	20.5 mm		
580A2016	DIN 580 Lifting Eye Bolt, Stainless A2, M16, CE-Marked	Stainless A2	M16	Plain (no plating)	16 mm	27 mm		
580A2020	DIN 580 Lifting Eye Bolt, Stainless A2, M20, CE-Marked	Stainless A2	M20	Plain (no plating)	20 mm	30 mm		
580A2024	DIN 580 Lifting Eye Bolt, Stainless A2, M24, CE-Marked	Stainless A2	M24	Plain (no plating)	24 mm	36 mm		
580A4008	DIN 580 Lifting Eye Bolt, Stainless A4, M8, CE-Marked	Stainless A4	M8	Plain (no plating)	8 mm	13 mm		
580A4010	DIN 580 Lifting Eye Bolt, Stainless A4, M10, CE-Marked	Stainless A4	M10	Plain (no plating)	10 mm	17 mm		
580A4012	DIN 580 Lifting Eye Bolt, Stainless A4, M12, CE-Marked	Stainless A4	M12	Plain (no plating)	12 mm	20.5 mm		
580A4016	DIN 580 Lifting Eye Bolt, Stainless A4, M16, CE-Marked	Stainless A4	M16	Plain (no plating)	16 mm	27 mm		
580A4020	DIN 580 Lifting Eye Bolt, Stainless A4, M20, CE-Marked	Stainless A4	M20	Plain (no plating)	20 mm	30 mm		
580A4024	DIN 580 Lifting Eye Bolt, Stainless A4, M24, CE-Marked	Stainless A4	M24	Plain (no plating)	24 mm	36 mm		

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
580A4027	DIN 580 Lifting Eye Bolt, Stainless A4, M27, CE-Marked	Stainless A4	M27	Plain (no plating)	27 mm	45 mm		
580A4030	DIN 580 Lifting Eye Bolt, Stainless A4, M30, CE-Marked	Stainless A4	M30	Plain (no plating)	30 mm	45 mm		

