


DIN 601 — Hexagon Head Screw



Catalogue data sheet · 37 sizes · category Bolts and Screws / Hexagon Head Screws · Source: Bufab public catalogue (bufab.com), compiled by cBallast 2026-09-15. Dimensions in mm unless stated. Confirm the controlling standard revision before procurement.



Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6014080501	DIN 601 Hexagon Head Screw, Steel 4.6, M8 x 50, Zinc Plated	Steel 4.6	M8 x 50	Zinc Bright Passivation Fe/Zn P1	8 mm	50 mm	13 mm	
6014081201	DIN 601 Hexagon Head Screw, Steel 4.6, M8 x 120, Zinc Plated	Steel 4.6	M8 x 120	Zinc Bright Passivation Fe/Zn P1	8 mm	120 mm	13 mm	
6014100452H	DIN 601 Hexagon Head Screw, Steel 4.6, M10 x 45, Fully Threaded	Steel 4.6	M10 x 45	HOT DIP GALVANIZED ISO FIT	10 mm	45 mm	17 mm	
6014100452HBD	DIN 601 Hexagon Head Screw, Steel 4.6, M10 x 45, Fully Threaded	Steel 4.6	M10 x 45	HOT DIP GALVANIZED ISO FIT	10 mm	45 mm	17 mm	
6014100501	DIN 601 Hexagon Head Screw, Steel 4.6, M10 x 50, Zinc Plated	Steel 4.6	M10 x 50	Zinc Bright Passivation Fe/Zn P1	10 mm	50 mm	17 mm	
6014101001	DIN 601 Hexagon Head Screw, Steel 4.6, M10 x 100, Zinc Plated	Steel 4.6	M10 x 100	Zinc Bright Passivation Fe/Zn P1	10 mm	100 mm	17 mm	
6014101201	DIN 601 Hexagon Head Screw, Steel 4.6, M10 x 120, Zinc Plated	Steel 4.6	M10 x 120	Zinc Bright Passivation Fe/Zn P1	10 mm	120 mm	17 mm	
601410335	DIN 601 Hexagon Head Screw, Steel 4.8, M10 x 335/50, Plain	Steel 4.8	M10 x 335/50	Plain (no plating)	10 mm	335 mm	17 mm	
6014120801	DIN 601 Hexagon Head Screw, Steel 4.6, M12 x 80, Zinc Plated	Steel 4.6	M12 x 80	Zinc Bright Passivation Fe/Zn P1	12 mm	80 mm	19 mm	
6014121101	DIN 601 Hexagon Head Screw, Steel 4.6, M12 x 110, Zinc Plated	Steel 4.6	M12 x 110	Zinc Bright Passivation Fe/Zn P1	12 mm	110 mm	19 mm	
6014121201	DIN 601 Hexagon Head Screw, Steel 4.6, M12 x 120, Zinc Plated	Steel 4.6	M12 x 120	Zinc Bright Passivation Fe/Zn P1	12 mm	120 mm	19 mm	
6014160601	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 60, Zinc Plated	Steel 4.6	M16 x 60	Zinc Bright Passivation Fe/Zn P1	16 mm	60 mm	24 mm	
6014160651	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 65, Zinc Plated	Steel 4.6	M16 x 65	Zinc Bright Passivation Fe/Zn P1	16 mm	65 mm	24 mm	
6014160701	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 70, Zinc Plated	Steel 4.6	M16 x 70	Zinc Bright Passivation Fe/Zn P1	16 mm	70 mm	24 mm	
6014160801	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 80, Zinc Plated	Steel 4.6	M16 x 80	Zinc Bright Passivation Fe/Zn P1	16 mm	80 mm	24 mm	
6014160901	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 90, Zinc Plated	Steel 4.6	M16 x 90	Zinc Bright Passivation Fe/Zn P1	16 mm	90 mm	24 mm	
6014161101	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 110, Zinc Plated	Steel 4.6	M16 x 110	Zinc Bright Passivation Fe/Zn P1	16 mm	110 mm	24 mm	
6014161301	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 130, Zinc Plated	Steel 4.6	M16 x 130	Zinc Bright Passivation Fe/Zn P1	16 mm	130 mm	24 mm	
6014162002	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 200/90, Hot Dip Gal	Steel 4.6	M16 x 200/90	HOT DIP GALVANIZED ISO FIT	16 mm	200 mm	24 mm	
6014162002BD	DIN 601 Hexagon Head Screw, Steel 4.6, M16 x 200/90, Hot Dip Gal	Steel 4.6	M16 x 200/90	HOT DIP GALVANIZED ISO FIT	16 mm	200 mm	24 mm	
6014200701	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 70, Zinc Plated	Steel 4.6	M20 x 70	Zinc Bright Passivation Fe/Zn P1	20 mm	70 mm	30 mm	
6014200751	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 75, Zinc Plated	Steel 4.6	M20 x 75	Zinc Bright Passivation Fe/Zn P1	20 mm	75 mm	30 mm	
6014200801	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 80, Zinc Plated	Steel 4.6	M20 x 80	Zinc Bright Passivation Fe/Zn P1	20 mm	80 mm	30 mm	
6014200901	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 90, Zinc Plated	Steel 4.6	M20 x 90	Zinc Bright Passivation Fe/Zn P1	20 mm	90 mm	30 mm	
6014201001	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 100, Zinc Plated	Steel 4.6	M20 x 100	Zinc Bright Passivation Fe/Zn P1	20 mm	100 mm	30 mm	
6014201201	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 120, Zinc Plated	Steel 4.6	M20 x 120	Zinc Bright Passivation Fe/Zn P1	20 mm	120 mm	30 mm	

Plated

Article no.	Designation (Bufab)	Material / class	Size	Surface finish	Thread	Length	A/F	Head / outer Ø
6014201402	DIN 601 Hexagon Head Screw, Steel 4.6, M20 x 140, Hot-Dip Galvan	Steel 4.6	M20 x 140	HOT DIP GALVANIZED ISO FIT	20 mm	140 mm	30 mm	
6014241802	DIN 601 Hexagon Head Screw, Steel 4.6, M24 x 180, Hot-Dip Galvan	Steel 4.6	M24 x 180	HOT DIP GALVANIZED ISO FIT	24 mm	180 mm	36 mm	
6018062651	DIN 601 Hexagon Head Screw, Steel 8.8, M6 x 265, Zinc Plated	Steel 8.8	M6 x 265	Zinc Bright Passivation Fe/Zn P1	6 mm	265 mm	10 mm	
6018083001	DIN 601 Hexagon Head Screw, Steel 8.8, M8 x 300, Zinc Plated	Steel 8.8	M8 x 300	Zinc Bright Passivation Fe/Zn P1	8 mm	300 mm	13 mm	
6018083301	DIN 601 Hexagon Head Screw, Steel 8.8, M8 x 330, Zinc Plated	Steel 8.8	M8 x 330	Zinc Bright Passivation Fe/Zn P1	8 mm	330 mm	13 mm	
6018083701	DIN 601 Hexagon Head Screw, Steel 8.8, M8 x 370, Zinc Plated	Steel 8.8	M8 x 370	Zinc Bright Passivation Fe/Zn P1	8 mm	370 mm	13 mm	
6018083801	DIN 601 Hexagon Head Screw, Steel 8.8, M8 x 380, Zinc Plated	Steel 8.8	M8 x 380	Zinc Bright Passivation Fe/Zn P1	8 mm	380 mm	13 mm	
6018102001	DIN 601 Hexagon Head Screw, Steel 8.8, M10 x 200, Zinc Plated	Steel 8.8	M10 x 200	Zinc Bright Passivation Fe/Zn P1	10 mm	200 mm	17 mm	
6018103901	DIN 601 Hexagon Head Screw, Steel 8.8, M10 x 390, Zinc Plated	Steel 8.8	M10 x 390	Zinc Bright Passivation Fe/Zn P1	10 mm	390 mm	17 mm	
6018104101	DIN 601 Hexagon Head Screw, Steel 8.8, M10 x 410, Zinc Plated	Steel 8.8	M10 x 410	Zinc Bright Passivation Fe/Zn P1	10 mm	410 mm	17 mm	
6018104301	DIN 601 Hexagon Head Screw, Steel 8.8, M10 x 430, Zinc Plated	Steel 8.8	M10 x 430	Zinc Bright Passivation Fe/Zn P1	10 mm	430 mm	17 mm	

